

GE-HZD136-IR


1080P Hybrid Analogue Eyeball



Key features

- 1/2.9" Sony Progressive Scan CMOS
- 2.8-12mm, 12mm/16mm Optional
- Motorized Lens Optional
- Video Transmission 300m
- IR Up to 35m
- 2D DNR, dWDR, ICR
- Support AHD/TVI/CVI/CVBS Hybrid Output

Dimension



Accessories



CAMERA	
Image Sensor	1/2.9" Sony CMOS
Signal System	PAL/NTSC
Min. illumination	Color: 0.01Lux@(F1.2, AGC ON) ; B/W: 0Lux@(IR LED ON)
S/N Ratio	≥50dB
Day & Night	ICR
Shutter Speed	PAL: 1/50-1/50000, NTSC: 1/60-1/60000
Wide Dynamic Range	dWDR
Digital Noise Reduction	2D
Lens	2.8-12mm 2.8-12mm Motorized Les
FOV	90°~35°
IR LED	24pcs
IR Wavelength	850nm
IR Range	Up to 35m
Optional	Optional
Support	Support
IMAGE	
Effective Resolution	1920x1080
Frame	PAL: 25fps, NTSC: 30fps
Mirror	N/A
Defog	N/A
HLC	N/A
Privacy Masking	N/A
Motion Detection	N/A
VIDEO OUTPUT	
Max Distance	75-5 300m
Video Output	AHD/TVI/CVI/CVBS
GENERAL	
Power Supply	DC12V±10%
Power Consumption	4W(Max)
Operating Temperature	-10°C ~ 55°C (14°F ~ 131°F)
Operating Humidity	0% - 85% RH
Ingress Protection	Ip66
Approvals	CE/FCC
Product Dimensions	Φ119x100mm
Product Weight	650 g