

Instrument Socket



Instrument Connector



Readel air connector

Bayonet type

Locking type

Round Connector

Rectangular Connector,

Gray Shroud Connector

HP 6.0mm diameter air plug

Yoke type



Cuff connector



Male Plastic

Male Plastic Luer Lock

Female Locking type

Male Luer Slip type

Quick disconnect Locking type

Bayonet type

Type Disignation

Y □ □ □ □ □ □

Yoke code & cuff type code: **T1**:Thigh,Single-tube; **T2**:Thigh,two-tube; **L1**: Large Adult,Single-tube; **L2**: Large Adult,two-tube; **A1**: adult,Single-tube; **A2**: adult,two-tube; **C1**: Child,Single-tube; **C2**: Child,two-tube; **I1**: Infant,Single-tube; **I2**: Infant,two-tube; **N1**: New Bo,Single-tube; **N2**: New Bo,two-tube;

Instrument Connector code. If the product is cuff, the lattice is useless, but use the "000" to express. As Y000A1

Y: Indicated Non-Invasive Blood Pressure(NIBP) Cuff & Tubes

Reusable Blood Pressure Cuffs (Multi-Patient Comfort (Reusable) Cuffs - Latex Free)

Specifications

Blood Pressure Tubing (Air Hoses)

- Replacement tubing (air hose) for sphygmomanometers, wall manometers, aneroid gauges, and automated blood pressure monitoring systems.
- Available in Adult, Pediatric, and Neonatal styles
- 8, 12, and 24-foot lengths permit positioning of the monitor in the room as needed
- Durable tubing offers extended tubing life
- Secure connection cuffs to prevent air leakage

Reusable Blood Pressure Cuffs

- Gentle TPU, strong enough for repeated inflation
- Reusable for multiple patient use
- Convenient and easy to clean
- Easy-to-use range markers and index line for proper size and placement
- Extra hook and loop for added security
- Variety of connection types to fit multiple monitoring systems
- Latex-free, PVC-free



Compatible Brand	Product Guide	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug)	PRICE CODE
Philips 78352A/C, 78354A/C,M1008A/B M1176A,M1350B,M3000A M3001A (with M1598B, M1599B, tubing) <u>Colin</u> , <u>Datascope</u> - Passport, Acutor; <u>Fukada Denshi</u> ; <u>Spacelabs</u> : all; <u>Older welch-Allyn</u> : Models-with locking luer-type connector, <u>Criticare</u> .; <u>Siemens</u> - with bayonet type connector; <u>Mindray</u> , <u>Goldway</u> .	One-Tube "Monitor"单管型  	M1576A	Y000T1	Reusable Blood Pressure Cuffs, Thigh size , Single-tube, Bladder width=6.3" (16cm), Bladder length=13.8" (35cm), Limb cir.=42~54cm, Packaging: 1 piece/pk	A9
		M1575A	Y000L1	Reusable Blood Pressure Cuffs, Large Adult size, Single-tube, Bladder width=7.9" (20cm), Bladder length=16.9" (43cm), Limb cir.:34~43cm, Packaging: 1 piece	A9
		M1574A	Y000A1	Reusable Blood Pressure Cuffs, adult size, Single-tube, Bladder width=5.1" (13cm), Bladder length=11" (28cm), Limb cir.=27~35cm, Packaging: 1 piece	A6
		M1573A	Y000S1	Reusable Blood Pressure Cuffs, Small adult size, Single-tube, Bladder width=4.1" (10.5cm), Bladder length=9.4" (24cm),	A6
		M1572A	Y000C1	Reusable Blood Pressure Cuffs, Pediatric size , Single-tube, Bladder width=3.1" (8cm), Bladder length=8.5" (21.5cm), Limb cir.=14~21cm, Packaging: 1 piece/pk	A5
		M1571A	Y000I1	Reusable Blood Pressure Cuffs, Infant size , Single-tube, Bladder width=2.2" (5.5cm), Bladder length=5.9" (15cm), Limb cir.=10~15cm, Packaging: 1 piece/pk	A5
		5082-81-3	Y000N1	Reusable Blood Pressure Cuffs, Neonatal size , Single-tube, Bladder 4x9cm, Limb cir.=6~11cm, Packaging: 1 piece/pk	A5
GE-Marquette, Datex-Ohmeda <u>GE(Marquette)</u> with male quick-connect type connector, <u>Dinama plus</u> , <u>XL, SX/XP, 8100 series</u> , Each GE corometrics; <u>Critikon</u> ; <u>Datex-Ohmeda</u> -with one male and one female quick connect type connector; CAS; <u>New Welch-Allyn</u> vital signs models-with threaded type Critikon style connector	Two-Tube "Monitor"双管型  	5082-88-4	Y000T2	Reusable Blood Pressure Cuffs, Thigh size , two-tube, Bladder width=6.3" (16cm), Bladder length=13.8" (35cm), Limb cir.=42~54cm, Packaging: 1 piece/pk	A9
		5082-87-4	Y000L2	Reusable Blood Pressure Cuffs, Large Adult size, two-tube, Bladder width=7.9" (20cm), Bladder length=16.9" (43cm), Limb cir.:34~43cm, Packaging: 1 piece/p	A9
		5082-86-4	Y000A2	Reusable Blood Pressure Cuffs, adult size, two-tube, Bladder width=5.1" (13cm), Bladder length=11" (28cm), Limb cir.=27~35cm, Packaging: 1 piece/p	A6
		5082-85-4	Y000S2	Reusable Blood Pressure Cuffs, Small adult size, two-tube, Bladder width=4.1" (10.5cm), Bladder length=9.4" (24cm),	A6
		5082-84-4	Y000C2	Reusable Blood Pressure Cuffs, Pediatric size , two-tube, Bladder width=3.1" (8cm), Bladder length=8.5" (21.5cm), Limb cir.=14~21cm, Packaging: 1 piece/pk	A5
		5082-82-4	Y000I2	Reusable Blood Pressure Cuffs, Infant size , two-tube, Bladder width=2.2" (5.5cm), Bladder length=5.9" (15cm), Limb cir.=10~15cm, Packaging: 1 piece/pk	A5
			Y000N2	Reusable Blood Pressure Cuffs, Neonatal size , two-tube, Bladder 4x9cm, Limb cir.=6~11cm, Packaging: 1 piece/pk	A5

Bladderless Reusable Blood Pressure Cuffs Specifications

- Gentle Nylon+TPU, strong enough for repeated inflation
- Reusable for multiple patient use
- Convenient and easy to clean
- Easy-to-use range markers and index line for proper size and placement
- Extra hook and loop for added security
- Variety of connection types to fit multiple monitoring systems
- Latex-free,
- PVC-free



Compatible Brand	Product Guide	OEM P/N	Model No	Description (Name,Length,Plug)	Price Code
Philips 78352A/C, 78354A/C,M1008A/B M1176A,M1350B,M3000A M3001A (with M1598B, M1599B, tubing) Colin , Datascope - Passport, Acutor; Fukada Denshi ; Spacelabs : all; Older welch-Allyn : Models-with locking luer-type connector, Criticare ,; Siemens - with bayonet type connector; Mindray , Goldway ,	One-Tube "Monitor"单管型  		Y000RLA1	Bladderless Reusable Blood Pressure Cuffs, Large Adult size , One-Tube, Arm width min/max [cm]=32~42cm, Packaging:10pcs/box,	A5/pcs
			Y000RT1	Bladderless Reusable Blood Pressure Cuffs, Thigh size , One-Tube, Arm width min/max [cm]=42~50cm, Packaging:10pcs/box,	A9/pcs
			Y000RA1	Bladderless Reusable Blood Pressure Cuffs, Adult size , One-Tube, Arm width min/max [cm]=24~32cm, Packaging:10pcs/box,	A6/pcs
			Y000RAL1	Bladderless Reusable Blood Pressure Cuffs, Adult long size , One-Tube, Arm width min/max [cm]=28~37cm, Packaging:10pcs/box,	A6/pcs
			Y000RC1	Bladderless Reusable Blood Pressure Cuffs, Child size , One-Tube, Arm width min/max [cm]=15~22cm, Packaging:1piece/bag,	A5
			Y000RSA1	Bladderless Reusable Blood Pressure Cuffs, Small Adult size , One-Tube, Arm width min/max [cm]=17~25cm, Packaging:10pcs/box,	A9/pcs
		GE-Marquette, Datex-Ohmeda GE(Marquette) with male quick-connect type connector, Dinama plus, XL, SX/XP, 8100 series, Each GE corometrics; Critikon ; Datex- Ohmeda -with one male and one female quick connect type connector; CAS; New Welch-Allyn vital signs models- with threaded type Critikon style connector	Two-Tube "Monitor"双管型  		Y000RLA2
	Y000RT2			Bladderless Reusable Blood Pressure Cuffs, Thigh size , two-Tube, Arm width min/max [cm]=42~50cm, Packaging:10pcs/box,	A9/pcs
	Y000RA2			Bladderless Reusable Blood Pressure Cuffs, Adult size , two-Tube, Arm width min/max [cm]=24~32cm, Packaging:10pcs/box,	A6/pcs
	Y000RAL2			Bladderless Reusable Blood Pressure Cuffs, Adult long size , two-Tube, Arm width min/max [cm]=28~37cm, Packaging:10pcs/box,	A6/pcs
	Y000RC2			Bladderless Reusable Blood Pressure Cuffs, Child size , two-Tube, Arm width min/max [cm]=15~22cm, Packaging:10pcs/box,	A5/pcs
	Y000RSA2			Bladderless Reusable Blood Pressure Cuffs, Small Adult size , two-Tube, Arm width min/max [cm]=17~25cm, Packaging:10pcs/box,	A9/pcs

Disposable Blood Pressure Cuffs


Specifications

- Soft, absorbent material for maximum patient comfort
- Strong enough for repeated inflations
- Economical enough for single-patient use
- Color-coded by size for accuracy and added patient comfort
- Easy-to-use range markers and index line for proper size and placement
- Sized to meet AHA, AAMI/ANSI/SP9 and EN1060 requirements
- Latex-free,
- PVC Free (Neo 1#-5#)



Compatible Brand	Productor Guide	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug)	PRICE CODE	
For Philips (Hewlett Packard), Siemens, Datascope and Spacelabs Monitors; For Protocol Monitors ; For Colin, Spacelabs and Datascope Monitors 		5082-101-1	Y000DSN1-1#	DISPOSABLE CUFFS NEONATES, Neo #1 , One-Tube, Arm width min/max [cm]=3.3~5.6cm, Packaging:24pcs/box,	E8/box	
		5082-102-1	Y000DSN1-2#	DISPOSABLE CUFFS NEONATES, Neo #2 , One-Tube, Arm width min/max [cm]=4.2~7.1cm, Packaging:24pcs/box,	E8/box	
		5082-103-1	Y000DSN1-3#	DISPOSABLE CUFFS NEONATES, Neo #3 , One-Tube, Arm width min/max [cm]=5.4~9.1cm, Packaging:24pcs/box,	E8/box	
		5082-104-1	Y000DSN1-4#	DISPOSABLE CUFFS NEONATES, Neo #4 , One-Tube, Arm width min/max [cm]=6.9~11.7cm, Packaging:24pcs/box,	E8/box	
		5082-105-1	Y000DSN1-5#	DISPOSABLE CUFFS NEONATES, Neo #5 , One-Tube, Arm width min/max [cm]=8.9~15.0cm, Packaging:24pcs/box,	E8/box	
		5082-94-3	Y000DC1	Disposable cuffs, Child size , One-Tube, Arm width min/max [cm]=15~22cm, Packaging:10pcs/box,	B0/box	
		5082-95-3	Y000DSA1	Disposable cuffs, Small Adult size , One-Tube, Arm width min/max [cm]=17~25cm, Packaging:10pcs/box,	B0/box	
		5082-96-3	Y000DA1	Disposable cuffs, Adult size , One-Tube, Arm width min/max [cm]=24~32cm, Packaging:10pcs/box,	B0/box	
		5082-96L-3	Y000DAL1	Disposable cuffs, Adult long size , One-Tube, Arm width min/max [cm]=28~37cm, Packaging:10pcs/box,	C0/box	
		5082-97-3	Y000DLA1	Disposable cuffs, Large Adult size , One-Tube, Arm width min/max [cm]=32~42cm, Packaging:10pcs/box,	D0/box	
		5082-98-3	Y000DT1	Disposable cuffs, Thigh size , One-Tube, Arm width min/max [cm]=42~50cm, Packaging:10pcs/box,	D0/box	
	For GE Corometrics, DINAMAP and MDE Monitors, For GE Eagle, Dash, Tram, Solar, MAC-Lab Systems 		5082-101-2	Y000DSN2-1#	DISPOSABLE CUFFS NEONATES, Neo #1 , two-Tube, Arm width min/max [cm]=3.3~5.6cm, Packaging:24pcs/box,	E8/box
			5082-102-2	Y000DSN2-2#	DISPOSABLE CUFFS NEONATES, Neo #2 , two-Tube, Arm width min/max [cm]=4.2~7.1cm, Packaging:24pcs/box,	E8/box
		5082-103-2	Y000DSN2-3#	DISPOSABLE CUFFS NEONATES, Neo #3 , two-Tube, Arm width min/max [cm]=5.4~9.1cm, Packaging:24pcs/box,	E8/box	
		5082-104-2	Y000DSN2-4#	DISPOSABLE CUFFS NEONATES, Neo #4 , two-Tube, Arm width min/max [cm]=6.9~11.7cm, Packaging:24pcs/box,	E8/box	
		5082-105-2	Y000DSN2-5#	DISPOSABLE CUFFS NEONATES, Neo #5 , two-Tube, Arm width min/max [cm]=8.9~15.0cm, Packaging:24pcs/box,	E8/box	
		5082-94-4	Y000DC2	Disposable cuffs, Child size , two-Tube, Arm width min/max [cm]=15~22cm, Packaging:10pcs/box,	B0/box	
		5082-95-4	Y000DSA2	Disposable cuffs, Small Adult size , two-Tube, Arm width min/max [cm]=17~25cm, Packaging:10pcs/box,	B0/box	
		5082-96-4	Y000DA2	Disposable cuffs, Adult size , two-Tube, Arm width min/max [cm]=24~32cm, Packaging:10pcs/box,	B0/box	
		5082-96L-4	Y000DAL2	Disposable cuffs, Adult long size , two-Tube, Arm width min/max [cm]=28~37cm, Packaging:10pcs/box,	C0/box	
		5082-97-4	Y000DLA2	Disposable cuffs, Large Adult size , two-Tube, Arm width min/max [cm]=32~42cm, Packaging:10pcs/box,	D0/box	
		5082-98-4	Y000DT2	Disposable cuffs, Thigh size , two-Tube, Arm width min/max [cm]=42~50cm, Packaging:10pcs/box,	D0/box	

Pressure Cuff Interconnect Tubing


Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug)	Instrument Connector	Yoke (cuff side)	PRICE CODE
Philips	Connects all sizes of Philips' reusable and disposable adult and pediatric NIBP cuffs to the monitor. Use with adult and pediatric cuffs only. CANNOT BE USED WITH NEONATAL CUFFS. Use with all Philips models except A1/A3	M1598B	YA25A06-05	Pressure Cuff Interconnect Tubing, Single tube, 5ft.1.5M, 6.0 Air plug > Bayonet type, perfect fit for 5082-184 cuff connector			B8
		M1599B	YA25A06-10	Pressure Cuff Interconnect Tubing, Single tube, 10ft. 3.0M, 6.0 Air plug > Bayonet type, perfect fit for 5082-184 cuff connector			B8
Philips	NIBP hose connects to 40401X, M45xx, M157x series pressure cuffs. Use with Philips Instrument: A1/A3, M3921A, M3923A, M3926A, M3927A, M3928A, M3929A	M3918A	YA06A06-10	Pressure Cuff Interconnect Tubing, Single tube, 10 ft 3.0 M, Bayonet type > Bayonet type perfect fit for 5082-184 cuff connector			B8
Simens Mindray Spacelabs MEK,NPB , Contec	Spacelabs:90496 Module, Contec: CMS9000	Spacelabs P/N:714-0018-00	YA06A06-10	Pressure Cuff Interconnect Tubing, Single tube, 10 ft 3.0 M, Bayonet type > Bayonet type perfect fit for 5082-184 cuff connector			B8
Goldway 3F Medical System			YA10A01-12	Blood Pressure Tubing (Air Hoses), single-tube, Adult-Pediatric, 12 ft., Screw Connector > Barbed to barbed connector			B0
Creative Neusoft Jeteem 井田医电	Jeteem:BD6000		YA18A01-10	Pressure Cuff Interconnect Tubing, Single tube, 3.0M, Readel Air plug > Barbed to barbed connector			B0
Colin, Criticare, CSI Datascope, NihonKohden, Datascope			YA07A08-10	Pressure Cuff Interconnect Tubing, Single tube, 3.0M, Male Plastic Luer Lock > Female Plastic Luer Lock			B8
GE Dinamap, Pro, MPS	DINAMAP, Pro, Compact, MPS Series	107365	YA24A10-12	Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 12 ft., Gray Shroud to Screw Connector, Gray			C7
		107366	YA24A10-24	Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 24 ft., Gray Shroud to Screw Connector,			C7
		107368	YA24A16-12	Blood Pressure Tubing (Air Hoses), two- tube, Neonatal, 12 ft., Gray Shroud to Female Slip Luer,			C0
		107363	YA24A12-12	Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 12 ft., Gray Shroud to Submin Connector, Gray			C7

Compatible Brand	Compatible Models No.	OEM P/N	MED-LINK REF NO.	Description (Name,Length,Plug)	Instrument Connector	Yoke (cuff side)	PRICE CODE
GE marquette	Eagle 3000, Dash 2000/3000/4000, Tram 400/450/451, Tram 800. 850/851. Corometrics 120	9461-217	YA23A10-12	Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 12 ft.Gray, Rectangular Connector to Screw Connector,		 514	C7
		414873-001	YA23A12-12	Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 12 ft., Gray, Rectangular Connector to Submin Connector,			C7
		414874-001	YA23A16-08	Blood Pressure Tubing (Air Hoses), two- tube, Neonatal, 8 ft., Rectangular Connector to Female Slip Luer,			C0
GE medical Critikon, Kontron, Invivo	DINAMAP 1846, 8100, 9300 and Plus Series Monitors	88845	YA10A102-24	Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 24 ft., Screw Connector to Screw Connector,		 514	C7
		88845	YA10A12-08	Blood Pressure Tubing (Air Hoses), two- tube, Neonatal, 8 ft., Screw Connector to Female Slip Luer,			C7
GE medical Corometrics GE Datex	Eagle 4000, Tram 100/200/250/300/350, Corometrics 120	9461-203	YA22A12-12	Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 12 ft., Screw Connector to Submin Connector,			C7
		9461-214	YA22A10-12	Blood Pressure Tubing (Air Hoses), two- tube, Adult-Pediatric, 12 ft., Screw Connector to Screw Connector,			C7
		9461-205	YA22A16-08	Blood Pressure Tubing (Air Hoses), two- tube, Neonatal, 8 ft., Round Connector to Female Slip Luer			C0
Nihon Kohden	Bedside Monitor: BSM-4101, 4103, 4111, 4113 Life scope P, BSM-5105, 5135 Life scope A, BSM-2351, 2353 Life scope L, BSM-2301, 2303 Life scope I		YA28A11-08	Blood Pressure Tubing (Air Hoses), two- tube, 8 ft. (2.4m), A28>A11, Fit for A12.			C0
Siemens, Drager	Multimed-Pot system fur serie SC 6000, SC 6002XL, SC 7000, SC 9000, Art. Nr. 3368391 (8.2ft) Art. Nr. 5950196 (4.9ft)		YA29A06-08	Blood Pressure Tubing (Air Hoses), single-tube, 8ft (2.4m), A29>A06, fit for A04, A05			B0

Air Hose Connectors (Cuff side)

Air Hose Connectors

- Air hose connectors to convert your air hose to use blood pressure cuffs
- Variety of shapes and styles
- Economical way to standardize your blood pressure monitors throughout your facility.

Compatibility	Product Guide	OEM P/N	MED-LINK REF NO.	Description	Perfect fit for	PRICE CODE
Unfitted			HL0024B	Single Tubing, Black , Inner diameter: 5/32 in. Out diameter: 6mm, Purchasing Unit: M - Material: Silicone	all Barbed diameter 5/32 in. air connector	A2
Unfitted		GE P/N:300959	SL0008A	Single Tubing, Gray , Inner diameter: 5/32 in. Out diameter: 6mm, Purchasing Unit: M - Material: TPU	all Barbed diameter 5/32 in. air connector	A2
Unfitted			SL0008B	Two-Tubing, Gray, Inner diameter: 5/32 in. Out diameter: 6mm*2, Purchasing Unit: M - Material: TPU	all Barbed diameter 5/32 in. air connector	A5
Air Hose Connector		GE P/N:300670	A01	Barbed to Barbed, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.	all Barbed diameter 5/32 in. air connector	A3/pk
L&T, Critikon, Datex (Neonatal)		Welch-allyn P/N:5082-176	A26	Barbed to Male Luer Slip type, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm tube.	Female Slip Luer (A03,A15,A16)	A3/pk
L&T, Critikon, Datex		GE P/N:300667 Welch-allyn P/N:5082-167	A25	5/32 in. ID Barbed to Male Slip Luer, Plastic, Packaging: 10pcs/pk Fit for ID4.0mm tube and OD4.0 tube.	Female Slip Luer (A03,A15,A16)	A3/pk
L & T		GE P/N:300667 Welch-allyn P/N:5082-167	A02	5/32 in. ID Barbed to Male Slip Luer, Metal, Packaging: 10pcs/pk Fit for ID4.0mm tube	Female Slip Luer (A03,A15,A16)	A8/pk
L & T		GE P/N:300669 Welch-allyn P/N:5082-169	A03	5/32 in. ID Barbed to Female Slip Luer, Metal, Packaging: 10pcs/pk Fit for ID4.0mm tube	Male Slip Luer, (A02,A25,A26)	B6/pk
Philips (HP), Siemens, Datascope and Colin		GE P/N:330059 Welch-allyn P/N:5082-184	A04	Male Bayonet to 5/32 in. ID Barbed, Metal, Packaging: 10pcs/pk Fit for ID4.0mm tube	Female Bayonet	A8/pk
		Welch-allyn P/N:5082-184	A05	Male Bayonet to 5/32 in. ID Barbed, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.	Female Bayonet	A5/pk
		GE P/N:330060	A06	5/32 in. ID Barbed to Female Bayonet, Metal, Packaging: 1piece/pk Fit for ID3.0mm - 4.0mm tube.	Male Bayonet	A4

Compatibility	Productor Guide	OEM P/N	MED-LINK REF NO.	Description	Perfect fit for	PRICE CODE
Spacelabs, Datascope and Colin		GE P/N: 300668 Welch-allyn P/N: 5082-168	A07	(Plastic Luer Lock) Female Locking Luer to 5/32 in. ID Barbed, Plastic, Packaging: 10pcs/pk Fit for ID3.0mm - 4.0mm tube.	Male Locking Luer	A5/pk
		GE P/N: 300665 Welch-allyn P/N: 5082-165	A08	5/32 in. ID Barbed to Male Locking Luer (Plastic Luer Lock), Plastic, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.	Female Locking Luer	A5/pk
DINAMAP		GE P/N: 300664 Welch-allyn P/N: 5082-164	A09	Male Screw to 5/32 in. ID Barbed, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.	Female Screw	A5/pk
		GE P/N: 300619 Welch-allyn P/N: 5082-161	A10	1/8 in. ID Barbed to Female Screw, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.	Male Screw	A8/pk
GE, Marquette and Protocol		GE P/N: 330064 Welch-allyn P/N: 5082-182	A11	(Quick Disconnect Locking type) Female Submin to 1/8 in. ID Barbed, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.	Male Submin	A8/pk
GE, Marquette, Datex-Ohmeda		GE P/N: 330090	A12	(Quick Disconnect Locking type) Male Submin to 5/32 in. ID Barbed, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.	Female Submin	A8/pk
Marquette one-tube systems		GE P/N: 330057 Welch-allyn P/N: 5082-181	A13	5/32 in. ID Barbed to Female Marquette locking type Connector, Plastic, Packaging: 1piece/pk Fit for ID2.5mm - 4.0mm tube.	male Marquette locking type Connector	A7
			A14	5/32 in. ID Barbed to male Marquette locking type Connector, Plastic, Packaging: 1piece/pk Fit for ID2.5mm - 4.0mm tube.	Female Marquette locking type Connector	A2
ADAPTER			A15	5/32 in. ID Barbed X2 to Female Slip Luer,, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.	Marquette Neonatal cuff connector	B6/pk
			A21	5/32 in. ID Barbed X2 to 5/32 in. ID Barbed X2, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.	5/32 in. ID Tube	B6/pk
			SL0424A	Y type tube adaptor, ID: 4.0mm, OD: 7.0mm	single tube to double tube style Interconnect Tubing	A2
Eagle 3000, Dash 2000/3000/4000, Tram 400/450/451, Tram 800/850/851			A16	5/32 in. ID Barbed to Female Slip Luer, Plastic, Packaging: 10pcs/pk Fit for ID2.5mm - 4.0mm tube.	Marquette Neonatal cuff connector	B6/pk

Air Hose Connectors (Instrument side)

Compatibility	Product Guide	OEM P/N	MED-LINK REF NO.	Description	Perfect fit for	PRICE CODE
Readel			A17	5/32 in. ID Barbed to Readel air socket, Plastic, Packaging: 1piece/pk	Readel air plug	A3
			A18	5/32 in. ID Barbed to Readel air plug, Plastic, Packaging: 1piece/pk Fit for ID4.0mm tube.	Readel air socket,	A3
Philips			A19	Male Bayonet socket to 5/32 in. ID Barbed, Metal, L=29mm, Packaging: 1piece/pk Fit for ID4.0mm tube.	Female Bayonet	A2
			A20	Male Bayonet socket to 5/32 in. ID Barbed, Metal, L=38mm, Packaging: 1piece/pk Fit for ID4.0mm tube.	Female Bayonet	A2
		GE P/N: 330 060	A06	5/32 in. ID Barbed to Female Bayonet, Metal, Packaging: 1piece/pk Fit for ID4.0mm tube.	Male Bayonet socket	A4
Marquette		GE P/N: 330 057	A13	5/32 in. ID Barbed to Female Marquette locking type socket, Plastic, Packaging: 1piece/pk	male Marquette locking type Connector	A7
			A14	5/32 in. ID Barbed to male Marquette locking type Connector, Plastic, Packaging: 1piece/pk	Female Marquette locking type socket	A1
Eagle 4000, Tram 100/200/250/300/350, Corometrics 118			A22	5/32 in. ID Barbed*2 to Round Connector, Packaging: 1piece/pk	Perfect fit for two-tubes	A5
Eagle 3000, Dash 2000/3000/4000, Tram 400/450/451, Tram 800/850/851, Corometrics 120			A23	Rectangular Connector, Packaging: 1piece/pk	Perfect fit for two-tubes	A5
DINAMAP, Pro, Compact, MPS Series			A24	Gray Shroud Connector, Packaging: 1piece/pk	Perfect fit for two-tubes	A5
Regularly as the connector of air hose for neonate disposable BP cuffs		GE P/N: 300669 Welch-allyn P/N: 5082-169	A30	5/32 in. ID Barbed to Female Slip Luer, Metal, Packaging: 1pcs/pk Fit for ID4.0mm tube	Male Slip Luer, (A02,A25,A26)	A2