



Loop Colposcopy Autoclavable Electrodes



GIMA code	Reference number	Colposcopy electrodes - Ø 2.4 mm autoclavable at 120°C	Shaft length	Electrode width	Electrode depth
30680	41	Loop electrode - 8 mm	11 cm	8 mm	8 mm
30682	42	Loop electrode - 15 mm	11 cm	15 mm	15 mm
30683	43	Loop electrode - 20 mm	11 cm	20 mm	15 mm



GIMA code	Reference number	Loop electrodes - Ø 2.4 mm autoclavable at 120°C	Shaft length	Electrode width	Electrode depth
30686	50	Square loop electrode	13 cm	10 mm	8 mm
30687	51	Loop electrode	13 cm	15 mm	8 mm
30688	52	Loop electrode	13 cm	20 mm	10 mm

Autoclavable Electrodes

GIMA code	Reference number	Autoclavable electrodes Ø 2.4 mm	Reference number	GIMA code	length 5 cm	minimum order: 6 pcs.	length 10 cm	21	30521	1	2	3	4	5	6	7	8	9	10	15	16	17					
30501	1	Electrode wire - straight	21	30521	length 5 cm	minimum order: 6 pcs.	22	30522	1	2	3	4	5	6	7	8	9	10	15	16	17						
30502	2	Electrode wire - angled 45°	22	30522	length 10 cm	23	30523	2	30523	7 cm	7 cm long electrodes - reference number	24	30524	25	30525	26	30526	27	30527	28	30528	29	30529	30	30530	31	30531
30503	3	Electrode bend - Ø 4 - straight	23	30523	length 10 cm	24	30524	25	30525	length 15 cm	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534		
30504	4	Electrode bend - Ø 8 - straight	24	30524	length 15 cm	25	30525	26	30526	length 15 cm	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534		
30505	5	Electrode hook - angled 45°	25	30525	length 15 cm	26	30526	27	30527	length 15 cm	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534		
30506	6	Electrode wire 1 mm. - angled 45°	26	30526	length 15 cm	27	30527	28	30528	length 15 cm	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534		
30507	7	Electrode straight slip-knot - straight	27	30527	length 15 cm	28	30528	29	30529	length 15 cm	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534		
30508	8	Electrode angled slip-knot - straight	28	30528	length 15 cm	29	30529	30	30530	length 15 cm	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534		
30509	9	Electrode ball point - Ø 3 mm. - angled 45°	29	30529	length 15 cm	30	30530	SET	30531	length 15 cm	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534		
30510	10	Electrode ball point - Ø 3 mm. - straight	30	30530	length 15 cm	SET	30531	length 15 cm	30532	length 15 cm	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534		
30500	SET	Set of 10 electrodes	31	30531	length 15 cm	32	30532	33	30533	34	30534	length 15 cm	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534
30511	15	length 7 cm	35	30532	length 15 cm	36	30533	37	30534	length 15 cm	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534		
30512	16	Needle electrode	35	30532	length 15 cm	36	30533	37	30534	length 15 cm	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534		
30513	17	Blade electrode	36	30533	length 15 cm	37	30534	length 15 cm	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534	30532	30533	30534	

Single use Sterile Electrodes

GIMA code	Reference number	Single use electrodes Ø 2.4 mm minimum order: 24 pcs.	Reference number	GIMA code	length 7 cm	Sterile electrode	length 15 cm	N. 13	N. 11	N. 12	N. 34	N. 33	N. 32		
30670	13	length 7 cm	33	30674	length 7 cm	Needle electrode - sterile electrode	33	30674	length 15 cm	30532	30533	30534	30532	30533	30534
30671	11	Blade electrode - sterile	31	30675	length 15 cm	31	30675	length 15 cm	30532	30533	30534	30532	30533	30534	
30672	12	Ball Ø 4 mm. electrode - sterile	32	30676	length 15 cm	32	30676	length 15 cm	30532	30533	30534	30532	30533	30534	
-	-	Sterile electrode	34	30678	length 15 cm	Loop electrode - 15mmx8mm	34	30678	length 15 cm	30532	30533	30534	30532	30533	30534

Single Use, Metal and Rubber Plates

30565 (REM disposable plate)	30563 (cable)	30567 (Pediatric disposable plate)	30566 (metal plate)	30573 (rubber plate 20x15 cm)	30563 (cable)	30575 (cable)	30574 (rem rubber plate)
Code 30562 DISPOSABLE GROUND PADS WITH SOLID GEL - adult		Code 30567 DISPOSABLE GROUND PADS WITH SOLID GEL - paediatric		Code 30573 RUBBER PLATE 20x15 cm - without cable		Code 30574 REM RUBBER PLATE 20x15 cm - without cable	
Code 30565 REM DISPOSABLE GROUND PADS WITH SOLID GEL - adult		Code 30566 METAL PLATE - without cable		Code 30575 CABLE FOR RUBBER PLATES		Code 30576 METAL PLATE - without cable	
Adult ground plate with solid gel. Single use plate individually packed		Code 30563 CABLE FOR PLATES - 5 m		Code 30577 CABLE FOR RUBBER PLATES		Code 30578 CABLE FOR PLATES - 5 m	
Code 30563 CABLE FOR PLATES - 5 m		Universal cable to connect plates (30562+30565+30566-30567) to diathermo.		Code 30578 CABLE FOR RUBBER PLATES		Code 30579 CABLE FOR PLATES - 2.5 m	
Universal cable to connect plates (30562+30565+30566-30567) to diathermo.		Safety lock with universal connection - bipolar Ø 6.3 mm plug		Code 30579 CABLE FOR RUBBER PLATES		Code 30580 CABLE FOR PLATES - 2.5 m	

Monopolar Handles with or without switches

MB HANDLES with 2 "click" push-buttons

GIMA autoclavable electrosurgery pencils with CUT-COAG switch have been studied and tested to offer maximum reliability and functionality to the operator. MB handles are provided with a 3 Pins socket Valley Lab type that fits all Gima mono-bipolar Diatermo MB (122, 132, 160, 200, 202, 240, 380) and majority of bipolar electrosurgical units: Aspen Lab, ES Generator, EMC Statome, Danieli, Braun, Berchtold, Ohmeda, Ritter, Conmed, Eschman, Bovie, Martin, Kontron, Bard, Birtcher 771, Cobi, Valley Lab, Led, Erbe...

Code 30554 MB AUTOCLAVABLE HANDLE - 100 times

Autoclavable handle with 2 large "click" push-button, provided with a 3 meters long silicone cable and a blade electrode. It can be autoclaved up to 100 times (20 times electrode). For electrodes Ø 2.4 mm

Code 30548 STAR AUTOCLAVABLE HANDLE - 30 times

Same as code 30554 but autoclavable up to 30 times (electrode is autoclavable up to 20 times). For electrodes Ø 2.4 mm

Code 30549 STAR 5 AUTOCLAVABLE HANDLE - 30 times

Same as STAR, but with a 5 meters long silicone cable

Code 30547 ORION AUTOCLAVABLE HANDLE - 100 times

Same as 30554, but with a screw clamp locking system that not only guarantees a safe contact, but also adapts to the different electrode diameters.

Code 30551 KIRKY SINGLE-USE HANDLE-STERILE

Single-use handle with "click" push-buttons for cut and coag. Includes blade electrode. minimum order: 10 pcs.

Code 30553 GIMA SINGLE-USE HANDLE-STERILE

Same as 30551. minimum order: 10 pcs.

106 HANDLES

These handles are provided with a 1 Pin socket (4 mm) that fits all Gima Diatermo and majority of electrosurgical units in the market. These handles do not have push-buttons.

Code 30519 AUTOCLAVABLE 106 HANDLE

Autoclavable handle without buttons, provided with a 3 meters long cable and a blade electrode.

It can be autoclaved up to 50 times.

Code 30518 KIRKY SINGLE-USE 106 HANDLE- STERILE

Single-use handle without button with blade electrode with 4 mm PIN connection.

minimum order: 10 pcs.

MICROSURGERY

Microsurgery accessories for all GIMA Diatermo and electro-depilators

Code 30552 MICROSURGERY HANDLE

Code 30560 MICROSURGERY NEEDLE

ELECTRODE BRUSH

Code 30537 ELECTRODE BRUSH - 50x50 mm

Disposable sterile radiopaque abrasive tip cleaner pad. Box of 100

minimum order: 10 pcs.



"MB HANDLES"

30547 screw type

(autoclavable up to 100 times)

30554

(autoclavable up to 100 times)

30548

(autoclavable up to 30 times)

30551

(single use)

30553

(single use)

30555

(single use)

Tripolar universal
Valleylab type connector
for all above handles

"106 HANDLES"



30519 (autoclavable)



30518 (single use)

1 pin (Ø 4mm)
socket for above handles



30537



30552

Monopolar Forceps, Scissors and Cables

30612

tip 2 mm

FDA APPROVED



0120

30613

30614

Metzenbaum

30611

tip 2 mm

30610

Monopolar forceps are provided with a 4 mm connection for standard monopolar cables. These can be used with all Gima, Led, Erbe and many other electrosurgical units in the market.

GIMA code

Insulated Monopolar Instruments

30610 Monopolar cable - 4 mm pin

30611 Straight monopolar forceps 19 cm. (7^{1/2} ")

30612 Bayonet monopolar forceps - 19 cm. (7^{1/2} ")


30613 Monopolar scissors - 18 cm. (7")

30614 Metzenbaum monopolar scissors - straight - 18 cm (7")

30615 Metzenbaum monopolar scissors - curved - 18 cm (7")

Universal High Quality Insulated Bipolar Forceps

European connector bipolar forceps



GIMA code	Model	Connector	Length		Tip style	Application	Tip size	Straight tip Straight forceps Irrigation UNIVERSAL EUROPEAN CONNECTION Our forceps are provided with a standard European connection enabling their use with GIMA Diatermo and electrosurgery units from the main European manufacturers.
			cm	inches				
30645	BINNER	EU	22 cm	8 1/2"	Straight	ENT	-	
30646	BINNER	EU	18 cm	7"	Straight	ENT	-	
30647	BINNER	EU	18 cm	7"	Angled	ENT	-	
30648	BINNER	EU	19 cm	7 3/8"	Angled 45°	ENT	-	
30650	Straight	EU	18 cm	7"	Straight	GENERAL	1 mm round points	
30656	STR with irrigation	EU	18 cm	7"	Straight	GENERAL	1 mm round points	
30651	Straight	EU	20 cm	7 3/4"	Straight	GENERAL	1 mm round points	
30658	Straight	EU	20 cm	7 3/4"	Straight	GENERAL	2 mm round points	
30652	Straight	EU	18 cm	7"	Angled	GENERAL	1 mm round points	
30653	Straight	EU	20 cm	7 3/4"	Angled	GENERAL	1 mm round points	
30654	BAYONET	EU	18 cm	7"	Straight	GENERAL	1 mm round points	
30655	BAYONET	EU	20 cm	7 3/4"	Straight	GENERAL	1 mm round points	
30660	Straight	EU	18 cm	7"	Angled	GENERAL	0.3 mm points	
30661	Straight	EU	18 cm	7"	Straight	GENERAL	0.3 mm points	
30662	Straight	EU	20 cm	7 3/4"	Straight	GENERAL	0.3 mm points	
30665	JEWELER	EU	11.5 cm	4 1/2"	Straight	OPHTHALMIC/MICRO	0.25 mm points	
30666	JEWELER	EU	11.5 cm	4 1/2"	Angled	OPHTHALMIC/MICRO	0.25 mm points	
30667	Straight	EU	15 cm	6"	Straight	OPHTHALMIC/MICRO	0.5 mm points	
30668	Straight	EU	15 cm	6"	Angled	OPHTHALMIC/MICRO	0.5 mm points	
30669	Mc PHERSON	EU	10.2 cm	4"	Straight	OPHTHALMIC/MICRO	0.5 mm points	

US Connector bipolar forceps

GIMA code	Model	Connector	Length		Application	Straight tip Size	CE 0120 FDA Approved	ADSON UNIVERSAL US CONNECTOR
			cm	inches				
30620	ADSON	US	12.1 cm	4 3/4"	GENERAL/PLASTIC	1 mm round points		30620 ADSON
30621	SEMKIN	US	14 cm	5 1/2"	GENERAL/PLASTIC	0.5 mm points		
30622	CUSHING	US	15.9 cm	6 1/4"	GENERAL/PLASTIC	1 mm round points		
30623	JANSEN BAYONET	US	17.8 cm	7"	GENERAL/PLASTIC	1 mm round points		

Bipolar cables for major brands

CE 0120

Quality highly flexible silicone bipolar cables. Autoclavable at 137°C 3 m long (10"). Suitable for most generators, see below compatibility, and with connector for European or US forceps					
GIMA code	30640	30637	30643	30639	30638
Connector to forceps					
Connector to electrosurgical unit	4 mm banana plug GIMA (MB240/250/380/400) VALLEY LAB CONMED, CODMAN OLYMPUS	GIMA	MB122 MB160 MB132 MB200 MB202	MARTIN BERTHOLD AESCULAP WOLF	ERBE SELECT DOWN SIEMENS
(check beside compatibility list for brand and model)					