



Morgan

By Sarah Hatton





Morgan

by Sarah Hatton



SIZE

	S	M	L	
To fit age	10-11	12-13	14-16	years

YARN

Rowan Cocoon

6 7 7 x 100gm
(photographed in Bilberry 812)

NEEDLES

1 pair 6mm (no 4) (US 10) needles
1 pair 7mm (no 2) (US 10½) needles
Cable needle

TENSION

14 sts and 16 rows to 10 cm measured over st st using 7mm (US 10½) needles.

SPECIAL ABBREVIATIONS

C6B = slip next 3 sts onto cable needle and leave at back of work, K3, then K3 from cable needle; **C6F** = slip next 3 sts onto cable needle and leave at front of work, K3, then K3 from cable needle.

BACK

Using 6mm (US 10) needles cast on 65 [67: 71] sts.

Row 1 (RS): K1, *P1, K1, rep from * to end.

Row 2: P1, *K1, P1, rep from * to end.

These 2 rows form rib.

Work in rib for a further 4 rows, ending with RS facing for next row.

Change to 7mm (US 10½) needles.**

Beg with a K row, work in st st for 8 rows, ending with RS facing for next row.

Next row (RS): K1, sl 1, K1, pss0, K to last 3 sts, K2tog, K1.

Working all decreases as set by last row, dec 1 st at each end of 8th and foll 8th row. 59 [61: 65] sts.

Cont straight until back meas 27 [28: 29] cm, ending with RS facing

for next row.

Shape armholes

Cast off 3 sts at beg of next 2 rows. 53 [55: 59] sts.

Next row (RS): K1, sl 1, K1, pss0, K to last 3 sts, K2tog, K1.

Next row: P1, P2tog, P to last 3 sts, P2tog tbl, P1.

Working all decreases as set by last 2 rows, dec 1 st at each end of next 1 [1: 3] rows, then on foll alt row. 45 [47: 47] sts.

Cont straight until armhole meas 19 [20: 21] cm, ending with RS facing for next row.

Shape back neck and shoulders

Next row (RS): Cast off 6 sts, K until there are 9 [10: 9] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 3 sts at beg of next row.

Cast off rem 6 [7: 6] sts.

With RS facing, rejoin yarn to rem sts, cast off centre 15 [15: 17] sts, K to end.

Complete to match first side, reversing shapings.

POCKET BACK

Using 7mm (US 10½) needles cast on 29 sts.

Beg with a K row, work in st st for 6 rows, ending with RS facing for next row.

Break yarn and leave sts on a holder.

FRONT

Work as given for back to **.

Beg with a K row, work in st st for 6 rows, ending with RS facing for next row.

Place pocket

Next row (RS): K18 [19: 21], slip next 29 sts onto a holder and, in their place, K across 29 sts of pocket back, K to end. 65 [67: 71] sts. Working decreases as set by back, dec 1 st at each end of 2nd and foll 8th row. 61 [63: 67] sts.

Work 5 rows, ending with RS facing for next row.

Break yarn and leave these sts on a 2nd holder.

Shape pocket front

Rejoin yarn to 29 sts left on first holder with RS facing and cont as follows:

Working decreases as set by back, dec 1 st at each end of next and foll 2 alt rows, then on 2 foll 4th rows. 19 sts.

Work 3 rows, ending with RS facing for next row.

Break yarn.

Join sections

Next row (RS): K first 21 [22: 24] sts left on 2nd holder, holding WS of pocket front against RS of pocket back, K tog first st of pocket front with next st on 2nd holder, (K tog next st of pocket front with next st on 2nd holder) 18 times, K rem 21 [22: 24] sts on 2nd holder. 61 [63: 67] sts.

Work 1 row.

Dec 1 st at each end of next row. 59 [61: 65] sts.

Cont straight until 9 rows less have been worked than on back to beg of armhole shaping, ending with **WS** facing for next row.

Next row (WS): P25 [26: 28], M1P, (P2, M1P) 4 times, P to end. 64 [66: 70] sts.

Now work in cable patt as follows:

Row 1 (RS): K23 [24: 26], (C6F) 3 times, K to end.

Row 2 and every foll alt row: Purl.

Row 3: Knit.

Row 5: K26 [27: 29], (C6B) twice, K to end.

Row 7: Knit.

Row 8: Purl.

These 8 rows form cable patt.

Shape armholes

Keeping patt correct, cast off 3 sts at beg of next 2 rows. 58 [60: 64] sts.

Working all decreases as set by back armholes, dec 1 st at each end of next 3 [3: 5] rows, then on foll alt row. 50 [52: 52] sts.

Cont straight until 8 [10: 12] rows less have been worked than on back to beg of shoulder shaping, ending with RS facing for next row.

Shape neck

Next row (RS): K17 [19: 19] and turn, leaving rem sts on a holder.

Work each side of neck separately.

Dec 1 st at neck edge of next 4 rows, then on foll 1 [2: 3] alt rows.

12 [13: 12] sts.

Work 1 row, ending with RS facing for next row.

Shape shoulder

Cast off 6 sts at beg of next row.

Work 1 row.

Cast off rem 6 [7: 6] sts.

With RS facing, rejoin yarn to rem sts, cast off centre 16 [14: 14] sts dec 4 sts evenly across these sts, K to end.

Complete to match first side, reversing shapings.

SLEEVES

Using 6mm (US 10) needles cast on 30 [30: 34] sts.

Row 1 (RS): K2, *P2, K2, rep from * to end.

Row 2: P2, *K2, P2, rep from * to end.

These 2 rows form rib.

Cont in rib, inc 1 st at each end of 3rd and 2 foll 6th rows, taking inc sts into rib. 36 [36: 40] sts.

Work 1 row, dec [inc: dec] 1 st at centre of row and ending with RS facing for next row. 35 [37: 39] sts.

Change to 7nm (US 10 1/2) needles.

Beg with a K row, work in st st, shaping sides by inc 1 st at each end of 5th and every foll 6th row to 41 [43: 43] sts, then on every foll 8th row until there are 47 [49: 51] sts.

Cont straight until sleeve meas 42 [43: 44] cm, ending with RS facing

for next row.

Shape top

Cast off 3 sts at beg of next 2 rows. 41 [43: 45] sts.

Working all decreases as set by back armholes, dec 1 st at each end of next 5 rows, then on every foll alt row until 27 sts rem, then on foll 5 rows, ending with RS facing for next row.

Cast off rem 17 sts.

MAKING UP

Press.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Hood

Using 6mm (US 10) needles cast on 111 sts.

Work in rib as given for back for 6 rows, ending with RS facing for next row.

Change to 7mm (US 10 1/2) needles.

Beg with a K row, work in st st, dec 1 st at each end of next and foll 4 alt rows. 101 sts.

Cont straight until hood meas 16 cm, ending with RS facing for next row.

Shape back

Place marker on centre st of last row.

Row 1 (RS): K to within 2 sts of marked st, K2tog, K marked st, sl 1, K1, pss0, K to end. 99 sts.

Work 3 rows.

Row 5: As row 1. 97 sts.

Work 1 row.

Row 7: K to within 2 sts of marked st, K2tog, K marked st, sl 1, K1, pss0, K to end. 95 sts.

Row 8: P to within 2 sts of marked st, P2togtbl, P marked st, P2tog, P to end. 93 sts.

Rep last 2 rows twice more, ending with RS facing for next row.

Cast off rem 85 sts.

Fold hood in half and join cast-off edges to form back seam. Positioning ends of cast-on edge so that they meet at centre front neck and hood seam at centre back neck, sew shaped row-end edges of hood to neck edge, easing in fullness.

Pocket borders (both alike)

With RS facing and using 6mm (US 10) needles, pick up and knit 17 sts evenly along shaped row-end edge of pocket opening.

Beg with row 2, work in rib as given for back for 2 rows, ending with **WS** facing for next row.

Cast off in rib (on **WS**).

Set in sleeves using the set-in method.

