

1

By Lisa Richardson ROWEB-NOV16 v.1





JAVA by Lisa Richardson



v.1

Click the image for a full screen, printable version

SIZE

SIZE					
S	М	L	XL	XXL	
To fit bust					
81-86	91-97	102-107	112-117	122-127	cm
32-34	36-38	40-42	44-46	48-50	in
<u>YARN</u>					
<u>Alpaca Me</u>	<u>rino DK</u>				
A Stamford	111				
23	25	27	29	32	x 25gm
B Oakham	102				
2	3	3	3	3	x 25gm
C Hoby	105				
3	3	3	3	4	x 25gm
D Saxon 10)1				
2	3	3	3	3	x 25gm
E Glenfield	112				
4	4	4	5	5	x 25gm
More Yarn					

More Yarn Information

on knitrowan.com

NEEDLES

4.00mm (no 8) (US G6) crochet hook
1 pair 3¼mm (no 10) (US 3) needles
3¼mm (no 10) (US 3) circular needle at least 120 cm long

BUTTONS - 7 x 15mm buttons

TENSION

8 patt repeats (24 sts) and 13 rows to 10 cm measured over patt using 4.00mm (US G6) crochet hook. Basic motif is 9 cm square.

CROCHET ABBREVIATIONS

ch = chain; dc = double crochet; htr = half treble; sp(s) = space(s); ss = slip stitch; tr = treble.

BACK

Using 3¹/₄mm (US 3) needles and yarn A cast on 122 [131: 137: 149: 161] sts.

Row 1 (RS): P2, *K1, P2, rep from * to end. Row 2: K2, *P1, K2, rep from * to end. These 2 rows form rib. Work in rib for a further 15 rows, - [dec: inc: inc] 1 st at centre

of last row and ending with WS facing for next row.
122 [130: 138: 150: 162] sts.
Cast off in rib but do NOT fasten off.
Slip rem loop of cast-off edge onto 4.00mm (US G6) crochet hook
and now work into sts of cast-off edge as folls:
Foundation row (RS): 4 ch, miss st at base of 4 ch, *1 dc into
each of next 2 sts, 3 ch, rep from * to last 3 sts, 1 dc into each of
next 2 sts, 2 ch, 1 htr into last st, turn. 61 [65: 69: 75: 81] patt reps.
Now work in patt as folls:
Row 1: 4 ch, miss htr at end of previous row, 1 dc into next ch sp,
*miss 2 dc, (1 dc, 3 ch and 1 dc) into next ch sp, rep from * to end
but working (1 dc, 2 ch and 1 htr) into last ch sp, turn.
This row forms patt.
Shape for motif panel openings
Next row (RS): Work 7 [9: 10: 13: 15] patt reps and turn, leaving
rem 54 [56: 59: 62: 66] patt reps unworked.
Work on this set of sts only for right back side section.
Cont on these sts until work meas 60 cm from last complete row
worked, ending with WS facing for next row.
Make 49 ch but do NOT fasten off – slip last loop from hook onto
a holder and break yarn, leaving an end at least 15 cm long.
Return to last complete row worked, miss next 16 patt reps, rejoin
yarn to next patt rep, work 15 [15: 17: 17: 19] patt reps and turn,
leaving rem 23 [25: 26: 29: 31] patt reps unworked.
Work on this set of sts only for centre back section.
Cont on these sts until work meas 60 cm from last complete row
worked, ending with WS facing for next row.
Make 49 ch but do NOT fasten off – slip last loop from hook onto
a holder and break yarn, leaving an end at least 15 cm long.
Return to last complete row worked, miss next 16 patt reps, rejoin
yarn to next patt rep, and patt to end. 7 [9: 10: 13: 15] patt reps.
Work on this set of sts only for left back side section.
Cont on these sts until work meas 60 cm from last complete row
worked, ending with WS facing for next row.
Join sections
Next row (WS): Patt first 6 [8: 9: 12: 14] patt reps of left back side
section, (1 dc, 3 ch and 1 dc) into last ch sp of this section, slip st on
holder at end of 49 ch at end of centre back section onto another
hook and attach this length of ch to top of last row of left back
section by working a ss into last st (this ss does NOT count as a st),
then fasten off this length of ch, now work across these 49 ch as folls:
(miss 1 ch 1 dc into next ch 3 ch 1 dc into next ch) 16 times nett

then fasten off this length of ch, now work across these 49 ch as folls: (miss 1 ch, 1 dc into next ch, 3 ch, 1 dc into next ch) 16 times, patt first 14 [14: 16: 16: 18] patt reps of centre back section, (1 dc, 3 ch and 1 dc) into last ch sp of this section, slip st on holder at end of 49 ch at end of right back side section onto another hook and attach



MEZ Crafts UK Ltd., 17F, Brooke's Mill, Armitage Bridge, Huddersfield, HD4 7NR, www.knitrowan.com

this length of ch to top of last row of centre section by working a ss into last st (this ss does NOT count as a st), then fasten off this length of ch, now work across these 49 ch as folls: (miss 1 ch, 1 dc into next ch, 3 ch, 1 dc into next ch) 16 times, then patt all 7 [9: 10: 13: 15] patt reps of right back side section, turn.

61 [65: 69: 75: 81] patt reps.

Work 0 [2: 6: 8: 10] rows, ending with RS facing for next row.

(Back should meas approx 67 [69:71:73:75] cm from cast-on edge.) **Shape shoulders**

Next row: 1 ch (does NOT count as st), 1 dc into first ch sp, 2 ch, miss 2 dc, 1 dc into next ch sp, 3 ch, 1 dc into same ch sp as last dc -1 patt rep decreased, patt to last patt rep (working last rep as "1 dc, 2 ch and 1 htr") and turn, leaving last patt rep unworked -

1 patt rep decreased.

Rep last row 15 [13: 12: 9: 6] times more. 29 [37: 43: 55: 67] patt reps.

Next row: 1 ch (does NOT count as st), 1 dc into first ch sp,

(2 ch, miss 2 dc, 1 dc into next ch sp) twice, 3 ch, 1 dc into same ch sp as last dc - 2 patt reps decreased, patt to last 2 patt reps (working last rep as "1 dc, 2 ch and 1 htr") and turn, leaving last 2 patt reps unworked - 2 patt reps decreased.

Rep last row 3 [5: 6: 9: 12] times more. 13 [13: 15: 15: 15] patt reps. Fasten off.

LEFT FRONT

Using 3¼mm (US 3) needles and yarn A cast on 61 [64:67:73:79] sts. **Row 1 (RS): ***P2, K1, rep from ***** to last st, K1.

Row 2: K1, *P1, K2, rep from * to end.

These 2 rows form rib.

Work in rib for a further 15 rows, dec [-: inc: inc] 1 st at centre of last row and ending with **WS** facing for next row.

60 [64: 68: 74: 80] sts.

Cast off in rib but do NOT fasten off.

Slip rem loop of cast-off edge onto 4.00mm (US G6) crochet hook and now work into sts of cast-off edge as folls:

Work foundation row as given for back. 30 [32: 34: 37: 40] patt reps. Now working in patt as given for back, cont as folls: Work 1 row.

Shape for motif panel opening

Next row (RS): Work 7 [9: 10: 13: 15] patt reps and turn, leaving rem 23 [23: 24: 25] patt reps unworked.

Work on this set of sts only for side section.

Cont on these sts until work meas 60 cm **from last complete row worked**, ending with **WS** facing for next row.

Make 49 ch but do NOT fasten off – slip last loop from hook onto a holder and break yarn, leaving an end at least 15 cm long.

Return to last complete row worked, miss next 16 patt reps, rejoin yarn to next patt rep, and patt to end. 7 [7: 8: 8: 9] patt reps.

Work on this set of sts only for centre front section.

Cont on these sts until work meas 60 cm **from last complete row worked**, ending with **WS** facing for next row.

Join sections

Next row (WS): Patt first 6 [6: 7: 7: 8] patt reps of centre front section, (1 dc, 3 ch and 1 dc) into last ch sp of this section, slip st on

holder at end of 49 ch at end of side section onto another hook and attach this length of ch to top of last row of centre front section by working a ss into last st (this ss does NOT count as a st), then fasten off this length of ch, now work across these 49 ch as folls: (miss 1 ch, 1 dc into next ch, 3 ch, 1 dc into next ch) 16 times, then patt all 7 [9: 10: 13: 15] patt reps of side section, turn. 30 [32: 34: 37: 40] patt reps. Work 0 [2: 6: 8: 10] rows, ending with RS facing for next row.

Shape shoulder

Working all decreases as given for back shoulder shaping, dec 1 patt rep at beg of next row and at same edge on foll 15 [13: 12: 9: 6] rows, then 2 patt reps at same (shaped) edge on foll 4 [6: 7: 10: 13] rows, ending with RS facing for next row. 6 [6: 7: 7: 7] patt reps. Fasten off.

RIGHT FRONT

Using 3¼mm (US 3) needles and yarn A cast on 61 [64:67:73:79] sts. **Row 1 (RS):** K1, *****K1, P2, rep from ***** to end.

Row 2: *K2, P1, rep from ***** to last st, K1.

These 2 rows form rib.

Work in rib for a further 15 rows, dec [-: inc: inc] 1 st at centre of last row and ending with **WS** facing for next row.

60 [64: 68: 74: 80] sts.

Cast off in rib but do NOT fasten off.

Slip rem loop of cast-off edge onto 4.00mm (US G6) crochet hook and now work into sts of cast-off edge as folls:

Work foundation row as given for back. 30 [32: 34: 37: 40] patt reps. Now working in patt as given for back, cont as folls:

Work 1 row.

Shape for motif panel opening

Next row (RS): Work 7 [7: 8: 8: 9] patt reps and turn, leaving rem 23 [25: 26: 29: 31] patt reps unworked.

Work on this set of sts only for centre front section.

Cont on these sts until work meas 60 cm from last complete row worked, ending with WS facing for next row.

Make 49 ch but do NOT fasten off – slip last loop from hook onto a holder and break yarn, leaving an end at least 15 cm long.

Return to last complete row worked, miss next 16 patt reps, rejoin yarn to next patt rep, and patt to end. 7 [9: 10: 13: 15] patt reps. Work on this set of sts only for side section.

Cont on these sts until work meas 60 cm from last complete row worked, ending with WS facing for next row.

Join sections

Next row (WS): Patt first 6 [8: 9: 12: 14] patt reps of side section, (1 dc, 3 ch and 1 dc) into last ch sp of this section, slip st on holder at end of 49 ch at end of centre front section onto another hook and attach this length of ch to top of last row of side section by working a ss into last st (this ss does NOT count as a st), then fasten off this length of ch, now work across these 49 ch as folls: (miss 1 ch, 1 dc into next ch, 3 ch, 1 dc into next ch) 16 times, then patt all 7 [9: 10: 13: 15] patt reps of centre front section, turn. 30 [32: 34: 37: 40] patt reps.

Complete to match left front, reversing shapings. At end of last row, do NOT fasten off or break yarn but slip loop on hook onto a holder and set aside this ball of yarn – these will be used when



working hood.

MOTIF PANELS (make 4)

Basic motif

Using 4.00mm (US G6) crochet hook and first colour make 4 ch and join with a ss to form a ring.

Round 1: Using first colour, 5 ch (counts as 1 tr and 2 ch), (3 tr into ring, 2 ch) 3 times, 2 tr into ring, ss to 3rd of 5 ch at beg of round.

Round 2: Using second colour, ss into first ch sp, 5 ch (counts as 1 tr and 2 ch), 3 tr into same (first) ch sp, *1 ch, miss 3 tr, (3 tr, 2 ch and 3 tr) into next ch sp, rep from * twice more, 1 ch, miss 3 tr, 2 tr into same ch sp used for sts at beg of round, ss to 3rd of 5 ch at beg of round.

Round 3: Using 3rd colour, ss into first ch sp, 5 ch (counts as 1 tr and 2 ch), 3 tr into same (first) ch sp, *1 ch, miss 3 tr, 3 tr into next ch sp, 1 ch, miss 3 tr, (3 tr, 2 ch and 3 tr) into next ch sp, rep from * twice more, 1 ch, miss 3 tr, 3 tr into next ch sp, 1 ch, miss 3 tr, 2 tr into same ch sp used for sts at beg of round, ss to 3rd of 5 ch at beg of round.

Round 4: Using 4th colour, ss into first ch sp, 5 ch (counts as 1 tr and 2 ch), 3 tr into same (first) ch sp, *(1 ch, miss 3 tr, 3 tr into next ch sp) twice, 1 ch, miss 3 tr, (3 tr, 2 ch and 3 tr) into next ch sp, rep from * twice more, (1 ch, miss 3 tr, 3 tr into next ch sp) twice, 1 ch, miss 3 tr, 2 tr into same ch sp used for sts at beg of round, ss to 3rd of 5 ch at beg of round. 68 sts.

Fasten off.

Completed basic motif is a square. In each corner of square there is a 2-ch sp, and along each side of square there are 4 groups of 3 tr, each group separated by 1 ch – total of 15 sts between each corner ch sp.

Motifs (make 48)

Make 12 basic motifs using colours as folls: use yarn A as first colour, yarn B as second colour, yarn C as 3rd colour and yarn D as 3th colour – these are motifs A on diagram.

Make 12 basic motifs using colours as folls: use yarn B as first colour, yarn D as second colour, yarn A as 3rd colour and yarn C as 3th colour – these are motifs B on diagram.

Make 12 basic motifs using colours as folls: use yarn C as first colour, yarn A as second colour, yarn D as 3rd colour and yarn B as 3th colour – these are motifs C on diagram.

Make 12 basic motifs using colours as folls: use yarn D as first colour, yarn C as second colour, yarn B as 3rd colour and yarn A as 3th colour – these are motifs D on diagram.

Following diagram, now join sets of 12 motifs to form motif panels by joining one motif to next motif as folls: Using 4.00mm (US G6) crochet hook, yarn E and holding motifs with their RS facing, attach yarn to corner ch sp of first motif, 3 ch (counts as 1 tr), 1 ss into corresponding ch sp of second motif, (1 tr into next st of first motif, 1 ss into corresponding st of second motif) 15 times, 1 tr into next corner ch sp of first motif, 1 ss into corresponding corner ch sp of second motif.

Fasten off.

Following diagram, join motifs to form 8 strips, each 6 motifs long.

Joining strips in same way as each motif is joined, now join strips of motifs to form 4 panels, each 2 strips wide – join strips as shown on diagram and work 2 sts into each tr of joining rows between motifs. **Join motif panels to back**

Now join 2 of these motif panels to motif panel openings of back in same way, working a tr into sts around outer edge of motif panel and a ss into corresponding place along edges of motif panel openings. At each corner of motif panel, work 7 tr into each corner ch sp (and corresponding number of ss into motif panel opening corners).

POCKETS (make 2)

Make and join 2 sets of 4 motifs as indicated by diagram – pocket motifs are shaded motifs on diagram.

Pocket border

With RS facing, using 4.00mm (US G6) crochet hook and yarn E, attach yarn to corner ch sp at top of these 4 motifs, 1 ch (does NOT count as st), 1 dc into same corner ch sp, 1 dc into each of next 15 sts of first motif, 1 dc into next corner ch sp, 2 dc into end of joining row, 1 dc into first corner ch sp of next motif, 1 dc into each of next 15 sts of this (second) motif, 1 dc into next corner ch sp, turn. 36 sts.

Next row: 1 ch (does NOT count as st), 1 dc into each dc to end, turn.

Rep last row once more.

Fasten off.

Join motif panels and pockets to fronts

Lay pockets over rem 2 motif panels so that motifs match and sew together along side and lower edges.

Working through edge sts of both motif panel and pocket, now join rem 2 motif panels to motif panel openings of fronts in same way as motif panels are joined to back.

SLEEVES

Using 3¹/mm (US 3) needles and yarn A cast on 50 [53: 53: 53: 56] sts. Work in rib as given for back for 17 rows, - [dec: inc: inc: -] 1 st at centre of last row and ending with **WS** facing for next row.

50 [52: 54: 54: 56] sts.

Cast off in rib but do NOT fasten off.

Slip rem loop of cast-off edge onto 4.00mm (US G6) crochet hook and now work into sts of cast-off edge as folls:

Work foundation row as given for back. 25 [26: 27: 27: 28] patt reps. Now working in patt as given for back, cont as folls:

Work 2 rows.

Next row: 4 ch, miss htr at end of previous row, (2 dc, 3 ch and 1 dc) into next ch sp - 1 patt rep increased, *miss 2 dc, (1 dc, 3 ch and 1 dc) into next ch sp, rep from * to end **but** working (1 dc, 3 ch, 2 dc, 2 ch and 1 htr) into last ch sp - 1 patt rep increased, turn. 27 [28: 29: 29: 30] patt reps.

Working all increases as set by last row, inc 1 patt rep at each end of 5th [5th: 5th: 5th: 4th] and every foll 5th [6th: 5th: 5th: 4th] row to 31 [30: 41: 41: 36] patt reps, then on every foll 6th [6th: 6th: 6th: 5th] row until there are 39 [40: 43: 43: 46] patt reps, taking inc sts into patt.Cont straight until sleeve meas 39 [40: 41: 41: 41] cm from cast-on edge.



Fasten off.

HOOD

Join both shoulder seams.

Slip loop left on holder at end of right front back onto 4.00mm (US G6) crochet hook and, using ball of yarn set to one side with this loop, work around neck edge as folls: patt across 6 [6:7:7:7] patt reps of right front, then across 13 [13: 15: 15: 15] patt reps of back neck, and 6 [6:7:7:7] patt reps of left front, turn.

25 [25: 29: 29: 29] patt reps.

Place markers at both ends of this row.

Next row: Work first 5 [4: 7: 6: 5] patt reps, now work 2 patt reps into each of next 15 [17: 15: 17: 19] patt reps, work rem

5 [4: 7: 6: 5] patt reps and turn. 40 [42: 44: 46: 48] patt reps.

Cont straight in patt until hood meas 28 [29: 30: 31: 32] cm from markers.

Fasten off.

MAKING UP

Press as described on the information page. Join top seam of hood.

Front and hood band

With RS facing, using 3¼mm (US 3) circular needle and yarn A, beg and ending at front cast-on edges, pick up and knit 194 [198: 204: 208: 212] sts evenly up entire right front opening edge to marker, 61 [63: 66: 68: 70] sts up right side of hood to hood seam, 61 [63: 66: 68: 70] sts down left side of hood to marker, and 194 [198: 204: 208: 212] sts evenly down entire left front opening edge. 510 [522: 540: 552: 564] sts.

Row 1 (WS): K1, *P1, K2, rep from * to last 2 sts, P1, K1.

Row 2: K2, *P2, K1, rep from * to last st, K1.

These 2 rows form rib.

Work in rib for 1 row more.

Row 4 (RS): Rib 4, *work 2 tog, yrn (to make a buttonhole), rib 25 [26: 27: 28: 28], rep from * 5 times more, work 2 tog, yrn (to make 7th buttonhole), rib to end.

Work in rib for a further 3 rows, ending with RS facing for next row.

Cast off in rib.

Mark points along side seam edges 25 [26: 27: 28: 29] cm either side of shoulder seams (to denote base of armhole openings). See information page for finishing instructions, setting in sleeves using the straight cast-off method.











Right Front & Left Back

Left Front & Right Back



