

# X8: Specifications

## Areas of use and recommended maximum daily output

|                                  |   |
|----------------------------------|---|
| Recommended maximum daily output | 80  |
| Areas of use                     | Catering<br>Large offices<br>Canteens<br>Self-service areas<br>Service provider<br>Reseller |

## Specialities

|                                 |   |
|---------------------------------|---|
| Products                        | Ristretto<br>2 x Ristretto<br>Espresso<br>2 x Espresso<br>Coffee<br>2 x Coffee<br>Cappuccino<br>2 x Cappuccino<br>Caffè latte<br>2 x Caffè latte<br>Latte macchiato<br>2 x Latte macchiato<br>Flat white<br>2 x Flat white<br>Portion of milk<br>2 x Portion of milk<br>Pot of coffee<br>Hot water<br>Hot water for green tea<br>Special coffee<br>2 x Special coffee |
| Pot of espresso-quality coffee  | Yes   |
| Hot water function              | Yes   |
| Pot of coffee (360 ml / 12 oz.) | 2 min. 20 sec.  |
| 2 latte macchiati               | 1 min. 50 sec.  |
| 2 cappuccini                    | 1 min. 18 sec.  |
| 2 Flat Whites                   | 1 min. 35 sec.  |
| 2 caffè latte (cafés au lait)   | 1 min. 34 sec.  |
| 2 coffees                       | 1 min. 3 sec.   |
| 2 espressi                      | 48 sec.   |
| 2 ristretti                     | 33 sec.   |

|   |   |
|---|---|
| Hot water (200 ml / 7 oz.)                            | 50 sec.                                 |
| <b>Specific advantages</b>                            |   |
| Number of products                                    | 21                                      |
| One-Touch function                                    | Yes                                     |
| Intelligent Water System (I.W.S.®)                    | Yes                                     |
| Automatic switchover from milk to milk foam           | Yes                                     |
| Compatible with J.O.E®                                | Yes                                     |
| Wireless ready  | Yes                                     |
| Smart Connect supplied as standard                    | Yes                                     |
| Hot water   | 0,24 l / Min                            |
| Active bean monitoring                                | Yes                                     |
| Monitored drip tray                                   | Yes                                     |
| Aroma preservation cover                              | Yes                                     |
| <b>JURA standards</b>                                 |   |
| Pulse Extraction Process (P.E.P.®)                    | Yes                                     |
| Variable VC brewing unit                              | 5 - 16 g                                |
| Intelligent Pre-Brew Aroma System (I.P.B.A.S.®)       | Yes                                     |
| Grinder   | Multi-level Aroma <sup>G3</sup> grinder |
| High-performance pump, 15 bar                         | 1                                       |
| Thermoblock heating system                            | 2                                       |
| Fluid systems   | 1                                       |
| JURA fine foam technology                             | Yes                                     |
| Milk system   | HP3                                     |
| Maintenance status display                            | Yes                                     |
| Integrated rinsing, cleaning and descaling program    | Yes                                     |
| Integrated milk system rinsing and cleaning programme | Yes                                     |

|   |  |
|---|--|
| JURA hygiene: TÜV-certified                                       | Yes                                      |
| Filter cartridge  | CLARIS Pro Smart & CLARIS Pro Smart maxi |
| Energy Save Mode (E.S.M.®)  | Yes                                      |
| Zero-Energy Switch or power switch                                | Yes                                      |
| <b>Settings and programming options</b>                           |  |
| Programmable and individually adjustable amount of water          | Yes                                      |
| Programmable and individually adjustable coffee strength (Levels) | 10                                       |
| Programmable milk / milk foam temperature (Levels)                | 10                                       |
| Programmable brewing temperature                                  | 2  |
| Programmable amount of milk / milk foam                           | Yes                                      |
| Hot water temperature can be programmed in levels                 | 3  |
| Resettable day counter  | Yes                                      |
| Shows the number of preparations for each individual product      | Yes                                      |
| <b>Design and materials</b>                                       |  |
| Display   | Colour display                           |
| Amber / white cup illumination                                    | Yes                                      |
| Sound design  | Yes                                      |
| <b>In figures</b>   |  |
| Height-adjustable dual spout                                      | 65 - 153 mm                              |
| Water tank capacity   | 5 L                                      |
| Bean container holding capacity                                   | 500 g                                    |
| Bean container can be optionally extended to                      | 1000 g                                   |
| Coffee grounds container (servings)                               | 40                                       |
| Cable length  | 1.2 m                                    |
| Voltage / Power   | 220- 240 V ~ / 1450 W                    |
| Current   | 10 amp                                   |

|                |            |
|----------------|------------|
| Stand-by power | < 0.5 Watt |
| Weight         | 14 kg      |
| Width          | 37.3 cm    |
| Height         | 47 cm      |
| Depth          | 46.1 cm    |
| Article Number | 15191      |