


Ordering Information

MODEL



BASIC MODEL CODE
APBL Absolute PG, Bellow Sensing

MOUNTING
V Bottom Entry, Local Mounting
S Bottom Entry, Surface Mounting
Y Bottom Entry, 2" Pipe Mounting
C Back Entry, Local Mounting
P Back Entry, Flush Panel Mounting

DIAL SIZE
150 150 mm

CASE
S4S SS 304
S6S SS 316

BELLOW
S6S SS 316
S6L SS 316L

SOCKET
S6S SS 316
S6L SS 316L

MOVEMENT
S4S SS 304
S6S SS 316

CONNECTION							
Conn	Code	Size	Code	Type	Code	Male/ Female	Code
Thread	T	1/4"	06	NPS	NS	Male	M
		3/8"	10	NPT	NT	Female	F
	M20	1/2"	15	BSP	BP		
		3/4"	20	BSPT	BT		
		1"	25	JIS-PF	PF		
		M20	M20	JIS-PT	PT		
				Gas	GS		
				R	RR		
				Rp	RP		
		Pitch 1.5	C				

OPTION
ATX Atex
BGS Built In Gauge Saver
BOB Blow out disc at back
BSN Built In Snubber
CLB Colour Band
CEM CE marking
DUS Dual Scale
NAC NACE
OXY O2 Cleaning
VCP Vac protection
ACC Accessory
XXX Other
L Nil

UNIT
KSC kg/cm2(a)
BAR bar(a)
PSI psi(a)
KPA kPa(a)
MPA MPa(a)
MBR mbar(a)
MMW mm WC(a)
CMW cm WC(a)
MWC m WC(a)
INW inch WC(a)
MMH mm Hg(a)
CMH cm Hg(a)
INH inch Hg(a)
TOR Torr
XXX Other (Please specify)

RANGE
 Please select from Table

e.g. For 1/2"NPT(M), Code: **T15NTM**
 For M20x1.5 (F), Code: **TM20CF**

Sample Model Code: **APBL-V-150-S4S-S6S-S6S-S4S-T15NTM-(0-1)-BAR-L**