


# T50 Type

## Floating Shaft Steel Cover



| Size | Torque Rating (Nm) | Max Bore    |           | Min Bore (mm) | Cplg Weight (Kg) | Lube Weight (Kg) | Dimensions (Millimeters) |        |       |       |       |       |       |       |       |       |       |     |  |
|------|--------------------|-------------|-----------|---------------|------------------|------------------|--------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|--|
|      |                    | Flanged Hub | Pilot Hub |               |                  |                  | A                        | BE Min | C     | D     | DD    | F     | J     | M     | P     | SB    | SD    | GAP |  |
| 1030 | 149                | 35          | 27.0      | 13            | 3.90             | 0.0408           | 115.9                    | 162    | 47.6  | 49.2  | 83.7  | 80.8  | 50.3  | 77.7  | 26.8  | 27.0  | 28.6  | 3   |  |
| 1050 | 435                | 50          | 36.5      | 13            | 8.84             | 0.0680           | 157.5                    | 195    | 60.3  | 66.7  | 105.2 | 104.8 | 59.2  | 94.0  | 36.2  | 36.5  | 38.1  | 3   |  |
| 1070 | 994                | 67          | 49.2      | 20            | 15.60            | 0.1130           | 182.9                    | 213    | 76.2  | 87.3  | 126.5 | 129.0 | 65.9  | 103.1 | 49.8  | 49.2  | 50.8  | 3   |  |
| 1080 | 2,050              | 80          | 61.9      | 27            | 26.40            | 0.1720           | 218.4                    | 275    | 88.9  | 104.8 | 154.9 | 156.2 | 85.9  | 134.1 | 52.1  | 61.9  | 63.5  | 3   |  |
| 1090 | 3,730              | 95          | 74.6      | 27            | 37.20            | 0.2540           | 244.9                    | 294    | 98.4  | 123.8 | 180.3 | 175.8 | 92.2  | 143.8 | 58.5  | 74.6  | 76.2  | 3   |  |
| 1100 | 6,280              | 110         | 92.1      | 42            | 62.80            | 0.4260           | 286.0                    | 372    | 120.6 | 142.1 | 211.3 | 208.3 | 117.3 | 181.4 | 69.3  | 92.1  | 95.2  | 5   |  |
| 1110 | 9,320              | 120         | 101.6     | 42            | 83.60            | 0.5080           | 324.1                    | 391    | 127.0 | 160.3 | 245.4 | 228.6 | 122.2 | 190.5 | 73.9  | 101.6 | 104.8 | 5   |  |
| 1120 | 13,700             | 140         | 117.5     | 61            | 97.90            | 0.7350           | 327.2                    | 453    | 149.2 | 179.4 | 179.3 | 257.0 | 146.3 | 220.0 | 83.6  | 117.5 | 120.6 | 6   |  |
| 1130 | 19,900             | 170         | 133.4     | 67            | 140.00           | 0.9070           | 365.3                    | 463    | 161.9 | 217.5 | 217.4 | 295.1 | 149.5 | 225.0 | 94.8  | 133.4 | 136.5 | 6   |  |
| 1140 | 28,600             | 200         | 142.9     | 67            | 210.00           | 1.1300           | 419.1                    | 482    | 184.2 | 254.0 | 254.0 | 335.8 | 155.8 | 234.7 | 113.8 | 142.9 | 146.0 | 6   |  |
| 1150 | 39,800             | 215         | 161.9     | 108           | 277.00           | 1.9500           | 477.5                    | 549    | 182.9 | 271.4 | 269.2 | 391.2 | 177.4 | 268.2 | 101.7 | 161.9 | 165.1 | 6   |  |
| 1160 | 55,900             | 240         | 200.0     | 121           | 381.00           | 2.8100           | 548.6                    | 587    | 198.1 | 304.8 | 304.8 | 442.0 | 189.4 | 287.0 | 111.9 | 200.0 | 203.2 | 6   |  |
| 1170 | 74,600             | 280         | 200.0     | 134           | 519.00           | 3.4900           | 604.5                    | 622    | 215.9 | 355.6 | 355.6 | 494.3 | 201.0 | 304.8 | 124.6 | 200.0 | 203.2 | 6   |  |
| 1180 | 103,000            | 300         | 225.4     | 153           | 718.00           | 3.7600           | 665.5                    | 673    | 238.8 | 393.7 | 393.7 | 556.3 | 226.9 | 330.2 | 141.4 | 225.4 | 228.6 | 6   |  |
| 1190 | 137,000            | 335         | 250.8     | 153           | 898.00           | 4.4000           | 708.7                    | 711    | 259.1 | 436.9 | 436.9 | 599.4 | 241.7 | 349.5 | 157.6 | 250.8 | 254.0 | 6   |  |
| 1200 | 186,000            | 360         | 276.2     | 178           | 1,205.00         | 5.6200           | 782.3                    | 744    | 279.4 | 497.8 | 497.8 | 622.9 | 251.8 | 365.8 | 172.8 | 276.2 | 279.4 | 6   |  |

\* Coupling Weight is without Bore Machining