



MINERVA

TOUCH SOPHISTICATION
CREATE STANDARD



Price list 07/2019

Panasonic

NEW SHOWROOM

675 - 677 Dien Bien Phu, Ward No.25, Binh Thanh Dist, HCMC

Expected operation from 9/2019

 **19006711**



Zalo



Youtube



Website Nanoco



Website Panasonic



MINERVA

P.1



HALUMIE

P.2



WIDE SERIES

P.3-6



REFINA

P.7



GEN-X

P.8



FULL-COLOR

P.9-10



FLOOR SOCKET

P.10



ELECTRICAL PANEL

P.11



FLOATING
RECESSED BOX

P.12



CLOCK SWITCH

P.13



AUTOMATIC
ISOLATOR DIN

P.14




MCCB / ELB / HB

P.15



AIR PURIFIER

P.16



VENTILATING FAN

P.17-18



CEILING FAN

P.19-20



LED DOWNLIGHT

P.21-23



FLOOD LIGHT /
LED CEILING LIGHT,
WIRE LEDS

P.24-25



LIGHT TROUGH /
LED LIGHT T8

P.26



LED CEILING LIGHT

P.27-31



DINING TABLE
CHANDELIER

P.31-32



DECORATIVE LIGHT /
WALL LIGHT

P.33



OUTDOOR LED
DECORATIVE LIGHT

P.34-38



DESK
LAMP

P.39



ELECTRIC
FAN

P.40-42




PUMP

P.41




WATER HEATER

P.43-44



INDUCTION COOKER

P.45



CABLE / INSULATING
ADHESIVE TAPE

P.46




TUBE & HOSE TUBE
ACCESSORIES

P.47-48



PCE

P.49-50



NEW	DESCRIPTIONS	WHITE COLOR		METALLIC GOLD COLOR		METALLIC BLACK COLOR	
		Model	Price (USD)	Model	Price (USD)	Model	Price (USD)
	Switch B, 1-way, 1 device with plate 250V - 16A	WMT501-VN	\$ 4.47	WMT501MYZ-VN	\$ 4.90	WMT501MYH-VN	\$ 4.90
	Switch C, 2-ways, 1 device with plate 250V - 16A	WMT502-VN	\$ 5.49	WMT502MYZ-VN	\$ 5.92	WMT502MYH-VN	\$ 5.92
	Switch E, 4-ways, 1 device with plate 250V - 16A	WMT594-VN	\$ 15.54	WMT594MYZ-VN	\$ 16.81	WMT594MYH-VN	\$ 16.81
	Switch B, 1-way, 2 devices with plate 250V - 16A	WMT503-VN	\$ 7.03	WMT503MYZ-VN	\$ 7.45	WMT503MYH-VN	\$ 7.45
	Switch C, 2-ways, 2 devices with plate 250V - 16A	WMT504-VN	\$ 8.47	WMT504MYZ-VN	\$ 8.90	WMT504MYH-VN	\$ 8.90
	Switch E, 4-ways, 2 devices with plate 250V - 16A	WMT596-VN	\$ 29.75	WMT596MYZ-VN	\$ 32.30	WMT596MYH-VN	\$ 32.30
	Switch B, 1-way, 3 devices with plate 250V - 16A	WMT505-VN	\$ 9.58	WMT505MYZ-VN	\$ 10.43	WMT505MYH-VN	\$ 10.43
	Switch C, 2-ways, 3 devices with plate 250V - 16A	WMT506-VN	\$ 10.18	WMT506MYZ-VN	\$ 11.03	WMT506MYH-VN	\$ 11.03
	Switch B, 1-way, 4 devices with plate 250V - 16A	WMT507-VN	\$ 15.54	WMT507MYZ-VN	\$ 16.81	WMT507MYH-VN	\$ 16.81
	Switch C, 2-ways, 4 devices with plate 250V - 16A	WMT508-VN	\$ 18.69	WMT508MYZ-VN	\$ 19.96	WMT508MYH-VN	\$ 19.96
	BS type plate for 1 device	WMT7811-VN	\$ 2.77	WMT7811MYZ-VN	\$ 3.62	WMT7811MYH-VN	\$ 3.62
	BS type plate for 2 devices	WMT7812-VN	\$ 2.77	WMT7812MYZ-VN	\$ 3.62	WMT7812MYH-VN	\$ 3.62
	BS type plate for 3 devices	WMT7813-VN	\$ 2.77	WMT7813MYZ-VN	\$ 3.62	WMT7813MYH-VN	\$ 3.62
	Cover plate	WMT6891-VN	\$ 2.77	WMT6891MYZ-VN	\$ 3.62	WMT6891MYH-VN	\$ 3.62
	Foot Light with Passive Infrared Sensor and Illuminance Sensor	WMT707-VN	\$ 106.39	WMT707MYZ-VN	\$ 114.90	WMT707MYH-VN	\$ 114.90

Prices in Vietnam market and are for reference only, please contact our sales team for discount and quotation

*VAT is included in the price



WEVH5531/ WEVH5531-7
(Quick connect / Pillar)
Switch B - 1 way, small type 250VAC - 16A
Packaging 10 pcs/box, 100 pcs/carton

\$ 0.83



WEVH5151 - 51/WEVH5151-7
(Quick connect / Pillar)
Switch B - 1 way, illuminated when OFF, 250VAC - 16A
Packaging 10 pcs/box, 100 pcs/carton

\$ 4.77



WEVH5521/ WEVH5521-7
(Quick connect / Pillar)
Switch B - 1 way, medium type 250VAC - 16A
Packaging 5 pcs/box, 50 pcs/carton

\$ 0.83



WEVH5152 - 51/WEVH5152-7
(Quick connect / Pillar)
Switch C-2 ways, having signal when OFF, 250VAC - 16A
Packaging 10 pcs/box, 100 pcs/carton

\$ 5.62



WEVH5511/ WEVH5511-7
(Quick connect / Pillar)
Switch B - 1 way, large type 250VAC - 16A
Packaging 5 pcs/box, 50 pcs/carton

\$ 0.83



WEVH5401-011
250VAC - 10A
Packaging 10 pcs/box, 100 pcs/carton

\$ 2.86



WEVH5532/ WEVH5532-7
(Quick connect / Pillar)
Switch C - 2 ways, small type 250VAC - 16A
Packaging 10 pcs/box, 100 pcs/carton

\$ 1.88



WEVH5542-7
Use with gang **WEVH68030**
Switch C - 2 ways, twin type 250VAC - 10A
Packaging 5 pcs/box, 50 pcs/carton

\$ 5.71



WEVH5522/ WEVH5522-7
(Quick connect / Pillar)
Switch C - 2 ways, medium type 250VAC - 16A
Packaging 5 pcs/box, 50 pcs/carton

\$ 1.88



WEVH5003
Switch D - 2 poles, 250VAC - 16A
Packaging 10 pcs/box, 100 pcs/carton

\$ 6.56



WEVH5004
Switch E - 4 ways, 250VAC - 16A
Packaging 10 pcs/box, 100 pcs/carton

\$ 10.52



WEVH5512/ WEVH5512-7
(Quick connect / Pillar)
Switch C - 2 ways, large type 250VAC - 16A
Packaging 5 pcs/box, 50 pcs/carton

\$ 1.88



WEVH5033-7
Illuminated switch
Glow Switch - 2 poles, 250VAC - 20A
Packaging 10 pcs/box, 100 pcs/carton

\$ 10.34


Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation



	WEV5001SW/WEV5001-7SW (Quick connect / Pillar) Switch B - 1 way, 250VAC - 16A Packaging 10 pcs/box, 200 pcs/carton	\$ 0.75
	WEV5002SW/WEV5002-7SW (Quick connect / Pillar) Switch C - 2 ways, 250VAC - 16A Packaging 10 pcs/box, 200 pcs/carton	\$ 1.66
	WEG5003KSW Switch D - 2 poles, 250VAC - 16A Packaging 10 pcs/box, 100 pcs/carton	\$ 5.92
	WEG5004KSW Switch E - 4 ways, 250VAC - 16A Packaging 10 pcs/box, 100 pcs/carton	\$ 9.37
	WEG5151-51SWK/WEG51517SW (Quick connect / Pillar) Illuminated switch B 1-way, having signal when OFF, 250VAC - 16A Packaging 10 pcs/box, 100 pcs/carton	\$ 4.35
	WEG5152-51SWK/WEG51527SW (Quick connect / Pillar) Illuminated switch C, single pole, having signal when OFF, 250VAC - 16A Packaging 10 pcs/box, 100 pcs/carton	\$ 5.11
	WEV5033-7SW Glow switch D - 2 poles, having signal, 250VAC - 20A Packaging 10pcs/box, 100pcs/carton	\$ 9.20
	WEG5141SW Illuminated switch B, having signal when ON, 250VAC - 6A Packaging 10pcs/box, 100pcs/carton	\$ 11.88
	WEG5401-011SW Bell push button, 250VAC - 10A Packaging 10pcs/box, 200pcs/carton	\$ 2.64
	WEG575151SW Dimmer for Incandescent lamp, Off function type, 220VAC - 500W Packaging 10 pcs/box, 20 pcs/carton	\$ 12.73
	WEF11721W8 USB/USB Charger Input:AC220V / Output: 5V - 2A	\$ 33.62
	WEV1081SW/WEV1081-7SW (Quick connect / Pillar) Universal receptacle with safety shutter, 250VAC - 16A Packaging 10 pcs/box, 200 pcs/carton	\$ 1.49
	WEV1181SW/WEV1181-7SW (Quick connect / Pillar) Grounding universal receptacle with safety shutter, 250VAC - 16A Packaging 10 pcs/box, 100 pcs/carton	\$ 2.60
	WEV1582SW/WEV1582-7SW (Quick connect / Pillar) Grounding duplex universal receptacle with safety shutter, 250VAC - 16A Packaging 10 pcs/box, 50 pcs/carton	\$ 3.79
	WEV1091SW Universal receptacle, 250VAC - 16A Packaging 10 pcs/box, 200 pcs/carton	\$ 1.20
	WEV2501SW Television terminal, 75 Ohm Packaging 10 pcs/box, 100 pcs/carton	\$ 3.26
	WEV2364SW Telephone modular jack 6P4C Packaging 10 pcs/box, 100 pcs/carton	\$ 3.26
	WEV2488SW WEV24886SW Data modular CAT5/ Data modular CAT6 Packaging 10 pcs/box, 100 pcs/carton	\$ 7.11 \$ 8.51
	WEGP1041SW-1 1 - gang multiple socket (A type plate), 250V - 13A Packaging 5 pcs/box, 20 pcs/carton	\$ 10.52
	WEG1001SW Flat pin receptacle, 250VAC - 16A Packaging 10 pcs/box, 200 pcs/carton	\$ 1.20
	WEG1090SW Round pin receptacle, 250VAC - 16A Packaging 10 pcs/box, 200 pcs/carton	\$ 1.20

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

* VAT is included in the price

	WEG3020SW Blank chip Packaging 10 pcs/box, 200 pcs/carton	\$ 0.42		WEG57912SW LED-Dimmer Switch for LED dimmable bulb (Max 8 LED bulbs or less than 50W) Packaging 10 pcs/box, 20 pcs/carton	\$ 28.73
	WEG3023SW Telephone wire chip dia 9mm/16mm Packaging 10 pcs/box, 200 pcs/carton	\$ 0.42		WEG8981 Weather proof plate - IP55 Packaging 10 pcs/box, 20 pcs/carton	\$ 8.73
BS - TYPE					
	WBC8981SW BS standard weather proof gang for switch, with weather proof plate IP43 Packaging 10 pcs/box, 100 pcs/carton	\$ 7.45		WBC7010 BS standard forwarding unit 20A, white color 1 gang cable outlet with 20A - Terminal block Packaging 20 pcs/box, 100 pcs/carton	\$ 5.70
	WBC8991W BS standard weather proof type plate for socket, with weather proof plate IP43 Packaging 5 pcs/box, 100 pcs/carton	\$ 8.17		WBC7020 BS standard forwarding unit 45A, white color Packaging 20 pcs/box, 100 pcs/carton	\$ 7.88
	WEB7811SW BS type - Plate for 1 device Packaging 10 pcs/box, 100 pcs/carton	\$ 0.85		WEB1111SWK Receptacle - BS standard, 250VAC - 13A Packaging 5 pcs/box, 50 pcs/carton	\$ 4.64
	WEB7812SW BS type - Plate for 2 devices Packaging 10 pcs/box, 100 pcs/carton	\$ 0.85		WEB7811MW BS type - Plate for 1 device, Metallic White color Packaging 10 pcs/box, 100 pcs/carton	\$ 1.58
	WEB7813SW BS type - Plate for 3 devices Packaging 10 pcs/box, 100 pcs/carton	\$ 0.85		WEB7812MW BS type - Plate for 2 devices Packaging 10 pcs/box, 100 pcs/carton	\$ 1.58
	WEBP1041SW-P 1 gang multiple socket (BS type plate) Packaging 5 pcs/box, 50 pcs/carton	\$ 10.60		WEB7813MW BS type - Plate for 3 devices Packaging 10 pcs/box, 100 pcs/carton	\$ 1.58
	WEV5001H/WEV5001-7H (Quick connect / Pillar) Switch B (1 - way), 250VAC - 16A Packaging 10 pcs/box, 200 pcs/carton	\$ 1.37		WBG8981-P Weather proof plate (BS type plate), IP55 Packaging 5 pcs/box, 20 pcs/carton	\$ 8.73
	WEV5002H/WEV5002-7H (Quick connect / Pillar) Switch C (2 - ways), 250VAC - 16A Packaging 10 pcs/box, 200 pcs/carton	\$ 1.37		WEV1081H/WEV1081-7H (Quick connect / Pillar) Universal receptacle with safety shutter, 250VAC - 16A Packaging 10 pcs/box, 100 pcs/ carton	\$ 1.88
	WEG5003KH Switch D (2 poles), 250VAC - 16A Packaging 10 pcs/box, 100 pcs/carton	\$ 8.34		WEV1181H/WEV1181-7H (Quick connect / Pillar) Grounding duplex universal receptacle with safety Shutter 250VAC - 16A Packaging 10 pcs/box, 100 pcs/ carton	\$ 3.54
	WEG5004KH Switch E (4 ways), 250VAC - 16A Packaging 10 pcs/box, 100 pcs/carton	\$ 12.73		WEV1582H/WEV1582-7H Grounding Universal receptacle with safety Shutter 250VAC - 16A Packaging 10 pcs/box, 50 pcs/ carton	\$ 5.15
				WEV2501H Television terminal, 75 Ohm Packaging 5 pcs/box, 50 pcs/ carton	\$ 4.90

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation



WEG5151-51KH/WEG51517H
Illuminated switch B, 1-way, having signal when OFF,
250VAC - 16A
Packaging 10 pcs/box, 100 pcs/carton

\$ 5.49



WEG5152-51KH
Illuminated switch C, 2-ways, having signal when OFF,
250VAC - 16A
Packaging 10 pcs/box, 100 pcs/carton

\$ 6.81



WEV5033-7H
Glow switch D - 2 poles, having signal, 250VAC - 20A
Packaging 10 pcs/box, 100 pcs/carton

\$ 11.45



WEG5401-7H
Bell push button, 250VAC - 10A
Packaging 10 pcs/box, 100 pcs/carton

\$ 4.05



WEG575151H
Dimmer for incandescent lamp, Off function type,
220VAC - 500W
Packaging 10 pcs/box, 20 pcs/carton

\$ 22.13




WEG6804MW
2 gang color plate for 4 devices
Packaging 10 pcs/box, 100 pcs/carton

\$ 1.88



WEV2364H
Telephone modular jack 6P4C
Packaging 10 pcs/box, 50 pcs/ carton

\$ 4.90



WEV2488H-CAT5
WEV24886H-CAT6
Data modular
Packaging 10 pcs/box, 50 pcs/carton

\$ 8.51

\$ 10.22



WEG3020H
Blank chip
Packaging 10 pcs/box, 200 pcs/carton

\$ 0.58



WEG3032RH
Red Pilot lamp , 220VAC
Packaging 10 pcs/box, 100 pcs/carton

\$ 5.49



WEG57912H
LED-Dimmer Switch for LED dimmable bulb (Max 8 LED
bulbs or less than 50W)
Packaging 10 pcs/box, 20 pcs/carton

\$ 32.77



WEG6806MW
2 gang color plate for 6 devices
Packaging 10 pcs/box, 100 pcs/carton

\$ 1.88

CHUÔNG ĐIỆN



EGG331
Bell push button, 220VAC - 1A
Weather proof push
Bottom for door chime
Packaging 20pcs/carton

\$ 4.34



EBG888
Door chime
200V - 9.5W, 50Hz, 82dB
Packaging 10pcs/carton

\$ 7.45

EXTENSION CORD SOCKET



WCHG28334
Extension cord 3 sockets, 3 glow switches, 3m
250VAC - 16A
Packaging 5 pcs/carton

\$ 41.28



WCHG2836
Extension cord 6 sockets, 3m
250VAC - 16A
Packaging 5 pcs/carton

\$ 30.64



WCHG28352
Extension cord 5 sockets, 1 switch, 3m
250VAC - 16A
Packaging 5 pcs/carton

\$ 33.62



WCHG24332W
Extension cord 3 sockets, 3m
250VAC - 10A
Packaging 10 pcs/carton

\$ 16.98

* It may be shorter depending on usage enviroment

PASSIVE INFRATED SENSOR / SLIM SMOKE & VOICE ALARM

High sensitivity: Detection heading with Napion sensor
manufactured according to Panasonic technology.
High durability: 100,000 times ON/OFF in full load.
Passive infrared sensor (Time delay day light sensor)



Floating type

WTKG2311
Automatically lighting up when there are people and it
is dark
220 - 240VAC 3A
Made in Taiwan
Time out delay 10 secs - 30 mins

\$ 102.98



Recessed type

WTKG2310-P
Automatically lighting up when there are people
220 - 240VAC 3A
Time out delay 1 min
Made in Thailand

\$ 47.66



Made in Thailand

WTKG2411-P
Master unit
3A 220V - 240V, connecting to maximum 4 auxiliary sensors
Timer mode 10 secs off - 30 mins
Incandescent lamp 660W - Fluorescent lamp 330W
Luminous sensitivity: 5 - 1000 lux

\$ 63.83



WTKG2911-P
Passive infrared sensor (an xiliary unit)
Only connect to **WTKG2411 - P**
Not connect to light

\$ 38.30




Smoke alarm

SH28455911
Slim smoke & voice alar with long-life-battery
Approx 87
Made in Japandb at 1m distance from equipment
Battery life : Approximately 10 years

\$ 39.58

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

*VAT is included in the price



Refina COLOR

	WEG55317MB Switch B - 1 way, metallic black color 250VAC - 16A Packaging 10 pcs/box, 100 pcs/carton	\$ 1.75
	WEG55327MB Switch C - 2 ways, metallic black color 250VAC - 16A Packaging 10 pcs/box, 100 pcs/carton	\$ 3.05
	WEG55317MW Switch B - 1 way, metallic white color 250VAC - 16A Packaging 10 pcs/box, 100 pcs/carton	\$ 1.75
	WEG55327MW Switch C - 2 ways, metallic white color 250VAC - 16A Packaging 10 pcs/box, 100 pcs/carton	\$ 3.05

Refina WHITE

	WEV5531SW/ WEV5531-7SW (Quick connect / Pillar) Switch B - 1 way, small type, 250VAC - 16A Packaging 10 pcs/box, 100 pcs/carton	\$ 1.37
	WEV5532SW/ WEV5532-7SW (Quick connect / Pillar) Switch C - 2 ways, small type, 250VAC - 16A Packaging 10 pcs/box, 100 pcs/carton	\$ 2.52
	WEV5521SW/ WEV5521-7SW (Quick connect / Pillar) Switch B - 1 way, medium type, 250VAC - 16A Packaging 5 pcs/box, 50 pcs/carton	\$ 1.37
	WEV5522SW/ WEV5522-7SW (Quick connect / Pillar) Switch C - 2 ways, medium type, 250VAC - 16A Packaging 5 pcs/box, 50 pcs/carton	\$ 2.52
	WEV5511SW/ WEV5511-7SW (Quick connect / Pillar) Switch B - 1 way, large type, 250VAC - 16A Packaging 5 pcs/box, 50 pcs/carton	\$ 1.37
	WEV5512SW/ WEV5512-7SW (Quick connect / Pillar) Switch C - 2 ways, large type, 250VAC - 16A Packaging 5 pcs/box, 50 pcs/carton	\$ 2.52
	WEC5542-7SW Switch C - 3 ways, double type, 250VAC - 10A Use with gang WEV68030SW Packaging 5 pcs/box, 100 pcs/carton	\$ 5.75
	WEV5533-7SW (Pillar) Glow Switch D (2 poles), having signal, 250VAC - 20A Packaging 10 pcs/box, 100 pcs/carton	\$ 11.03

HOTEL WIRING DEVICES

	WEG3032R-021 Pilot lamp for indication "Don't disturb" Red, 220VAC - 10A Packaging 10 pcs/box, 100 pcs/carton	\$ 5.92
	WEB5781WK Card Switch 220VAC - 16A Electronic key card switch (White)	\$ 70.22
	WEG3032G-031 Pilot lamp for indication "Make up room" Green 220VAC - 10A Packaging 10 pcs/box, 100 pcs/carton	\$ 5.92

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

*VAT is included in the price



Gen-X A-TYPE



GANG



WTEG6503S-1-G
1 gang plate for 3 devices

\$ 19.58

BS - TYPE



WTFBP51552S-1-G
BS type
Illuminated switch C
2 ways, 1 device with plate

\$ 27.24



WTFBP52562S-1-G
BS type
Illuminated switch C
2 ways, 2 devices with plate

\$ 46.39



WTFBP53572S-1-G
BS type
Illuminated switch C
2 ways, 3 devices with plate

\$ 68.94



WTFB6503S-1-G
1 gang plate for 3 devices

\$ 16.60



WEV2501B
DIN type television terminal

\$ 5.28



WEV2364B
Telephone modular jack (6P4C)

\$ 5.28



WEV2488B
CAT5E data
Modular jack

\$ 10.56



WEG57912B-1
LED-Dimmer Switch for
LED dimmable bulb (Max 8
LED bulbs or less than 50W)
Packaging 10 pcs/box, 20
pcs/carton
Order time: 4 months

\$ 33.62



WEG57816B-1-G
Dimmer switch 220VAC, 500W

\$ 25.10



WEG57813B-1-G
Dimmer switch 220VAC 300W

\$ 22.56



WEG15829B-G
Grounding duplex universal receptacle
With safety shutter 16A - 250V

\$ 5.54




WEG3020B-G
Blank chip

\$ 0.69

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

FLOOR OUTLET (Triple Devices)



Situation of being in use

Without device installation



DUF1200LTK-1

Material: Aluminum Diecast

Floor outlet, blank for triple devices

(Excluding devices)

Including outlet box (54 x 119 x 119mm)

\$ 43.40

FLOOR OUTLET (Six Devices)



Close

Open



DUMF3200LT-1

Material: Aluminum Diecast

Multi floor outlet, blank for six devices

(Excluding devices)

Including outlet box (54 x 120 x 120mm)

\$ 72.35



Floor Outlet

Automatic close
when not use

NEW



DUF1200LTK-1

Material: Aluminum Diecast

Automatic close when not use

Floor outlet shallow type, blank for triple devices

(Excluding devices)

Including outlet box (46x102x102mm)

\$ 53.20

FLOOR OUTLET WITH COVER UNIT-OUTLETBOX

(Triple devices type)

Outlet box specification: 119 x 119 x 54mm



DU81931HTK-1

Grounding duplex universal receptacle

\$ 34.90



DU8199HTK-1

Floor outlet, blank for triple device with cover unit

\$ 31.92

(Duplex devices type)

Outlet box specification: 102 x 102 x 45mm

Material: Synthetic resin



DU7199HTC-1

Floor outlet, blank for double device with cover unit

\$ 26.39

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

(*) Warning: do not clean the products with chemicals or detergents

ELECTRIC PANEL - Meet the standard IEC60439-1 :2004

	Code	Material	Modules	Recessed dimension HxLxW (mm)	Packaging	Price (pcs)
	NDP104P	Plastic face - Support	2 - 4	200x125x65	1 pcs/pack, 5 pcs/box	\$ 4.22
	NDP104	Plastic face - Metal support	2 - 4	200x125x58	1 pcs/pack, 5 pcs/box	\$ 4.90
	NDP108P	Plastic face - Support	4 - 8	200x200x65	1 pcs/pack, 5 pcs/box	\$ 6.60
	NDP108	Plastic face - Metal support	4 - 8	200x200x58	1 pcs/pack, 5 pcs/box	\$ 7.69
	NDP110	Metal face - Support	5 - 10	200x265x58	1 pcs/pack	\$ 11.49
	NDP114	Metal face - Support	10 - 14	200x337x58	1 pcs/pack	\$ 14.05
	NDP120	Metal face - Support	12 - 20	380x283x58	1 pcs/pack	\$ 23.40
	NDP126	Metal face - Support	18 - 26	380x320x58	1 pcs/pack	\$ 33.62
	NDP128	Metal face - Support	20 - 28	380x340x58	1 pcs/pack	\$ 38.09

DIMMER


NDF603F/ NDL603F-Full
NDF603W/ NDL603W-Wide
FDL603FW-Full
FDL603W-Wide
 - Dimmer for fan/lamp 220VAC - 700W
 - Packaging 10 pcs/box, 100 pcs/carton

\$ 2.71


NDL903F-Full/ NDL903W-Wide
FDL903FW-Full
 - Dimmer for incandescent lamp
 - 220VAC - 1000W
 - Packaging 10 pcs/box, 100 pcs/carton

\$ 2.98


N302WF-Nanoco-Full
 (Packaging 10 pcs/box, 200 pcs/carton)
N302WW-Nanoco-Wide
 (Packaging 10 pcs/box, 200 pcs/carton)
FXF302WW-Nano-Full
 (Packaging 10 pcs/box, 180 pcs/carton)
FXW302W-Wide
 (Packaging 10 pcs/box, 160 pcs/carton)
Pilot lamp, white 220VAC

\$ 0.77


N302GF-Nanoco-Full
 (Packaging 10 pcs/box, 200 pcs/carton)
N302GW-Nanoco-Wide
 (Packaging 10 pcs/box, 200 pcs/carton)
FXF302GW-Nano-Full
 (Packaging 10 pcs/box, 180 pcs/carton)
Pilot lamp, green 220VAC

\$ 0.77
FUSE


NF101F-Full/ NF101W - Wide
FF102F-Nano-Full/ FF102W-Nano-Wide
 - Fuse
 - 220VAC - 10A
 - Packaging 10 pcs/box, 200 pcs/carton

\$ 0.72


N302RF-Nanoco-Full
 (Packaging 10 pcs/box, 200 pcs/carton)
N302RW-Nanoco-Wide
 (Packaging 10 pcs/box, 200 pcs/carton)
FXF302RW-Nano-Full
 (Packaging 10 pcs/box, 180 pcs/carton)
FXW302R-Wide
 (Packaging 10 pcs/box, 160 pcs/carton)
Pilot lamp, red 220VAC

\$ 0.77
TABLET SWITCH


NCS7001
 - Card Switch
 - 20A - 250V
 - Packaging 1pcs/box, 10 pcs/carton

\$ 34.05



WNH5611-801
 - Tablet switch (3 circuits)
 - 250V - 10A

Panasonic
\$ 73.40

Prices in Vietnam market and are for reference only,
 please contact our sales team for discount and quotation

*VAT is included in the price

RECESSED AND MOUNTING BOX



NA106

- Wiring Box - BS Standard - Duplex
(Compatible with Shaver Socket)
- Dimension : 135x75.6x58mm
- Packaging 40 pcs/carton

\$ 0.77

WIRING BOX



NPA10050V

- Wiring box
- Dimension: 100x100x50mm
- Packaging 30 pcs/carton

\$ 0.86


PLATE



NB9602

- Wiring box lid - 2 gangs
- Packaging 10 pcs/box, 400 pcs/carton

\$ 0.34



NPA12050V

- Wiring box
- Dimension: 120x120x50mm
- Packaging 30 pcs/carton


\$ 1.03



NA105-N

- Wiring box lid - BS Standard
- Packaging 50 pcs/pack, 700 pcs/carton


\$ 0.13



NPA15055V

- Wiring box
- Dimension: 150x150x55mm
- Packaging 20 pcs/carton

\$ 1.49




NPA20065V

- Wiring box
- Dimension: 200x200x65mm
- Packaging 10 pcs/carton

\$ 2.64

All the recessed and mounting boxes include screws



NPA103V

- Round junction box
- Dimension: 90x90x40mm
- Packaging 60 pcs/carton

\$ 0.43

DUPLEX WIRING BOX

USE FOR WIDE SERIES,
HALUMIE - FULL COLOR

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

CLOCK SWITCH



TB621018A7

Electrical rail mounting type/weekly
Set the holidays
220 - 240VAC, 50-60Hz, 16A
50 operations (25 on- 25 off)
Minimum setting time is 1 min
6 years reserve battery
Not available - Order time: 4 months

\$ 88.94



TB178

SPST Type
220 - 240VAC, 50Hz, 15A
6 operations, minimum setting time is 30 min
W/o battery

\$ 25.10



TB35809NE5

SPST Type
220 - 240VAC, 50Hz, 20A
96 operations, minimum setting time is 15 min
W/o battery

\$ 30.22



Automatic management

Time & Electric Energy

TB118

SPST Type, 220 - 240VAC, 15A, 6 operations,
minimum setting time is 30 min
C/w battery 300 hours

\$ 40.43



TB380N2457

Battery for TB118

\$ 8.09



TB38809NE7

SPST Type
220 - 240VAC, 15A
96 operations, minimum setting time is 15 min
C/w battery 300 hours

\$ 45.10

INDUSTRIAL PLUG AND RECEPTACLE



WK2315K 125V - 15A - 2P+ Ground
WK2320K 250V - 20A - 3P
WK2330 250V - 30A - 2P + Ground
Locking surface mounting receptacle black

\$ 7.58

\$ 8.94

\$ 26.39



WK2420K 250V - 20A - 3P + Ground
WK2430 250V - 30A - 3P + Ground
Locking surface mounting receptacle black

\$ 13.84

\$ 29.37



WK1330
Surface mounting receptacle
250V - 30A - 3P

\$ 19.03



WF2315WK 125V - 15A - 2P+ Ground
WF2320WK 250V - 20A - 3P
WF2330B 250V - 30A - 2P + Ground

\$ 6.47

\$ 8.17

\$ 20.22



WF2420BK 250V - 20A - 3P + Ground
WF2430B 250V - 30A - 3P + Ground
WF2420WK 250V - 20A - 3P + Ground

\$ 12.94

\$ 25.96

\$ 12.94



WK6330 250V - 30A - 2P + Ground
WK6430 250V - 20A - 3P + Ground
Weatherproof locking receptacle

\$ 39.24

\$ 46.80



WN1518R
Grounding flat pin receptacle
125V - 15A

\$ 11.20



WN37008
Metal - Frame

\$ 0.58



WN9513/ WN9514
1 gang - 1 device aluminum plate
35.5 dia/45.5 dia

\$ 3.66



WN7601-8 Stainless 1 device plate
WN7602-8 Stainless 2 devices plate
WN7603-8 Stainless 3 devices plate

\$ 3.75



WN3040K-8
Grounding - terminal

\$ 3.83



WF6315 125V - 15A - 2P+ Ground
WF6320 250V - 20A - 3P
WF6330 250V - 30A - 2P + Ground
Locking Plug

\$ 4.64

\$ 7.66

\$ 19.07



WF6420 250V - 20A - 3P + Ground
WF6430 250V - 30A - 3P + Ground
Locking plug

\$ 8.94

\$ 20.43



WF4330
Rubber plug
250V - 30A - 3P

\$ 26.86

MEIKOSHA PLUG



ME2592W
Grounding plug
125V - 15A
Packaging 10 pcs/box

\$ 3.71

AUTOMATIC CIRCUIT BREAKER DIN - RESIDUAL OPERATED , OVER CURRENT PROTECTION - MCB MCB BD - 63:IEC 60898 STANDARDS MCB BD - 125:IEC 60947 - 2 STANDARDS

MCB 01 P C Curve	Code	I_n (A)	I_{cu} (kA)	Price
	BBD1061CNV	06	240VAC/ 415VAC 06kA	\$ 3.54
	BBD1101CNV	10		
	BBD1161CNV	16		
	BBD1201CNV	20		
	BBD1251CNV	25		
	BBD1321CNV	32		
	BBD1401CNV	40		
Packaging 48 pcs/carton	BBD1501CNV	50		\$ 8.39
	BBD1631CNV	63		
Packaging 8 pcs/carton	BBD108011C	80	230VAC 10kA	\$ 30.22
	BBD110011C	100		

MCB 02 P C Curve	Code	I_n (A)	I_{cu} (kA)	Price
	BBD2062CNV	06	240VAC 10kA 415VAC 06kA	\$ 10.22
	BBD2102CNV	10		
	BBD2162CNV	16		
	BBD2202CNV	20		
	BBD2252CNV	25		
	BBD2322CNV	32		
	BBD2402CNV	40		
Packaging 24 pcs/carton	BBD2502CNV	50		\$ 16.90
	BBD2632CNV	63		
Packaging 4 pcs/carton	BBD208021C	80	400VAC 10kA	\$ 60
	BBD210021C	100		

MCB 03 P C Curve	Code	I_n (A)	I_{cu} (kA)	Price
	BBD3063CNV	06	415VAC 06kA	\$ 18.09
	BBD3103CNV	10		
	BBD3163CNV	16		
	BBD3203CNV	20		
	BBD3253CNV	25		
	BBD3323CNV	32		
	BBD3403CNV	40		
Packaging 16 pcs/carton	BBD3503CNV	50		\$ 27.03
	BBD3633CNV	63		
Packaging 2 pcs/carton	BBD308031C	80	400VAC 10kA	\$ 80
	BBD310031C	100		

MCB 04 P C Curve	Code	I_n (A)	I_{cu} (kA)	Price
	BBD4064CA	06	415VAC 06kA	\$ 25.54
	BBD4104CA	10		
	BBD4164CA	16		
	BBD4204CA	20		
	BBD4254CA	25		
	BBD4324CA	32		
	BBD4404CA	40		
Packaging 12 pcs/carton	BBD4504CA	50		\$ 38.09
	BBD4634CA	63		
Packaging 2 pcs/carton	BBD408041C	80	400VAC 10kA	\$ 123.83
	BBD410041C	100		

RCBO RESIDUAL CURRENT CIRCUIT BREAKER WITH OVER CURRENT PROTECTION / 02P - C CURVE.RCBO BDE-40, 63:IEC 61009 STANDARDS



Packaging
24 pcs/carton

Code	I_n (A)	$I_{\Delta n}$ (mA)	I_{cu} (kA) 240VAC	Price
BBDE20631CNV	06	30	06	\$ 24.26
BBDE21631CNV	16			
BBDE22031CNV	20			

Code	I_n (A)	$I_{\Delta n}$ (mA)	I_{cu} (kA) 240VAC	Price
BBDE22531CNV	25	30	06	\$ 25.96
BBDE23231CNV	32			
BBDE24031CNV	40			
BBDE25031CNV	50	30	06	\$ 36.80
BBDE26331CNV	63			



AUTOMATIC CIRCUIT BREAKER DIN

Molded Case Circuit Breaker - MCCB

IEC 60947-2 Standards

Images	Code	Specifications			Price
		Rated current I_n [A]	Capacity I_{cu} (kA)		
			200 VAC	415 VAC	
MCCB 02 P - GD Series					
	BBW240SKY	40	10	2.5	\$ 37.45
	BBW250SKY	50			
DIN rail mounting					
	BBW260Y	60	5	2.5	\$ 40
	BBW275SKY	75	50	25	\$ 73.20
	BBW2100SKY	100			
MCCB 03 P - GD Series					
	BBW310Y	10	2.5	1.5	\$ 29.37
	BBW315Y	15			
	BBW320Y	20			
	BBW330Y	30			
	BBW340SKY	40	10	2.5	\$ 47.66
	BBW350SKY	50			
	BBW360SKY	60			
DIN rail mounting					
	BBW375SKY	75	50	25	\$ 93.62
	BBW3100SKY	100			
	BBW3125SKY	125	50	25	\$ 122.13
	BBW3150SKY	150			\$ 127.66
MCCB 03 P - GD Series					
	BBW3175KY	175	50	25	\$ 168.06
	BBW3200KY	200			
	BBW3225KY	225			
	BBW3250KY	250	50	25	\$ 268.09
	BBW3400KY	400	50	25	\$ 365.96

Safety Breaker & Earth Leakage Breaker-02P

JIS Standards

Images	Descriptions			Price
	Code	I _n (A)	I _{cu} (kA) 240VAC	
 Packaging 50 pcs/ carton	BS11106TV	6	1	\$ 3.41
	BS1110TV	10	1.5	
	BS1111TV	15	1.5	
	BS1112TV	20	1.5	
	BS1113TV	30	1.5	
	BS1114TV	40	1.5	
	I _n (A)	I _{Δn} (mA)	I _{cu} (kA) 240VAC	\$ 14.47
	30	15 30	1.5	
	BJS3020NA2	ELB W/o O.C protected		
	BJS3030NA2			
	I _n (A)	I _{Δn} (mA)	I _{cu} (kA) 240VAC	\$ 30.64
	30	30	2.5	
	BJJ23030-8	ELB W/o O.C protected		
	I _n (A)	I _{Δn} (mA)	I _{cu} (kA) 240VAC	\$ 35.96
	30	15 30	1.5	
	BJJ23022-8	ELB with O.C protected		
	BJJ23032-8			
	I _n (A)	I _{Δn} (mA)	I _{cu} (kA) 240VAC	\$ 65.96
	50	30	2.5	
	BKW2503Y	ELB with O.C protected		
	I _n (A)	I _{Δn} (mA)	I _{cu} (kA) 240VAC	\$ 97.88
	60	30	10	
	BKW2603SKY	ELB with O.C protected		
	I _n (A)	I _{Δn} (mA)	I _{cu} (kA) 240VAC	\$ 136.18
	100	30	25	
	BKW21003KY	ELB with O.C protected		

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation


*VAT is included in the price

NANOTM TECHNOLOGY



ANTI-VIRUS AND ANTI-BACTERIA

- ◆ Killing 99.9% virus (H1N1) (*1) and (H5N1) (*2)
- ◆ Killing 99.9% virus (E Coli O 157, MRSA.H)




Enclosure of bacteria and viruses

Disable bacteria and viruses



DEODORANT

- ◆ Odor reduction up to 90% (cigarette odor) after only 30 minute



Attack odor molecules

Decay and remove odor



KEEP MOISTURE SKIN

- ◆ Help fresh skin and well moisturized



ECONAVI OPERATION MECHANISM

Check pollutants

Through indoor odor and dust sensor about 10 minutes per hour at medium speed



Survey pollution rules

Remember indoor pollution rules and automatically provide an operation model that minimize pollution before it spreads in the house



Saving electric **50%** (*1)
Compared to automatic mode

AIR FILTER

Composite filter



Dry cleaning only
avoid contact with water

Composite filter plates include Alleru buster purifier, green tea Catechin essence and antibacterial Enzymes

Super Nano technology deodorizing plate



Super Nano technology deodorizing plate eliminates odors such as smoke or food odors



Disinfect allergens



Disinfect virus



Disinfect bacteria

nano-technology + electric = **AIR PURIFIER**



F-VXK70A (Air purifier with humidification)

- Function of humidification with indicator light
- Luxurious and modern design
- High capacity, applicable area of 52m²
- ECONAVI mode saves 60% energy consumption
- MEGACATCHER technology helps effective cleaning
- Human sensor mode helps the machine work when humans appear
- Completely new dust filter layer HEPA, filtering dust PM2.5
- Odor and humidification filter with high durability, the life span is 10 years

RECOMMENDATIONS

Clean the filter layer with a vacuum cleaner or soft brush.
Do not clean the filter layer with water and other detergents which will damage the filter layer

Price (USD)



F-VXK70A

\$ 617.03



F-PXM55A

\$ 531.92

Stand or wall mounted



F-PXL45A

\$ 453.20



F-PXM35A

\$ 280.86



F-PXJ30A

\$ 182.98



F-P15EHA

\$ 148.94

Technical specifications	F-VXK70A	F-PXM55A	F-PXL45A	F-PXM35A	F-PXJ30A	F-P15EHA
- Air volume (m ³ /min) - hi	6.7	5.5	4.5	3.5	2.8	1.6
- Power consumption (W) - hi	66	49	42	20	30	24
- Noise level [db(A)] - hi	54	52	52	44	44	-
- Applicable area [(m ²)]	52	42	33	26	20	13
- Filter technology	nanoe TM	nanoe TM	nanoe TM	nanoe TM	nanoe TM	nanoe TM
- Motor type	DC	DC	DC	DC	AC	AC
- Filter (layer) type	HEPA	HEPA	HEPA	HEPA	-	HEPA
- 3D circulation Airflow	●	●	●	●	●	●
- Sensor	Dust and Odor - Moisture Light-Move	Dust and odor Light	Dust and odor Light	Odor	Odor	Odor
- Pollution level measurement	●	●	●	●	●	●
- PM 2.5 indicator light	●	●	●	-	-	-
- Automatic mode	●	●	●	●	●	●
- Turbo mode	●	●	●	●	●	●
- Sleep mode [8 hours]	●	●	●	●	●	●
- Filter Replace Indicator	●	●	●	●	●	●
- Child lock mode	●	●	●	-	-	●
- Dimension [HxLxW] [mm]	636x398x265	580x300x205	516x404x235	520x300x189	540x311x210	310x385x152
- Econavi mode	●	●	●	-	-	-
- Remote control	-	-	●	-	-	-
- Filter life span [Mixed]	10 years	10 years	3 years	3 years	2 years	2 years
- Filter price [Mixed]	\$ 72.34	\$ 71.92	\$ 57.45	\$ 46.81	\$ 31.92	\$ 21.28
- Filter price [Deodorant]	\$ 34.05	\$ 31.92	\$ 34.05	\$ 25.54	\$ 21.28	-

Prices in Vietnam market and are for reference only, please contact our sales team for discount and quotation

RECESSED CEILING VENTILATING FAN without duct

Code	Capacity (W)	Wind capacity (CMH)	Noise level (dB)	Proposed area (m²)	Square Hole size (cm)	
 FV-15TGU1	11	240	35	15	21.7	\$ 33.62
FV-20CUT1	23	438	40.5	27	27	\$ 35.96
FV-25TGU5	30	612	43	38	31.5	\$ 42.13

ALL-MOUNTED VENTILATING FAN ACCORDING TO DEMAND

Use for bathroom

Code	Capacity (W)	Wind capacity (CMH)	Noise level (dB)	Square Hole size (cm)	
 FV-10BAT1	15	85	40	16x21	\$ 84.26

Use for kitchen

Code	Capacity (W)	Wind capacity (CMH)	Noise level (dB)	Square Hole size (cm)	
 FV-25AUF1	34	835	42	30	\$ 64.26

- Water-free aluminum cover
(The oil will settle into each particle and fall into the oil tray)
- Easy for dust cleaning, easy maintenance and having large oil tray
- Having oil level indicator

Used for bathroom

Code	Capacity (W)	Wind capacity (CMH)	Noise level (dB)	D (cm)	
 FV-10EGS1	5.5	75	35	12	\$ 32.77
FV-15EGS1	6.2	150	36	16.5	\$ 39.58

Used for bathroom, with rainy cover

Code	Capacity (W)	Wind capacity (CMH)	Noise level (dB)	D (cm)	
 FV-10EGK	5.5	75	33	13.5	\$ 35.54
FV-15EGK	6.2	160	34	18	\$ 45.32

Used for bathroom, with insect screens, water resistant

Code	Capacity (W)	Wind capacity (CMH)	Noise level (dB)	D (cm)	
 FV-10EGF1	5.5	75	31	13.5	\$ 40.43
FV-15EGF1	6.2	150	33	18.5	\$ 50.64

Mounted to glass wall

Code	Capacity (W)	Wind capacity (CMH)	Noise level (dB)	D (cm)	
 FV-15WU4	8	210	35	18	\$ 40
FV-20WU4	16	360	32	24	\$ 51.49

- Glass hole diameter 17.7cm /23.8 cm

HEATER FOR BATHROOM

Ventilating and heating functions

FV - 27BV1		Capacity (W)	Wind capacity (CMH)	Noise level (dB)
				
- Installation dimension 270x 270mm				
- Duct's size Ø100mm				
Heating		1,130	130	46
Ventilating		21	150	42

\$ 254.90

CIVIL WALL-MOUNTED VENTILATING FAN

1-way type - No screen

Code	Capacity (W)	Wind capacity (CMH)	Noise level (dB)	Proposed area (m²)	Square Hole size (cm)	
 FV-20AU9	22	580	38	36	25	\$ 34.05
FV-25AU9	29	920	39	57	30	\$ 38.52
FV-30AU9	34	1,200	39	74	35	\$ 62.56

2-way type - No screen

Code	Capacity (W)	Wind capacity (CMH)	Noise level (dB)	Proposed area (m²)	Square Hole size (cm)	
 FV-20RG7	20	580	36	36	25	\$ 62.13
FV-25RG7	29	945	38	58	30	\$ 71.07
FV-30RG7	31	1,165	39	72	35	\$ 85.96

1-way type - With screen

Code	Capacity (W)	Wind capacity (CMH)	Noise level (dB)	Proposed area (m²)	Square Hole size (cm)	
 FV-15AUL	12.5	255	36	16	20	\$ 41.71
FV-20AL9	22	546	40	34	25	\$ 42.56
FV-25AL9	29	835	43	52	30	\$ 47.03
FV-30AL7	34	935	43	58	35	\$ 94.47

2-way type - With screen

Code	Capacity (W)	Wind capacity (CMH)	Noise level (dB)	Proposed area (m²)	Square Hole size (cm)	
 FV-20RL7	20	546	39	34	25	\$ 68.09
FV-25RL7	29	876	41	54	30	\$ 83.41
FV-30RL6	31	990	44	61	35	\$ 97.88

INDUSTRIAL VENTILATING FANS

Code	W	CMH	dB	D (cm)	
1-phase motor with barrier					
 FV-40KUT	61	2,060	49	43.5 x 43.5	\$ 144.26

Products bear high pressure

 FV-25GS4	39	1,150	34	27.5	\$ 189.37
FV-30GS4	59	1,820	38	32.5	\$ 261.71
FV-35GS4	88	2,560	44	39.5	\$ 321.28
FV-40GS4	161	3,610	47	44.5	\$ 408.52
FV-45GS4	227	5,200	51	50	\$ 668.09

Made in Japan

(*) For more information, please refer to the **Cabinet Ventilating Fan** (page 18)

ADVANTAGES OF FAN WING- INDUSTRIAL VENTILATING FAN



High static pressure, power saving

Unique wave fan wing design helps the fan operate with high static pressure and low power consumption.



Low noise

Fan wing are designed with centrifugal blades to increase ventilation performance and reduce noise when operating.



High durability


The surface is antirustly painted together with the design to help the pressure evenly distributed on the wing surface that makes wing surface more durable.

Benefits of using ventilating fan:

- Maintain fresh air
- Deodorizing (odor of pet, smoke, etc)
- Removal of dirt, mould and polluted air

Panasonic ventilating fan is the best choice for the bedroom because:

- Smooth operation, low noise level: 26dB
- DC motor saves electricity up to 35%
- Bearing motor, life span up to 60,000 hours
- Aerodynamic wing design help to reduce noise
- 3 levels of air flow in accordance with the requirements of ventilation and humidity of each season



RECESSED CEILING VENTILATING FAN - Smooth operation, high performance



Used for bedroom, living room, office

Code	Capacity (W)	Wind capacity (CMH)	Noise level (dB)	Proposed area (m²)	Square Hole size (cm)
------	-----------------	------------------------	---------------------	-----------------------	--------------------------

Used with conduit Ø150mm Ø100mm - 1 speed level

FV-17CU7	11	85	26	5	17	\$ 98.09
FV-24CU7	14	140	28	9	24	\$ 121.71
FV-24CD7	17	170	31	11	24	\$ 125.54
FV-24CH7	20	200	35	12	24	\$ 131.71

Used with conduit Ø150mm - 2 speed levels

FV-27CH9	23 (Low)	260 (Low)	30	20	27	\$ 193.62
	28 (Hi)	330 (Hi)	34			
FV-32CD9	32 (Low)	300 (Low)	28	27	32	\$ 259.58
	42 (Hi)	430 (Hi)	36			
FV-32CH9	45 (Low)	400 (Low)	34	33	32	\$ 282.98
	55 (Hi)	530 (Hi)	41			
FV-38CD8	66 (Low)	430 (Low)	35	40	38.5	\$ 353.20
	90 (Hi)	640 (Hi)	44			
FV-38CH8	89 (Low)	525 (Low)	40	49	38.5	\$ 382.98
	122 (Hi)	800 (Hi)	50			

DC motor, very quiet operation, used with conduit Ø100mm


FV-24JR2	3.6	80	20	10	24	\$ 212.77
	5.2	120	26			
	8	160	31			
FV-24JA2						\$ 185.11

FV-24JR2 has an infrared sensor that supports adjusting fan speed.

CABINET VENTILATING FAN - Low noise level

Use for office, meeting room, high-class apartment

Code	Level	W	CMH	dB	S (m²)	D (cm)	
FV-12NS3	Hi	18	180	21	11	Ø100	\$ 125.54
	Low	17	145	17			
FV-15NS3	Hi	33	340	25	21	Ø150	\$ 165.96
	Low	29.5	275	22			
FV-18NS3	Hi	60	500	29	31	Ø150	\$ 197.88
	Low	55	405	27			
FV-18NF3	Hi	91	770	31	48	Ø200	\$ 240.43
	Low	80	620	29			
FV-20NS3	Hi	120	920	32	57	Ø200	\$ 297.45
	Low	113	720	29			
FV-23NL3	Hi	230	1200	40	74	Ø200	\$ 363.83
	Low	170	900	34			
FV-25NS3	Hi	345	1700	41	105	Ø250	\$ 480.86
	Low	265	1380	38			
FV-25NF3	Hi	390	1900	43	117	Ø250	\$ 552.77
	Low	325	1600	40			




Prices in Vietnam market and are for reference only, please contact our sales team for discount and quotation

Direct Current motor


Direct Current motor is a new technology, applied by Panasonic Corporation to the production of ceiling fans.

Direct Current motor (DC) makes the power consumption lower than the Alternating Current motor (AC). Direct Current motor is also lighter in weight than Alternating Current motor (AC)



3D blade design

Unique 3D blade design provides smooth and powerful airflow, minimizes noise.



Warning: Using Dimmer to control the fan will cause a circuit burn

ENERGY SAVING

LED

Blade diameter 150cm
Pipe length 28.8cm
LED lamp with 4 light levels

F-60UFN

- Power 57W (Motor: 37W, Light: 20W)
- Power saving DC motor
- Integrated LED lights can vary according to 4 levels of light colors
- 03 safety levels (safety hook, safety wire, safety switch)
- Natural breeze function (1/f Yuragi)
- 3D fan wing design for stronger and smoother airflow, PPG blade material for high durability
- 9-speed control, air flow 235m³/ minute
- 8 Off timer modes (1- 8 hours) / 8 On timer modes (1-8 hours)
- Remote control with LCD monitor

\$ 510.22



F-60TAN

- Power saving DC motor, Power: 37W
- 03 safety levels (safety hook, safety wire, safety switch)
- The Econavi temperature sensor function - adjusting the air flow according to the surrounding environment to create the most comfortable air velocity for the body
- Natural breeze function (1/f Yuragi)
- 3D Blade design for stronger and smoother airflow, PPG blade material for high durability
- Wind mode according to biological rhythm when sleeping
- 9-speed control, air flow 235m³/ minute
- 8 Off timer modes (1- 8 hours) / 8 On timer modes (1-8 hours)
- Remote control with LCD monitor

\$ 382.56



F-60XDN

- Power saving DC motor, Power: 37W
- 03 safety levels (safety hook, safety wire, safety switch)
- Natural breeze function (1/f Yuragi)
- 3D Blade design for stronger and smoother airflow, PPG blade material for high durability
- 9-speed control, air flow 235m³/ minute
- 8 Off timer modes (1- 8 hours) / 8 On timer modes (1-8 hours)
- Remote control with LCD monitor

\$ 327.24

Prices in Vietnam market and are for reference only, please contact our sales team for discount and quotation

*VAT is included in the price




Blade diameter 150cm
Pipe length 28.8cm

F-60TDN

- Power saving DC motor, Power: 37W
- 03 safety levels (wing lock, safety belt, safety switch)
- Natural breeze function (1/f Yuragi)
- 3D fan wing design for stronger and smoother airflow, PPG blade material for high durability
- 9-speed control, air flow 235m³/ minute
- 8 Off timer modes (1- 8 hours) / 8 On timer modes (1-8 hours)
- Remote control with LCD monitor

\$ 282.98



Blade diameter 150cm
Pipe length 31.8cm

F-60WWK

- Power: 76W
- 03 safety levels (wing lock, safety belt, safety switch)
- Natural breeze function (1/f Yuragi)
- 3D fan wing design for stronger and smoother airflow, PPG blade material for high durability
- 7-speed control, air flow 220m³/ minute
- 8 timer modes (1- 8 hours)
- Remote control with LCD monitor

\$ 282.98



Blade diameter 140cm
Pipe length 30cm

F-56XPG

- Safety wire provided
- Safety switch protects fan motor
- 3-speed control, power 59W
- Air flow 191m³/ minute
- Remote control is included

\$ 146.81



Blade diameter 140cm
Pipe length 27.3cm

F-56MPG-GO (Gold) F-56MPG-S (Silver)

- Safety wire provided
- Safety switch protects fan motor
- 3-speed control, power 59W
- Air flow 182m³/minute
- Remote control is included

\$ 132.34



White with gold border
Blade diameter 150cm
Floating regulator

NEW

F-60M22-MS (Pipe length: 22cm) F-60M22-S (Pipe length: 30cm) F-60M22 (Pipe length: 45cm) F-60M22-L (Pipe length: 55cm)

- Safety wire provided
- Safety switch protects fan motor
- 5-speed control, power 66W
- Air flow 215m³/ minute

\$ 61.71



Blade diameter 140cm
Pipe length 40cm

F-56MZG-GO (Gold) F-56MZG-S (Silver)

- Safety wire provided
- Safety switch protects fan motor
- 3-speed control, power 59W
- Air flow 182 m³/minute
- Remote control is included

\$ 132.34

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

LED DOWNLIGHT DN SERIES

CRI: Ra80 - Lifespan 15,000 hours

Capacity 6W - 220V

Dimension: Ø109mm/H: 50mm

Cut out: Ø90mm

NNNC7581388 - 540lm - Warm white 3000K

NNNC7586388 - 540lm - Neutral light 4000K

NNNC7596388 - 540lm - Cool daylight 6500K

Packaging: 10 pcs/carton

\$ 10.22

Capacity 9W - 220V

Dimension: Ø114mm/H: 50mm

Cut out: Ø95mm

NNNC7581488 - 810lm - Warm white 3000K

NNNC7586488 - 810lm - Neutral light 4000K

NNNC7596488 - 810lm - Cool daylight 6500K

Packaging: 10 pcs/carton

\$ 12.13

Capacity 12W - 220V

Dimension: Ø144mm/H: 55mm

Cut out: Ø125mm

NNNC7581588 - 1080lm - Warm white 3000K

NNNC7586588 - 1080lm - Neutral light 4000K

NNNC7596588 - 1080lm - Cool daylight 6500K

Packaging: 10 pcs/carton

\$ 16

Capacity 15W - 220V

Dimension: Ø169mm/H: 55mm

Cut out: Ø150mm

NNNC7581888 - 1350lm - Warm white 3000K

NNNC7586888 - 1350lm - Neutral light 4000K

NNNC7596888 - 1350lm - Cool daylight 6500K

Packaging: 10 pcs/carton

\$ 18.73

Capacity 18W - 220V

Dimension: Ø194mm/H: 55mm

Cut out: Ø175mm

NNNC7581688 - 1620lm - Warm white 3000K

NNNC7586688 - 1620lm - Neutral light 4000K

NNNC7596688 - 1620lm - Cool daylight 6500K

Packaging: 10 pcs/carton

\$ 21.71



LED Downlight DN Series

LED NEO SLIM DOWNLIGHT - MADE IN INDONESIA

Square Slim Downlight - CRI: Ra80 - Lifespan 20,000 hours

Capacity 9W - 220V

Dimension: L120xW120mm/ H: 30mm

Cut out: L100xW100mm

NNP72254 - 630lm - Warm white 3000K

NNP72250 - 630lm - Neutral light 4000K

NNP72255 - 630lm - Cool daylight 6500K

Packaging: 10 pcs/carton

\$ 15.75

Round Downlight - CRI: Ra80 - Lifespan 20,000 hours

Capacity 6W - 220V

Dimension: Ø120mm/H: 30mm

Cut out: Ø100mm

NNP71272 - 420lm - Warm white 3000K

NNP71279 - 420lm - Neutral light 4000K

NNP71278 - 420lm - Cool daylight 6500K

Packaging: 10 pcs/carton

\$ 10.86

Capacity 9W - 220V

Dimension: Ø120mm/H: 30mm

Cut out: Ø100mm

NNP72272 - 630lm - Warm white 3000K

NNP72279 - 630lm - Neutral light 4000K

NNP72278 - 630lm - Cool daylight 6500K

Packaging: 10 pcs/carton

\$ 12.73

Capacity 12W - 220V

Dimension: Ø145mm/H: 30mm

Cut out: Ø125mm



NNP73472 - 900lm - Warm white 3000K

NNP73479 - 900lm - Neutral light 4000K

NNP73478 - 900lm - Cool daylight 6500K

Packaging: 10 pcs/carton

\$ 16.39



Capacity 15W - 220V

Dimension: Ø170mm/H: 30mm

Cut out: Ø150mm

NNP74472 - 1130lm - Warm white 3000K

NNP74479 - 1130lm - Neutral light 4000K

NNP74478 - 1130lm - Cool daylight 6500K

Packaging: 10 pcs/carton

\$ 20.39

Capacity 18W - 220V

Dimension: Ø170mm/H: 30mm

Cut out: Ø150mm

NNP74572 - 1440lm - Warm white 3000K

NNP74579 - 1440lm - Neutral light 4000K

NNP74578 - 1440lm - Cool daylight 6500K

Packaging: 10 pcs/carton

\$ 22.77

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

*VAT is included in the price


LED DOWNLIGHT GLOBAL SERIES

Round Downlight LED - CRI: Ra80 - Lifespan 15,000 hours



Capacity 5W - 220V, Ø95mm/H: 68mm
NNP71249 - 400lm - Warm white 3000K
NNP71259 - 450lm - Cool daylight 6500K

\$ 10.22



Capacity 8W - 220V, Ø95mm/H: 68mm
NNP72249 - 640lm - Warm white 3000K
NNP72259 - 720lm - Cool daylight 6500K

\$ 11.75

Capacity 12W - 220V, Ø125mm/H: 78mm
NNP73349 - 960lm - Warm white 3000K
NNP73359 - 1080lm - Cool daylight 6500K

\$ 16


ROUND LED DOWNLIGHT PANEL

Downlight Panel tròn - CRI: Ra80 - Lifespan 20,000 hours




Capacity 6W-220V, Ø105mm/H: 21mm
NNP712563 - 360lm - Warm white 3000K
NNP712663 - 360lm - Cool daylight 6500K

\$ 10.43



Capacity 8W-220V, Ø105mm/H: 21mm
NNP722563 - 500lm - Warm white 3000K
NNP722663 - 500lm - Cool daylight 6500K

\$ 11.92



Capacity 12W-220V, Ø155mm/H: 21mm
NNP735563 - 850lm - Warm white 3000K
NNP735663 - 850lm - Cool daylight 6500K

\$ 16.13

Capacity 15W-220V, Ø170mm/H: 21mm
NNP745563 - 1080lm - Warm white 3000K
NNP745663 - 1080lm - Cool daylight 6500K

\$ 20.39

LED DOWNLIGHT ONE-CORE - Using technology LED one core special, made in Indonesia, 40,000 hours

Downlight, Beam angle 100° - CRI: Ra80



Capacity 5.5W - 220V, Ø100/H: 80mm
HH-LD40501K19 - 345lm - Warm white 2700K
HH-LD20501K19 - 393lm - Cool daylight 6500K

\$ 27.03

Capacity 8.6W - 220V, Ø100/H: 80mm
HH-LD40701K19 - 550lm - Warm white 2700K
HH-LD20701K19 - 622lm - Cool daylight 6500K

\$ 35.11

Downlight LED - IP43 - CRI: Ra80



Capacity 5.5W - 220V, Ø100/H: 80mm
HH-LD40508K19 - 345lm - Warm white 2700K

\$ 37.45

Capacity 8.6W - 220V, Ø100/H: 80mm
HH-LD40708K19 - 550lm - Warm white 2700K
HH-LD20708K19 - 585lm - Cool daylight 6500K

\$ 46.81

Downlight LED Beam angle 24° - CRI: Ra80



Capacity 5.5W - 220V, Ø100/H: 80mm
HH-LD70501K19 - 310lm - Warm white 2700K
HH-LD50501K19 - 325lm - Cool daylight 6500K

\$ 37.45

Capacity 8.6W - 220V, Ø100/H: 80mm
HH-LD70701K19 - 510lm - Warm white 2700K
HH-LD50701K19 - 540lm - Cool daylight 6500K

\$ 46.81

Square Downlight LED- CRI: Ra80



Capacity 5.5W - 220V, L100xW100xH80mm
HH-LD40507K19 - 345lm - Warm white 2700K
HH-LD20507K19 - 364lm - Cool daylight 6500K

\$ 40.86

High Power Downlight - CRI: Ra80



Capacity 15W, Ø150/H: 80mm
HH-LD4090119 - 1040lm - Warm white 2700K
HH-LD2090119 - 1090lm - Cool daylight 6500K


\$ 59.58




Square Downlight LED - CRI: Ra80

Capacity 8.6W - 220V
 Dimension: L100xW100mm/ H: 42mm
NNP72283 - 697lm - Warm white 2700K
NNP72288 - 730lm - Cool daylight 6500K

\$ 31.92



Moisture Resistant Downlight



High Power Downlight



DOWNLIGHT LED - ADJUST BEAM ANGLE - Made in Indonesia



Beam angle 24° - Lifespan 30,000 hours
 Capacity 7W - 220V, Ø75/H: 32mm
NNP21101
 465lm - Warm white 2700K
 Dimension: Ø90mm/H: 32 mm
 Cut out: Ø75mm

\$ 27.24



Beam angle 24° - Lifespan 30,000 hours
 Capacity 7W - 220V, Ø75/H: 32mm
NNP21102
 465lm - Cool daylight 6500K
 Dimension: Ø90mm/H: 32 mm
 Cut out: Ø75mm

\$ 27.24

Prices in Vietnam market and are for reference only,
 please contact our sales team for discount and quotation

LED DOWNLIGHT

LED Downlight - CRI: Ra80 - Lifespan 25,000 hours



Capacity 5W - 220V

Dimension: Ø110mm/H: 58.6mm

Cut out: Ø90mm/H: 58.6mm

NDL0539 - 430lm - Warm white 3000K

NDL0549 - 460lm - Neutral light 4000K

NDL0569 - 460lm - Cool daylight 6500K

Packaging: 40 pcs/carton

\$ 9.37

Capacity 8W - 220V

Dimension: Ø110mm/H: 58.6mm

Cut out: Ø90mm/H: 58.6mm

NDL083 - 730lm - Warm white 3000K

NDL084 - 780lm - Neutral light 4000K

NDL086 - 780lm - Cool daylight 6500K

Packaging: 40 pcs/carton

\$ 9.92

Color Changing LED Slim Downlight

CRI: Ra80 - Beam angle: 110° - Lifespan 25,000 hours



NSD06C1

Capacity 6W - 220V

Dimension: Ø120mm/H: 22mm

Cut out: Ø110mm/H: 22mm

Flux: 420lm - 462lm

Color changing: 3000K - 4000K - 6500K

Packaging: 36 pcs/carton

\$ 7.88

NSD09C1

Capacity 9W - 220V

Dimension: Ø145mm/H: 22mm

Cut out: Ø135mm/H: 22mm

Flux: 630lm - 693lm

Color changing: 3000K - 4000K - 6500K

Packaging: 30 pcs/carton

\$ 11.49

NSD12C1

Capacity 12W - 220V

Dimension: Ø174mm/H: 22mm



Cut out: Ø160mm/H: 22mm

Flux: 824lm - 840lm

Color changing: 3000K - 4000K - 6500K

Packaging: 24 pcs/carton

\$ 13.62



Capacity 12W - 220V

Dimension: Ø145mm/H: 65.8mm

Cut out: Ø120mm/H: 65.8mm

NDL123 - 1120lm - Warm white 3000K

NDL124 - 1200lm - Neutral light 4000K

NDL126 - 1200lm - Cool daylight 6500K

Packaging: 40 pcs/carton

\$ 14.22

Capacity 14W - 220V

Dimension: Ø145mm/H: 65.8mm

Cut out: Ø120mm/H: 65.8mm

NDL143 - 1240lm - Warm white 3000K

NDL144 - 1330lm - Neutral light 4000K

NDL146 - 1330lm - Cool daylight 6500K

Packaging: 40 pcs/carton

\$ 14.90

LED Slim Downlight

CRI: Ra80 - Beam angle: 110° - Lifespan 25,000 hours

Capacity 6W - 220V

Dimension: Ø120mm/H: 22mm

Cut out: Ø110mm/H: 22mm

NSD0631 - 360lm - Warm white 3000K

NSD0641 - 400lm - Neutral light 4000K

NSD0661 - 420lm - Cool daylight 6500K

Packaging: 36 pcs/carton

\$ 6.98

Capacity 9W - 220V

Dimension: Ø145mm/H: 22mm

Cut out: Ø135mm/H: 22mm

NSD0931 - 600lm - Warm white 3000K

NSD0941 - 620lm - Neutral light 4000K

NSD0961 - 630lm - Cool daylight 6500K

Packaging: 30 pcs/carton

\$ 8.43

Capacity 12W - 220V

Dimension: Ø174mm/H: 22mm

Cut out: Ø160mm/H: 22mm


NSD1231 - 800lm - Warm white 3000K

NSD1241 - 820lm - Neutral light 4000K

NSD1261 - 840lm - Cool daylight 6500K

Packaging: 24 pcs/carton

\$ 10.22



LED TUBE T8 - Lifespan 15,000 hours



Capacity 9W - 220V

NT8T0931 - 900lm/ 0.6 meters - Warm white 3000K

NT8T0961 - 900lm/ 0.6 meters - Cool daylight 6500K

- Dimension: Plastic coated glass

- Packaging: 25 pcs/carton

\$ 4.22



Capacity 22W - 220V

NT8T223 - 2200lm/ Dài 1.2m - Warm white 3000K

NT8T226 - 2200lm/ Dài 1.2 m - Cool daylight 6500K

- Dimension: Plastic coated glass

- Packaging: 25 pcs/carton

\$ 7.03



Capacity 18W - 220V

NT8T1831 - 1800lm/ 1.2 meters - Warm white 3000K

NT8T1861 - 1800lm/ 1.2 meters - Cool daylight 6500K

- Dimension: Plastic coated glass

- Packaging: 25 pcs/carton

\$ 6.09



COMBO LED TUBE T8



Combo LED Tube T8 single 9W - 220V

NT8F109N3

- Length 0.6m

- 1 LED T8 9W 900lm - Warm white 3000K

NT8F109N6

- Length 0.6m

- 1 LED T8 9W 900lm - Cool daylight 6500K

\$ 6.34



Combo LED Tube T8 single 18W - 220V

NT8F118N3

- Length 1.2m

- 1 LED T8 18W 1800lm - Warm white 3000K

NT8F118N6

- Length 1.2m

- 1 LED T8 18W 1800lm - Cool daylight 6500K

\$ 8.90

LED FLOOD LIGHT - IP65

CRI: Ra80 - Lifespan 25,000 hours

**Capacity 10W - 220V**

Dimension: L117xW27xH138mm/ Weight: 0.29kg

NLF1103 - 800lm - Warm white 3000K**NLF1104** - 800lm - Neutral light 4000K**NLF1106** - 800lm - Cool daylight 6000K

Packaging: 12 pcs/carton

\$ 9.37**Capacity 20W - 220V**

Dimension: L134xW27xH159mm/ Weight: 0.37kg

NLF1203 - 1600lm - Warm white 3000K**NLF1204** - 1600lm - Neutral light 4000K**NLF1206** - 1600lm - Cool daylight 6000K

Packaging: 12 pcs/carton

\$ 12.77**Capacity 30W - 220V**

Dimension: L167xW36xH220mm/ Weight: 0.65kg

NLF1303 - 2400lm - Warm white 3000K**NLF1304** - 2400lm - Neutral light 4000K**NLF1306** - 2400lm - Cool daylight 6000K

Packaging: 12 pcs/carton

\$ 18.73**Capacity 50W - 220V**

Dimension: L222xW38xH301mm/ Weight: 1.1kg

NLF1503 - 4000lm - Warm white 3000K**NLF1504** - 4000lm - Neutral light 4000K**NLF1506** - 4000lm - Cool daylight 6000K

Packaging: 6 pcs/carton

\$ 28.52

LED SURFACE SLIM PANEL



CRI: Ra70 - Beam Angle 120°

Lifespan 25,000 hours

Material: Metal frame, Plastic lamp cover

Capacity: 6W - 220V

Dimension: Ø120mm/H: 38mm

NPL063R - 360lm - Warm white 3000K**NPL064R** - 400lm - Neutral light 4000K**NPL066R** - 420lm - Cool daylight 6500K

Packaging: 40 pcs/carton

\$ 10.56

CRI: Ra70 - Beam Angle 120°

Lifespan 25,000 hours


Material: Metal frame, Plastic lamp cover

Capacity: 12W - 220V

Dimension: Ø170mm/H: 38mm

NPL123R - 800lm - Warm white 3000K**NPL124R** - 820lm - Neutral light 4000K**NPL126R** - 840lm - Cool daylight 6500K

Packaging: 20 pcs/carton

\$ 14.90

CRI: Ra70 - Beam Angle 120°

Lifespan 25,000 hours

Material: Metal frame, Plastic lamp cover

Capacity: 18W - 220V

Dimension: Ø225mm/H: 38mm

NPL183R - 1170lm - Warm white 3000K**NPL184R** - 1250lm - Neutral light 4000K**NPL186R** - 1300lm - Cool daylight 6500K

Packaging: 20 pcs/carton

\$ 19.79

CRI: Ra70 - Beam Angle 120°

Lifespan 25,000 hours

Material: Metal frame, Plastic lamp cover

Capacity: 24W - 220V


Dimension: Ø300mm/H: 38mm

NPL243R - 1500lm - Warm white 3000K**NPL244R** - 1550lm - Neutral light 4000K**NPL246R** - 1700lm - Cool daylight 6500K

Packaging: 10 pcs/carton

\$ 27.24

LED SHOPLIGHT - Lifespan 30,000 hours



Capacity 18W - 265V - CRI: Ra80

Material: White plastic, aluminum edge

Dimension: L600xW75xH27mm

NSH183 - 1600lm/ Warm white 3000K**NSH184** - 1600lm/ Neutral light 4000K**NSH186** - 1600lm/ Cool daylight 6500K

Packaging: 10 pcs/carton

\$ 10.60

Capacity 36W - 265V - CRI: Ra80

Material: White plastic, aluminum edge

Dimension: L1200xW75xH27mm

NSH363 - 3000lm/ Warm white 3000K**NSH364** - 3000lm/ Neutral light 4000K**NSH366** - 3000lm/ Cool daylight 6500K

Packaging: 10 pcs/carton

\$ 18.09

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

LED BULB E27



CRI: Ra80 - Lifespan 15,000 hours
Material: Plastic coated aluminum lamp cover and lamp body
Capacity: 20W - 220V
Dimension: Ø70mm/H123mm
NLB203 - 1600lm - Warm white 3000K
NLB204 - 1600lm - Neutral light 4000K
NLB206 - 1600lm - Cool daylight 6500K
Packaging: 60 pcs/carton

\$ 5.96



CRI: Ra80 - Lifespan 15,000 hours
Material: Plastic coated aluminum lamp cover and lamp body
Capacity: 30W - 220V
Dimension: Ø80mm/H141mm
NLB303 - 2400lm - Warm white 3000K
NLB304 - 2400lm - Neutral light 4000K
NLB306 - 2400lm - Cool daylight 6500K
Packaging: 40 pcs/carton

\$ 7.92

CRI: Ra80 - Lifespan 15,000 hours
Material: Plastic coated aluminum lamp cover and lamp body
Capacity: 50W - 220V
Dimension: Ø118mm/H194mm
NLB503 - 4000lm - Warm white 3000K
NLB504 - 4000lm - Neutral light 4000K
NLB506 - 4000lm - Cool daylight 6500K
Packaging: 12 pcs/carton

\$ 15.32

CRI: Ra80 - Lifespan 15,000 hours
Material: Plastic coated aluminum lamp cover and lamp body
Capacity: 40W - 220V
Dimension: Ø100mm/H168mm
NLB403 - 3200lm - Warm white 3000K
NLB404 - 3200lm - Neutral light 4000K
NLB406 - 3200lm - Cool daylight 6500K
Packaging: 12 pcs/carton

\$ 11.07

CRI: Ra80 - Lifespan 15,000 hours
Material: Plastic coated aluminum lamp cover and lamp body
Capacity: 60W - 220V
Dimension: Ø138/H222mm
NLB603 - 4800lm - Warm white 3000K
NLB604 - 4800lm - Neutral light 4000K
NLB606 - 4800lm - Cool daylight 6500K
Packaging: 6 pcs/carton

\$ 19.15

LED STRIPS



- Input voltage: 220V-230V
- Chip quantity: 120 chip LED/m
- Dimension: 18x8mm
- Weight: 9kg
- Length: 50m
- Protection level: IP65
- Material: PVC Anti-UV
- Lifespan: 30,000 hours
- Including 1 set of accessories

Capacity 8W/m, 600lm/m

- **NST1202** - Warm white 2700K
- **NST1206** - Cool daylight 6500K

\$ 170.22

Capacity 9W/m

- **NST120R** - Red light
- **NST120G** - Green light
- **NST120B** - Blue light

\$ 182.98

LED STRIPS ACCESSORIES




NST-E
End cap - IP44
Packaging 50 pcs/pack

\$ 0.07



NST-P
Pin
Packaging 20 pcs/pack

\$ 0.07



NST-MC
Connector - IP44
Packaging 10 pcs/pack

\$ 0.47



NST-C
Clip
(Including 2 screws)
Packaging 20 pcs/pack

\$ 0.07



NST-PC
Power cord - IP44 (Max 50m/cable)
(Including 1 pin and 1 end cap)
Packaging 1 pcs/pack

\$ 2.77

LED DOWNLIGHT FOR LIVING ROOM



	SCENE	Major light	Indirect light	Illumination
NORMAL RELAX THEATER FAMILY		Brightness 100-5% Color 3000-6500K	—	—
		Brightness 100-5% Color 3000K	MAXIMUM Color 3000K	Brightness 4 levels Color 3000K
		—	Brightness 100-5% Color 3000K	Brightness 4 levels Color 3000K
		Brightness 100-5% Color 3000-6500K	Brightness Color 3000K	Brightness 4 levels Color 3000K



Cool daylight 6500K

Warm white 3000K

HH-LAZ502288

- Lighting area: 18-22m²
- Capacity 79W/0.37A/AC220-240V
- Dimension: Ø800mm/H160mm - Weight: 6.5kg
- Lux : 5000lm - 63.3lm/W - CRI: Ra85
- Using remote to adjust lighting level (100%-5%)
- Lifespan: 40,000 hours (LLMF: 70%)
- Material: Acrylic lamp cover, silver metal frame

\$ 822.13



Cool daylight 6500K

Warm white 3000K

HH-LAZ504988

- Lighting area: 16-20m²
- Capacity 68W/0.31A/AC220-240V
- Dimension: L900xW734xH104mm - Weight: 8.6kg
- Lux : 5000lm - 73.5lm/W - CRI: Ra80
- Using remote to adjust lighting level (100%-5%)
- Lifespan: 20,000 giờ (LLMF: 70%)
- Material: Acrylic lamp cover

\$ 674.47



Cool daylight 6500K

Warm white 2700K

HH-LAZ317588

- Lighting area: 14-18m²
- Capacity 48W/0.23A/AC220-240V
- Dimension: L820xW820xH97mm - Weight: 7.7kg
- Lux: 3800lm - 79lm/W - CRI: Ra80
- Using remote to adjust lighting level (100%-5%)
- Lifespan: 20,000 giờ (LLMF: 70%)
- Material: Acrylic lamp cover, silver metal frame, lucite edge

\$ 492.35



Cool daylight 6500K

Warm white 3000K

HH-LAZ317988

- Lighting area: 12-16m²
- Capacity 48W/0.23A/AC220-240V
- Dimension: L600xW600xH129mm - Weight: 5.36kg
- Lux: 2500lm - 52lm/W - CRI: Ra80
- Using remote to adjust lighting level (100%-5%)
- Lifespan: 20,000 giờ (LLMF: 70%)
- Material: Acrylic lamp cover, plastic frame with petal pattern

\$ 467.67



Cool daylight 6500K

Warm white 3000K

HH-XZ550088 & HKC306988

- Lighting area: 14-18m²
- Capacity 55W/AC220-240V
- Dimension: Ø680mm/H112mm
- Weight: 3.2kg
- Lux: 3800lm - 83lm/W - CRI: Ra80
- Using remote to adjust lighting level (100%-5%)
- Lifespan: 20,000 hours
- Material: Acrylic lamp cover, white dual frame

\$ 336.18



Cool daylight 6500K

Warm white 3000K

HH-XZ550088 & HKC311788

- Lighting area: 14-18m²
- Capacity 55W/AC220-240V
- Dimension: Ø680mm/H112mm
- Weight: 3.2kg
- Lux: 3800lm - CRI: Ra80
- Using remote to adjust lighting level (100%-5%)
- Lifespan: 20,000 hours
- Material: Acrylic lamp cover, lucite edge

\$ 302.13

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

*Giá bán đã bao gồm VAT

LED DOWNLIGHT FOR LIVING ROOM



Neutral light 4600K

Warm white 2700K

HH-LMZ100988

- Lighting area: 10-14m²
- Capacity: 61W (36W led + 25W fan)
- AC220-240V
- Dimension: Ø594xH158mm
- Weight: 4.3kg
- Lux: 2600lm - CRI: Ra80
- Using remote to adjust lighting level (100%-5%)
- Lifespan: 20,000 hours
- Material: Acrylic lamp cover

\$ 669.79

Cool daylight 6500K


Warm white 3000K

HH-LAZ167088

- Lighting area: 8-12m²
- Capacity 21W/0.175A/AC220-240V
- Dimension: Ø607mm/H99mm
- Weight: 5kg
- Lux: 1600lm - 76.2lm/W - CRI: Ra80
- Using remote to adjust lighting level (100%-5%)
- Lifespan: 20,000 hours (LLMF: 70%)
- Material: Acrylic lamp cover, silver frame

\$ 245.96

DECORATIVE LIGHTS



Using LED BULB E27 (Not including LED Bulb in the price)

HH-LM800388

- Capacity: Using LED BULB E27 (Max11W)
- AC220-240V
- Dimension: Ø808mm/H480mm
- Weight: 12.45kg
- Cool daylight / Warm white - E27x8
- Material: Silver metal frame, ceramic lamp cover

\$ 679.58

Using LED BULB E27 (Not including LED Bulb in the price)

HH-LM500388

- Capacity: Using LED BULB E27 (Max11W)
- AC220-240V
- Dimension: Ø625mm/H465mm
- Weight: 8.95kg
- Cool daylight/ Warm white - E27x5
- Material: Silver metal frame, ceramic lamp cover

\$ 423.83

LED DOWNLIGHT FOR BEDROOM



Cool daylight 6500K

Warm white 3000K

HH-XZ351888

- lighting area: 10-14m²
- Capacity: 36W/AC220-240V
- Dimension: Ø555xH170mm
- Weight: 3.3kg
- Lux: 2400lm - CRI: Ra80
- Using remote to adjust lighting level (100%-5%)
- Lifespan: 20,000 hours
- Material: Acrylic lamp cover

\$ 165.96

Cool daylight 6200K

Warm white 2700K

HH-XZ352288

- Lighting area: 10-14m²
- Capacity: 36W/AC220-240V
- Dimension: Ø550xH100mm
- Weight: 4kg
- Lux: 2400lm - CRI: Ra80
- Using remote to adjust lighting level (100%-5%)
- Lifespan: 20,000 hours
- Material: Acrylic lamp cover, white metal frame

\$ 200.86

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

LED DOWNLIGHT FOR BEDROOM



Cool daylight 6500K

Warm white 3000K

HH-LAZ181488

- Lighting area: 8-12m²
- Capacity: 21W/0.06A/AC220-240V
- Dimension: Ø480mm/H80mm
- Weight: 4kg
- Lux: 1600lm - 76lm/W - CRI: Ra80
- Using remote to adjust lighting level (100%-5%)
- Lifespan: 20,000 hours (LLMF: 70%)
- Material: Acrylic lamp cover, white metal frame

\$ 168.09



Cool daylight 6500K

Warm white 3000K

HH-LAZ175088

- Lighting area: 8-12m²
- Capacity: 21W/0.175A/AC220-240V
- Dimension: Ø512mm/H108mm
- Weight: 3kg
- Lux: 1600lm - 76.2lm/W - CRI: Ra80
- Using remote to adjust lighting level (100%-5%)
- Lifespan: 20,000 hours (LLMF: 70%)
- Material: Acrylic lamp cover, pink plastic frame

\$ 239.58



Cool daylight 5000K

HH-LA1638DB88

- Lighting area: 8-12m²
- Capacity: 19W/0.16A/AC220-240V
- Dimension: L490xW490xH112.5mm
- Weight: 2.5kg
- Lux: 1600lm - 84.2lm/W - CRI: Ra80
- Lifespan: 20,000 hours (LLMF: 70%)
- Material: Acrylic lamp cover, metallic painted plastic corner

\$ 153.20




Cool daylight 6500K

Warm white 2700K

HH-XQ254088

- Lighting area: 8-12m²
- Capacity: 21W/AC220-240V
- Dimension: L470xW470xH113mm
- Weight: 3.2kg
- Lux: 1600lm - 76lm/W - CRI: Ra80
- Using switch to change color 2700K-5000K-6500K
- Lifespan: 20,000 hours (LLMF: 70%)
- Material: Acrylic lamp cover, transparent pattern frame

\$ 153.20



Cool daylight 6500K

HH-LA157888

- Lighting area: 8-12m²
- Capacity: 21W/0.15A/AC220-240V
- Dimension: Ø460mm/H120mm
- Weight: 2.2kg
- Lux: 1800lm - 85.7lm/W - CRI: Ra85
- Lifespan: 40,000 hours (LLMF: 70%)
- Material: Acrylic lamp cover, Metal edge

\$ 84.69



Cool daylight 6500K

Warm white 2700K

HH-LA152619 (Warm white 2700K)

- Lux: 1380lm - 72.6lm/W - CRI: Ra85

HH-LA152819 (Cool daylight 6500K)

- Lux: 1600lm - 84.2lm/W - CRI: Ra85
- Lighting area: 5-10m²
- Capacity: 19W/0.15A/AC220-240V
- Dimension: Ø500mm/H96mm - Weight 1.25kg
- Lifespan: 40,000 hours (LLMF: 70%)
- Material: Acrylic lamp cover, silver frame

\$ 84.69



Cool daylight 6500K

Warm white 2700K

HH-LA152319 (Warm white 2700K)

- Lux: 1380lm - 72.6lm/W - CRI: Ra85

HH-LA152519 (Cool daylight 6500K)

- Lux: 1600lm - 84.2lm/W - CRI: Ra85
- Lighting area: 5-10m²
- Capacity: 19W/0.15A/AC220-240V
- Dimension: Ø500mm/H96mm - Weight: 1.25kg
- Lifespan: 40,000 hours (LLMF: 70%)
- Material: Acrylic lamp cover, frame with pattern

\$ 84.69



Cool daylight 6500K

Warm white 2700K

HH-LA152919 (Warm white 2700K)

- Lux: 1380lm - 72.6lm/W - CRI: Ra85

HH-LA153119 (Cool daylight 6500K)

- Lux: 1600lm - 84.2lm/W - CRI: Ra85
- Lighting area: 5-10m²
- Capacity: 19W/0.15A/AC220-240V
- Dimension: Ø470mm/H96mm - Weight: 1.35kg
- Lifespan: 40,000 hours (LLMF: 70%)
- Material: Acrylic lamp cover, frame decorated with glass

\$ 84.69

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

*Giá bán đã bao gồm VAT

LED DOWNLIGHT FOR BATHROOM, BALCONY



Cool daylight 6500K

HH-LA0606CC88

- Lighting area: 4-6m²
- Capacity: 8W/0.07A/AC220-240V
- Dimension: 209XW209xH68.5mm
- Weight: 0.67kg
- Lux: 550lm - 68.8lm/W - CRI: Ra80
- Lifespan: 20,000 hours (LLMF: 70%)
- Material: Acrylic lamp cover

\$ 45.11



Cool daylight 6500K

HH-LA1038CC88

- Lighting area: 4-8m²
- Capacity: 11W/0.1A/AC220-240V
- Dimension: Ø317mm/H80mm
- Weight: 1kg
- Lux: 1000lm - 90.9lm/W - CRI: Ra80
- Lifespan: 20,000 hours (LLMF: 70%)
- Material: Acrylic lamp cover, silver frame

\$ 74.90



Cool daylight 6500K

HH-LA0417CB88

- Lighting area: 4-6m²
- Capacity: 5W/0.06A/AC220-240V
- Dimension: Ø200mm/H80mm
- Weight: 1kg
- Lux: 350lm - 70lm/W - CRI: Ra80
- Lifespan: 20,000 hours (LLMF: 70%)
- Material: Acrylic lamp cover

\$ 24.26



Cool daylight 6500K

NNP52600

- Lighting area 4-8m²
- Capacity 15W/0.06A/AC220-240V
- Dimension: Ø300mm/H73mm - Weight: 0.61kg
- Lux: 1127lm - 82.31lm/W - CRI: Ra80

\$ 46.81

NNP52700

- Lighting area: 4-10m²
- Capacity: 20W/0.06A/AC220-240V
- Dimension: Ø400mm/H73mm - Weight: 0.61kg
- Lux: 1502lm - 78.21lm/W - CRI: Ra80
- Lifespan: 25,000 hours (LLMF: 70%)
- Material: Acrylic lamp cover
- Made in Indonesia

\$ 60.22



Cool daylight 6500K

HH-LA0619CC88

- Lighting area: 4-6m²
- Capacity: 8W/0.07A/AC220-240V
- Dimension: Ø258mm/H68.5mm
- Weight: 0.73kg
- Lux: 550lm - 68.8lm/W - CRI: Ra80
- Lifespan: 20,000 hours (LLMF: 70%)
- Material: Acrylic lamp cover,
- Water proof IP64

\$ 57.03




Neutral light 4000K

HH-LW0412488

- Capacity: 9W/ AC220-240V
- Dimension: L675xW230xH205mm
- Weight: 1.3kg
- Lux: 400lm - Ra80
- Lifespan: 20,000 hours
- Material: Acrylic lamp cover

\$ 80.86



Cool daylight 5000K

HH-LW0512388

- Capacity: 10W/0.09A/ AC 220 - 240V
- Dimension: L585xW230xH125mm
- Weight: 0.67kg
- Lux: 700lm - Ra85
- Lifespan: 20,000 hours
- Material: Metal silver, plastic lamp cover

\$ 84.69

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

LED PENDANT LIGHT



Using LED Bulb E27 (Not including led bulb in the price)

HH-LB3090888

- Capacity: Using LED Bulb E27 (Max11W)
- AC220-240V
- Dimension: Ø493mm
- Weight: 5kg
- Hanging length 1,100mm - 1,200mm
- Material: Acrylic Cover, Metal support, glassy bulb holder

\$ 235.32



Using LED Bulb E27 (Not including led bulb in the price)

HH-LM101888

- Capacity: Using LED Bulb E27 (Max11W)
- AC220-240V
- Dimension: Ø480mm
- Weight: 3.1kg
- Hanging length 400mm-1,960mm
- Material: Acrylic lamp cover

\$ 196.60



Using LED Bulb E27 (Not including led bulb in the price)

HH-LB1050388

- Capacity: Using LED Bulb E27 (Max11W)
- AC220-240V
- Dimension: Ø390mm
- Weight: 2.2kg
- Hanging length 1,100mm-1,200mm
- Material: Acrylic lamp cover

\$ 95.32



Using LED Bulb E27 (Not including led bulb in the price)

HH-LB1051288

- Capacity: Using LED Bulb E27 (Max11W)
- Dimension: W610xL270xH380mm
- Weight: 3,9kg
- Material: Black metal frame

\$ 148.94



Warm white 2700K

HH-LB1050288

- Capacity: 8W/0.13A/AC220-240V
- Dimension: Ø500mm/H110mm
- Weight: 2.5kg
- Lux: 1000lm - 56lm/W - CRI: Ra80
- Lifespan: 40,000 hours
- Hanging length 1,100mm-1,300mm
- Material: Acrylic plastic, metal lamp cover

\$ 238.73



Warm white 3000K

HH-LW250588

- Capacity: 23W/AC220-240V
- Dimension: Ø670mm/H178mm
- Weight: 3.7kg
- Lux: 1,500lm
- Lifespan: 20,000 hours
- Material: Acrylic plastic, Metal lamp cover

\$ 200



Warm white 2700K

HH-LB1050188

- Capacity: 8W/0.13A/AC220-240V
- Dimension: Ø500mm/H110mm
- Weight: 2.5kg
- Lux: 1000lm - 56lm/W - CRI: Ra80
- Lifespan: 40,000 hours
- Hanging length: 1100mm-1300mm
- Material: Acrylic plastic, Metal lamp cover

\$ 238.73

Prices in Vietnam market and are for reference only, please contact our sales team for discount and quotation

*Giá bán đã bao gồm VAT

LED PENDANT LIGHT



Cool daylight 5000K

HH-LA202988

- Capacity: 32W/0.16A/AC220-240V
- Dimension: Ø558mm, Ø280mm
- Hanging length: 900mm - 1,200mm
- Weight: 6.5kg
- Lux: 2,550lm - 77lm/W - CRI: Ra80
- Lifespan: 20,000 hours (LLMF: 70%)
- Material: Transparent plastic

\$ 294.05

Cool daylight 6500K

Warm white 3000K

HH-LA606188

- Capacity 64W/0.36A/AC220-240V
- Dimension: Ø787mm, Ø280mm
- Hanging length: 400mm - 700mm
- Weight: 10.5kg
- Lux: 5100lm - 77lm/W - CRI: Ra80
- Lifespan: 20,000 hours (LLMF: 70%)
- Using switch to change mode lighting
(Turn on all / Turn on 3 LED cool daylight /
Turn on 3 LED warm white)
- Material: Transparent plastic

\$ 589.37

Warm white 3000K

HH-LB1090388

- Capacity: 17W/0.137A/AC220-240V
- Dimension: Ø140mm/H30mm
- Weight: 3.1kg
- Lux : 1000lm - 58.8lm/W - CRI: Ra80
- Lifespan: 40,000 hours
- Hanging length 1,100mm-1,300mm
- Material: Transparent plastic

\$ 251.49

Warm white 3000K

HH-LB1090588

- Capacity: 17W/0.137A/AC220-240V
- Dimension: Ø140mm/H30mm
- Weight: 3.1kg
- Lux: 1000lm - 58.8lm/W - CRI: Ra80
- Lifespan: 40,000 hours
- Hanging length 1,100mm-1,300mm
- Material: Red plastic

\$ 251.49

Warm white 3000K

HH-LB1150188

- Capacity: 19W/0.16A/AC220-240V
- Dimension: L540xW540xH104mm
- Height: 6.2kg
- Lux: 1600lm - 84.2lm/W - CRI: Ra80
- Lifespan: 20,000 hours
- Hanging length 400mm-1960mm
- Material: white plastic

\$ 566.39

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

DECORATIVE WALL LIGHT



Warm white 3000K

HH-BW050088

- Capacity 6W
- Dimension: L315xW155xH115mm
- Lux: 360lm
- Lifespan: 20,000 hours
- Material: Cast Aluminum

\$ 76.60




Cool daylight 5000K

HH-LW100088

- Capacity: 5W/0.06A/AC220-240V
- Dimension: Ø240mm - Trọng lượng: 1.5 kg
- Lux: 340lm - 70lm/W - CRI: Ra80
- Lifespan: 20,000 hours (LLMF: 70%)
- Material: Transparent plastic

\$ 83.83



Cool daylight 6500K

Warm white 3000K

HH-LW6010519/ HH-LW60105K88

(Cool daylight 6500K)

HH-LW6020519/ HH-LW60205K88

(Warm white 3000K)

- Capacity: 5.5W
- Dimension: L168xW168xH96mm - Height: 0.6kg
- Acrylic lamp cover
- Gray square edge

\$ 50.86



Cool daylight 6500K

Warm white 3000K

HH-LW6010719/ HH-LW60107K88

(Cool daylight 6500K)

HH-LW6020719/ HH-LW60207K88

(Warm white 3000K)

- Capacity 5.5W
- Dimension: L168xW168xH96mm - Height: 0.6kg
- Acrylic lamp cover
- White square edge

\$ 50.86



Using LED Bulb E27 (Not including LED Bulb in the price)

HH-HW100388

- Capacity: Using LED Bulb E27(Max11W)/AC220-240V
- Dimension: Ø160mm/H240mm
- Weight: 1.58kg
- Material: Black metal frame, ceramic lamp cover

\$ 84.69



Using LED Bulb E27 (Not including LED Bulb in the price)

HH-LM100388

- Capacity: Using LED Bulb E27 (Max11W)/AC220-240V
- Dimension: Ø134mm/H226mm
- Weight: 1.95kg
- Material: Silver metal frame, ceramic lamp cover

\$ 70.22

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

*Giá bán đã bao gồm VAT

CEILING LIGHTS



LED Ceiling Light

NCL1331 - Warm white 3000K

NCL1331-6 - Cool daylight 6000K

- Capacity: 18W/AC200-240V
- Dimension: Ø280mm/H63mm - Height: 1.8kg
- Lux: 1226lm - CRI: Ra84
- PF: 0.93 - IP54
- Material: Body and bracket is die-cast aluminium



Cool daylight 6000K

Warm white 3000K

\$ 71.49




Pillar LED Downlight

NSDL2236-73 - Warm white 3000K

NSDL2236-76 - Cool daylight 6000K

- Capacity: 7W/AC200-240V
- Dimension: Ø90mm/H95mm - Weight: 0.8kg
- Lux: 581lm - CRI: Ra82
- PF: 0.53 - IP54
- Material: Body and bracket in die-cast aluminium



Cool daylight 6000K

Warm white 3000K

\$ 51.49




Pillar LED Downlight

NSDL2236-203 - Warm white 3000K

NSDL2236-206 - Cool daylight 5700K

- Capacity: 20W/AC200-240V
- Dimension: Ø95mm/H105mm - Weight: 1.0kg
- Lux: 1616lm - CRI: Ra83
- PF: 0.53 - IP54
- Material: Body and bracket in die-cast aluminium



Cool daylight 5700K

Warm white 3000K

\$ 67.24

LED WALL LIGHT OUTDOOR



Outdoor LED Wall Light

NBL2891 - Warm white 3000K

NBL2891-6 - Cool daylight 6000K

- Capacity: 7W/AC200-240V
- Dimension: L82xW58xH82mm - Weight: 0.4kg
- Lux: 218lm - CRI: Ra85
- PF: 0.9 - IP54
- Material: Body and bracket in die-cast aluminium



Cool daylight 6000K

Warm white 3000K

\$ 36.60



Outdoor LED Wall Light

NBL2553 (White) - Warm white 3000K

NBL2553-6 (White) - Cool daylight 6000K

NBL2553S (Silver) - Warm white 3000K


- Capacity 9W/AC200-240V
- Dimension: L109xW63xH173mm - Trọng lượng: 0.6kg
- Lux: 160lm - CRI: Ra80
- PF: 0.93 - IP54
- Material: Body and bracket in die-cast aluminium



Cool daylight 6000K

Warm white 3000K

\$ 48.94



NBL2691 - Outdoor LED Wall Light

- Capacity: 7W/AC220-240V
- Dimension: L125xW63xH125mm - Weight: 0.5kg
- Lux: 389lm - CRI: Ra82
- PF: 0.89 - IP54
- Warm white 3000K
- Material: Body and bracket in die-cast aluminium



Warm white 3000K

\$ 44.69



NBL2721 - Outdoor LED Wall Light

- Capacity: 7W/AC200-240V
- Dimension: L220xW130xH55mm - Weight: 0.8kg
- Lux: 448lm - CRI: Ra82
- PF: 0.89 - IP54
- Warm white 3000K
- Material: Body and bracket in die-cast aluminium



Warm white 3000K

\$ 67.24



NBL5705 - Outdoor LED Wall Light

- Capacity: 18W (86x0.2W)/AC200-240V
- Dimension: L110xW103xH250mm - Weight: 1.1kg
- Lux: 801lm - CRI: Ra83
- PF: 0.99 - IP54
- Warm white 3000K
- Material: Body and bracket in die-cast aluminium



Warm white 3000K

\$ 61.28

WALL LIGHTS



Outdoor LED Wall Light

NBL2621 - Warm white 3000K

NBL2621-6 - Cool daylight 6000K

- Capacity: 14W (2x7W)/AC200-240V~50Hz
- Dimension: L62xW82xH145mm - Weight: 0.84kg
- Lux: 1116lm - CRI: Ra82
- PF: 0.93 - IP54
- Material: Body and bracket in extrusion aluminium



Cool daylight 6000K

Warm white 3000K

\$ 67.24




NBL2622 - Outdoor LED Wall Light

- Capacity: 7W (1x7W)/AC200-240V~50Hz
- Dimension: L62xW82xH95mm - Height: 0.64kg
- Lux: 577lm - CRI: Ra82
- PF: 0.88 - IP54
- Warm white 3000K
- Material: Body and bracket in extrusion aluminium



Warm white 3000K

\$ 45.96



NBL1291 - Outdoor LED Wall Light

- Capacity: 36W (56x0.64W)/AC200-240V~50Hz
- Dimension: L500xW60xH60mm - Weight: 3.1kg
- Lux: 2156lm - CRI: Ra84
- PF: 0.99 - IP65
- Warm white 3000K
- Material: Body and bracket in extrusion aluminium



Warm white 3000K

\$ 100.86



Using sub cover



Don't use sub cover

Outdoor LED Wall Light

NBL2541 - Warm white 3000K

NBL2541-6 - Cool daylight 6000K

- Capacity: 12W (2x6W)/AC200-240V~50Hz
- Dimension: L108xW111xH115mm - Weight: 1.7kg
- Lux: 1139lm - CRI: Ra81
- PF: 0.90 - IP54
- Material: Gray cast aluminum



Cool daylight 6000K

Warm white 3000K

\$ 73.20




Outdoor LED Wall Light

NBL2851 - Warm white 3000K

NBL2851-6 - Cool daylight 6000K

- Capacity: 14W (2x7W)/AC200-240V~50Hz
- Dimension: L75xW100xH160mm - Weight: 0.9kg
- Lux: 995lm - CRI: Ra82
- PF: 0.92 - IP54
- Material: Body and bracket in extrusion aluminium



Cool daylight 6000K

Warm white 3000K

\$ 76.17




NBL1791 - Outdoor LED Wall Light

- Capacity: 7W /AC200-240V~50Hz
- Dimension: L102xW222xH282mm - Weight: 1.6kg
- Lux: 555lm - CRI: Ra85
- PF: 0.5 - IP65
- Warm white 3000K
- Material: Body and bracket in extrusion aluminium



Warm white 3000K

\$ 73.20



NBB1466 - Outdoor LED Wall Light

- Capacity : Using LED E27 (Max15W)/AC220-240V
- Dimension: L140xW160xH290mm - Weight: 2.6kg
- PF: 0.89 - IP54
- Cool daylight / Warm white - E27x1
- Material : Body and bracket in extrusion aluminium
- Not including LED E27 in the price



\$ 64.26

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

*Giá bán đã bao gồm VAT

WALL & POST LIGHTS



NBB1463 - Outdoor LED Pillar Light

- Capacity: Using LED E27 (Max15W)/AC220-240V
- Dimension: L140xW140xH350mm - Weight: 2.5kg
- PF: 0.89 - IP54
- Cool daylight/ Warm white - E27x1
- Material: Glass and black cast aluminum
- Not including LED E27 in the price




\$ 73.20



NGL8434 - LED Garden Light

- Capacity 14.62W (86x0.17W)/AC200-240V
- Dimension: L148xW108xH650mm - Weight: 2.9kg
- LLux: 461lm - CRI: Ra84
- PF: 0.89 - IP54
- Warm white 3000K
- Material: Black cast aluminum




Warm white 3000K

\$ 88.52




NGL8453 - LED Garden Light

- Capacity: 7W (1x7W)/AC200-240V~50Hz
- Dimension: L108xW108xH200mm - Weight: 0.95kg
- Lux: 400lm - CRI: Ra84
- PF: 0.89 - IP54
- Warm white 3000K
- Material: Silver cast aluminum




Warm white 3000K

\$ 61.28



NGL2723 - LED Garden Light

- Capacity: 7W (1x7W)/AC200-240V~50Hz
- Dimension: L120xW40xH650mm - Weight: 2.4kg
- Lux: 290lm - CRI: Ra82
- PF: 0.89 - IP54
- Warm white 3000K
- Material: Gray cast aluminum



Warm white 3000K

\$ 76.17



NGL1211 - Underground LED Downlight

- Capacity: 7W (1x7W)/AC200-240V~50Hz
- Dimension: Ø125xH140mm - Weight: 1.3kg
- Cut out : Ø117xH117mm
- Lux: 67lm - CRI: Ra82
- PF: 0.89 - IP67
- Warm white 3000K
- Material: Gray cast aluminum



Warm white 3000K

\$ 64.26




NGL1212 - Underground LED Downlight

- Capacity: 7W (1x7W)/AC200-240V~50Hz
- Dimension: Ø125xH140mm - Weight: 1.3kg
- Cut out : Ø117xH117mm
- Lux: 135lm - CRI: Ra82
- PF: 0.89 - IP67
- Warm white 3000K
- Material: Gray cast aluminum



Warm white 3000K

\$ 64.26



NGL1214 - Underground LED Downlight

- Capacity: 7W (1x7W)/AC200-240V~50Hz
- Dimension: Ø125xH140mm - Weight: 1.3kg
- Cut out : Ø117xH117mm
- Lux: 188lm - CRI: Ra82
- PF: 0.89 - IP67
- Warm white 3000K
- Material: Gray cast aluminum



Warm white 3000K

\$ 64.26


Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

UNDERGROUND LED DOWNLIGHT



NGL2641 - Underground LED Downlight

- Capacity: 7W (1x7W)/AC200-240V~50Hz
- Dimension: Ø125xH105mm - Weight: 0.97kg
- Cut out: Ø103xH105mm
- Lux: 597lm - CRI: Ra81
- PF: 0.89 - IP67
- Warm white 3000K
- Material: Stainless Steel




Warm white 3000K

\$ 55.75



NGL2642 - Underground LED Downlight


- Capacity: 7W (1x7W)/AC200-240V~50Hz
- Dimension: L125xW125xH105mm - Weight: 0.97kg
- Cut out: Ø103xH105mm
- Lux: 597lm - CRI: Ra81
- PF: 0.89 - IP67
- Warm white 3000K
- Material: Stainless steel



Warm white 3000K

\$ 61.28

SPOTLIGHT GARDEN LIGHT



LED Spotlight Garden

NSP2745

9W(1x9W CREE) - 518lm - PF: 0.94


\$ 58.30

NSP2746

10W(1x10W COB) - 656lm - PF: 0.99

\$ 54.90

- AC200-240V~50Hz
- Dimension: L81xW76xH118mm - Weight: 0.9kg
- Warm white 3000K
- CRI: Ra83 - IP65
- Material: Cast aluminium, plastic plug



Warm white 3000K



LED Spotlight Garden

NSP1673 - 10W(1x10W) - 613lm

\$ 64.26

NSP1676 - 15W(1x15W) - 934lm

\$ 70.22

NSP1679 - 20W(1x20W) - 1283lm

\$ 73.20

- AC200-240V~50Hz
- Dimension: W120xH520mm - Weight: 1.38kg
- Warm white 3000K
- PF: 0.99 - CRI: Ra82 - IP65
- Material: Cast aluminium, plastic plug



Warm white 3000K



LED Spotlight Garden

NSP1663 - 10W(1x10W) - 613lm

\$ 58.30

NSP1666 - 15W(1x15W) - 934lm

\$ 64.26

NSP1669 - 20W(1x20W) - 1283lm

\$ 67.24

- AC200-240V~50Hz
- Dimension: W120xH210mm - Height: 1.1kg
- Warm white 3000K
- PF: 0.99 - CRI: Ra82 - IP65
- Material: Cast aluminium, plastic plug



Warm white 3000K

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation


*Giá bán đã bao gồm VAT

STEP LIGHT - SURFACE



NSL1711 - LED Footlight

- Capacity: 8.8W (11x0.8W)/AC200-240V~50Hz
- Dimension: L160xW31xH160mm - Weight: 0.7kg
- Lux: 472lm - CRI: Ra83
- PF: 0.97 - IP65
- Warm white 3000K
- Material: Body and bracket in die cast aluminium




Warm white 3000K

\$ 61.28



NSL1713 - LED Footlight

- Capacity: 4W (5x0.8W)/AC200-240V~50Hz
- Dimension: L95xW31xH95mm - Weight: 0.3kg
- Lux: 185lm - CRI: Ra83
- PF: 0.99 - IP65
- Warm white 3000K
- Material: Body and bracket in die cast aluminium




Warm white 3000K

\$ 33.62




NSL2102 - Underground light

- Capacity: 1W/AC200-240V~50Hz
- Dimension: L40xW40xH50mm - Weight: 0.13kg
- Cut out: Ø25mm
- Lux: 72lm - CRI: Ra80
- PF: 0.5 - IP65
- Warm white 3000K
- Material: Body and bracket in die cast aluminium




Warm white 3000K

\$ 25.96



NSL2101 - Underground light

- Capacity: 1W/AC200-240V~50Hz
- Dimension: Ø40xH50mm - Weight: 0.13kg
- Cut out: Ø25mm
- Lux: 72lm - CRI: Ra80
- PF: 0.5 - IP65
- Warm white 3000K
- Material: Body and bracket in die cast aluminium



Warm white 3000K

\$ 24.26



NSL1121A - Step light - Recessed

- Capacity 3.6W (12x0.3W)/AC200-240V
- Dimension: L107xW65xH75mm - Weight: 0.5kg
- Cut out: L100xW57xH65mm
- Lux: 75lm - CRI: Ra82
- PF: 0.89 - IP65
- Warm white 3000K
- Material: Body and bracket in die cast aluminium



Warm white 3000K

\$ 35.75



NSL2781 - Step light - Recessed

- Capacity: 3W (1x3W)/AC200-240V~50Hz
- Dimension: Ø95xH81mm - Weight: 0.4kg
- Cut out: Ø92xD81mm
- Lux: 23lm - CRI: Ra80
- PF: 0.53 - IP65
- Warm white 3000K
- Material: grade stainless steel cover, aluminium body



Warm white 3000K

\$ 33.62



NSL2782 - Step light - Recessed

- Capacity: 3W (1x3W)/AC200-240V~50Hz
- Dimension: L95xW81xH95mm - Weight: 0.4kg
- Cut out: Ø92xD81mm
- Lux: 23lm - CRI: Ra80
- PF: 0.53 - IP65
- Warm white 3000K
- Material: grade stainless steel cover, aluminium body



Warm White 3000K

\$ 33.62

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

DESK LAMP - Lifespan 20,000 hours



Neutral light 4000K

HH-LT062919 (Black) HH-LT062819 (White)

- Capacity: 4.5W/AC220-240V
- Dimension: L108xW90xH526mm - Weight: 0.5kg
- Lux: 150lm - CRI: Ra80
- Material: Acrylic
- Charging port USB 5V, adapter
- 3 - 4 hours battery life after full charged

\$ 37.45



Neutral light 4000K

HH-LT033619

- Capacity: 4.7W/0.06A/AC220-240V
- Dimension: L108xW90xH526mm - Weight: 0.5kg
- Lux: 100lm - CRI: Ra80
- Material: Acrylic
- Multifunction
- Charging port USB 5V, adapter
- 3 - 4 hours battery life after full charged

\$ 38.09



Neutral light 4000K

HH-LT023219

- Capacity: 3.7W/0.06A/ AC 220 - 240V
- Dimension: L120xW83xH475mm - Weight: 0.3 kg
- Lux: 100lm - 27 lm/W - CRI: Ra80
- Touch brightness adjust (3 level)
- Material: Acrylic
- Adjustable arm for easy directing of light.
- Charging port USB 5V, adapter
- 3 - 4 hours battery life after full charged

\$ 38.09



Cool daylight 5700K

NNP60900 (White) NNP60902 (Blue)

- Capacity 4.5W/AC220-240V
- Dimension: L325xW280xH150mm - Weight: 0.6kg
- Lux: 150lm - CRI: Ra80
- Touch brightness adjust
- Charging port USB 5V, adapter
- 3 - 4 hours battery life after full charged

\$ 40.86



Neutral light 4000K

HH-LT062019

- Capacity: 6W/0.05A/AC220-240V
- Dimension: L177xW177xH468mm - Weight: 0.86kg
- Lux: 300lm - CRI: Ra80
- Touch brightness adjust (10% - 100%)
- Lamp head rotate 180°, lamp body fold 45°

\$ 56.17



Neutral light 5000K

HH-LT0220P19 (White) HH-LT0221P19 (Black) HH-LT0222P19 (Pink)

- Capacity: 4.5W/AC220-240V
- Dimension: L160xW147xH370mm - Weight: 1kg
- Lux: 150lm - CRI: Ra80
- Touch brightness adjust
- Charging port USB 5V, adapter
- 3 - 4 hours battery life after full charged

\$ 59.58



Cool daylight 5000K

NNP61922 (Blue) NNP61923 (Silver) NNP61925 (Gray)

- Capacity: 6W/AC220-240V
- Dimension: L436xW160xH160mm - Weight: 1kg
- Lux: 300lm - CRI: Ra80
- Touch brightness adjust (6 level)
- Lamp head rotate 90°

\$ 75.75




Cool daylight 6500K

Warm white 2700K

NNP63933 (Silver) NNP63934 (Gold) NNP63935 (Gray)

- Capacity: 14W (using 9W/charging 5W)/AC220-240V
- Dimension: L210xW140xH480mm - Trọng lượng: 1.46kg
- Lux: 350lm - CRI: Ra80
- Touch brightness adjust
- Charging port USB can use for other electronic device.

\$ 125.54



Cool daylight 5000K

Warm white 2700K

SQ - LE530K - N (Golden) SQ - LE530 - W/ SQ - LE530K - W (White) SQ - LE530 - H (Gray)

- Capacity: 7W/AC100-240V
- Dimension: W66 x H314mm - Weight: 1kg
- Lux: 150lm (2700K) 350lm (5000K) - CRI: Ra83
- Touch brightness (5 level)
- Fold or open to changing color

\$ 163.83

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

*Giá bán đã bao gồm VAT

STANDING FAN



F-409KB (Blue)
F-409KBE (Beige)
F-409KMR (Red)

- Blade diameter 40cm
- Fan height 128cm - 143cm
- Power 51W
- Air flow 63m³/min
- 3-speed selection
- Rhythm Mode
- Timer mode OFF 1 - 3 - 6 hours
- Remote control

\$ 156.60

**F-407WGO** (Gold)

- Blade diameter 40cm
- Fan height 134 - 157cm
- Capacity 53.5W
- Air flow 76m³/min
- 3-speed selection
- Equipped with twin lamp

\$ 127.66



F-308NHB (Blue)
F-308NHP (Pink)

- Blade diameter 30cm
- Fan height 91cm - 105cm
- Power 37W
- Air flow 39m³/min
- 3-speed selection
- Natural breeze function (1/f Yuragi)
- The motor is designed slim and compact
- Timer mode OFF 1 - 2 - 4 hours
- Remote control

\$ 155.32



F-307KHB (Blue)
F-307KHS (Silver)

- Blade diameter 30cm
- Fan height 66cm - 85cm
- Power 37W
- Air flow 51m³/minute
- 3-speed selection
- Natural breeze function (1/f Yuragi)
- Anti-dust and antibacterial air filter
- Timer mode OFF 1 - 2 - 4 hours
- Remote control

\$ 108.52

DESK FAN



F-400CB (Blue)
F-400CI (Milky)

- Blade diameter 40cm
- Power 48W
- Air flow 63m³/min
- 3-speed selection
- Easy moving

\$ 59.15



F-409QB (Blue)
F-409QG0 (Gold)

- Blade diameter 40cm
- Power 45W
- Air flow 79m³/min
- Rotation 360°
- Gearbox with 5-speed selection

\$ 125.54

WALL FAN

**F-50YUZ** (Black)

- Blade diameter 50cm
- Capacity 53 - 63W
- Air flow 100 m³/min
- 850 - 1230 rounds/min
- Fan is controlled by pulling the string

\$ 170.22



F-409MB (Blue)
F-409MG (Milky)

- Blade diameter 40cm
- Power 51W
- Air flow 63 m³/min
- 3-speed selection
- Timer mode OFF 1 - 3 - 6 hours
- Remote control

\$ 110.22



F-409UB (Blue)
F-409UG0 (Gold)

- Blade diameter 40cm
- Power 47.5W
- Air flow 63m³/min
- 3-speed selection
- Fan is controlled by pulling the string

\$ 88.94

Prices in Vietnam market and are for reference only,
 please contact our sales team for discount and quotation

WATER PUMP

BOOSTER PUMP



GP-129JXK-SV5
(Power cord 15cm)
GP-129JXK-NV5
(Power cord 160cm + plug)
- Power 125W
- Max flow 30l/min
- Suction head 9m
- Maximum total head 30m

\$ 62.56

\$ 63.41



GP-200JXK-SV5
(Power cord 15cm)
GP-200JXK-NV5
(Power cord 160cm+ plug)
- Power 200W
- Max flow 45l/min
- Suction head 9m - Maximum total head 30m
- Cooper wire motor

\$ 79.58

\$ 80.43



GP-250JXK-SV5
(Power cord 15cm)
GP-250JXK-NV5
(Power cord 160cm+ plug)
- Power 250W
- Max flow 50l/min
- Suction head 9m - Maximum total head 38m
- Cooper wire motor

\$ 126.39

\$ 127.24



GP-350JA-SV5
(Power cord 15cm)
GP-350JA-NV5
(Power cord 1 20cm+ plug)
- Power 350W
- Max flow 45l/min
- Suction head 9m - Maximum total head 45m
- Cooper wire motor

\$ 187.24


\$ 188.09



Warning: Using a dirty water source may cause the pump wheel jam



River and lake water contains many impurities and sand, soil



Using the pump when the water pipe glue is not completely dry will make excess glue to stick to the pump wheel surface, causing the HIGH CAPACITY WATER PUMP pump wheel jam



A-130JAK
- Power 125W
- Max flow 32l/min
- Suction head 9m
- Maximum total head 27m

\$ 89.79



A-200JAK
- Power 200W
- Max flow 45l/min
- Suction head 9m
- Maximum total head 27m
- Cooper wire motor

\$ 104.26



A-130JACK
- Power 125W
- Max flow 30l/min
- Suction head 9m
- Maximum total head 27m
- Cooper wire motor

\$ 108.09



A-130JTX
(Air bubble creation function)
- Power 125W
- Max flow 30l/min
- Suction head 9m
- Maximum total head 25m
- Cooper wire motor

\$ 154.90



GA-125FAK
- Electric circuit booster pump
- Power 125W
- Suction head 9m
- Max flow 30l/min
- Maximum total head 27m
- Cooper wire motor

\$ 120

HIGH CAPACITY WATER PUMP



GP-10HCN1SVN

Power (W)

740W

Max flow (lit/min)

10-99

Suction head (m)

9

Maximum total head (m)

34-25

Cooperwire motor

●

Price

\$ 225.11

GP-15HCN1SVN

1110W

30-145

9

38.7-22

●

\$ 302.13

GP-20HCN1SVN

1480W

30-154

9

46.2-26

●

\$ 349.79

Panasonic Pump

JAPANESE Technology

BEST Quality

STRONG PERFORMANCE - DURABLE OPERATION

- Smooth operation, high durability
- Energy saving
- Minimization of short-circuit risk
- Automatically power switch-off when the pump temperature is too high

Prices in Vietnam market and are for reference only, please contact our sales team for discount and quotation


*VAT is included in the price

STANDING FAN

ELECTRIC FAN

nanoco

Safety - Comfort - Modern



SLEEK STYLE
Modern, luxury design

DURABLE & STRONG
Strong operating performance, high durability

COOL & PLEASANT
Easily adjust the wind speed with multiple levels

COMFORT & MODERN
Timer mode OFF with multiple options



NSF1616BL (Blue)
NSF1616BE (Beige)

- 5-PP blade
- Blade diameter 40cm
- Fan height 110cm - 130cm
- Power 42W
- Cooper wire motor
- 4 speed selection
- Timer mode

\$ 30.22



NSF1620BL-RC (Blue)
NSF1620BE-RC (Beige)


- 5-AS blade
- Blade diameter 40cm
- Power 45W
- Cooper wire motor
- 3 speed selection
- 3 wind modes: normal/sleep/natural
- Timer mode OFF 1 - 7 hours
- Remote control

\$ 46.81



Remote control

WALL FAN



NWF1605G-RC (Grey)

- 5-AS blade
- Blade diameter 40cm
- Power 45W
- Cooper wire motor
- 3 speed selection
- 3 wind modes: normal/sleep/natural
- Timer mode OFF 0.5 - 7.5 hours
- Remote control

\$ 34.90



Remote control

WATER HEATER WITHOUT BOOSTER PUMP

3.5kW type is suitable to outside temperature over 25°C
4.5kW type is suitable to outside temperature over 20°C

Standard type



DH-3RL2VH

- Power: 3.5 kW
- Slim and compact design
- 1 power switch to turn on / off
- Standard designed shower head
- Water supply valve with filter function
- 3-step power control: low / mid / high
- Better performance for low water pressure of 0.1 (kgf/cm²)
- Packaging 4 pcs/pack

\$ 127.24



DH-4RL1VW

- Power: 4.5 kW
- Compact design
- 1 power switch to turn on / off
- Standard designed shower head
- Water supply valve with filter function
- 3-step power control: low / mid / high
- Better performance for low water pressure of 0.1 (kgf/cm²)
- Packaging 4 pcs/pack

\$ 140.43



DH-4MS1VW

- Power: 4.5 kW
- New design saves more than 40% area
- Shower with 3 spray types with antibacterial Ag+ ion
- Water supply valve with filter function
- 3-step power control: low / mid / high
- Better performance for low water pressure of 0.1 (kgf / cm²)
- One push power switch
- Packaging 4 pcs/pack

\$ 153.20

High-end type with Stepless temperature control



DH-4NS3VW

- Power: 4.5 kW
- New elegant white design
- **Stepless temperature control and reach EMC standard**
- Shower with 3 spray types with antibacterial Ag+ ion
- Water supply valve with filter function
- One push power switch
- Packaging 4 pcs/pack

\$ 165.96



DH-4NS3VS

- Power: 4.5 kW
- New luxury silver design
- **Stepless temperature control and reach EMC standard**
- Shower with 3 spray types with antibacterial Ag+ ion
- Water supply valve with filter function
- One push power switch
- Packaging 4 pcs/pack

\$ 174.47



DH-4NS3VS

WATER HEATER WITH BOOSTER PUMP

Reaching Electro-magnetic Compatibility (EMC) Standard and 9 safety features

Standard type



DH-3RP2VK

- Power: 3.5 kW
- Smooth operating booster pump
- Standard designed shower head
- Water supply valve with filter function
- Warranty for 5 years
- 3-step power control: low / mid / high
- Better performance for low water pressure of 0.05(kgf/cm²)
- Packaging 4 pcs/pack

\$ 212.34



DH-4RP1VW

- Power: 4.5 kW
- Smooth operating booster pump
- Standard designed shower head
- Warranty for 5 years
- Water supply valve with filter function
- 3-step power control: low / mid / high
- Better performance for low water pressure of 0.05(kgf/cm²)
- Packaging 4 pcs/pack

\$ 221.28



DH-4MP1VW

- Power: 4.5 kW
- Smooth operating booster pump
- New design saves more than 40% area
- Shower head with 3 spray types with antibacterial Ag+ ion
- Water supply valve with filter function
- Pumb warranty for 5 years
- 3-step power control: low / mid / high
- Better performance for low water pressure of 0.05(kgf / cm²)
- On/off by pressing a button
- Packaging 4 pcs/pack

\$ 234.05

High-end type with Stepless temperature



DH-4NP1VW

- Power: 4.5 kW
- Smooth operating booster pump
- New elegant white design
- **Stepless temperature control and reach EMC standard**
- Shower with 3 spray types with antibacterial Ag+ ion
- Water supply valve with filter function
- One push power switch
- Packaging 4 pcs/pack
- Pumb warranty for 5 years

\$ 246.81



DH-4NP1VS

- Power: 4.5 kW
- Smooth operating booster pump
- New luxury silver design
- **Stepless temperature control and reach EMC standard**
- Shower with 3 spray types with antibacterial Ag+ ion
- Water supply valve with filter function
- One push power switch
- Packaging 4 pcs/pack
- Pumb warranty for 5 years

\$ 255.32



DH-4NTP1VM

- Power: 4.5 kW
- Smooth operating booster pump
- New design with elegant and luxurious curved cover
- Stable outlet water temperature of shower
- **Stepless temperature control and reach EMC standard**
- Shower with 3 spray types with antibacterial Ag+ ion
- Water supply valve with filter function
- One push power switch
- Packaging 4 pcs/pack
- Pumb warranty for 5 years

\$ 251.07


Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

*VAT is included in the price

STORAGE WATER HEATER



**1ST INNOVATIVE
MAINTENANCE-FREE
STORAGE WATER HEATER**



ULTIMATE SAFETY - ENERGY SAVING




MAINTENANCE-FREE



ULTIMATE SAFETY



ENERGY SAVING



COMPACT DESIGN

Maintenance-Free

Without Anode Bar

Stainless Steel Tank*

Material Made in Japan


7-YEAR WARRANTY

Storage Tank

Warranty : 7 years for Storage Tank, 2 years for accessories.

Model		DH-15HAMVW	DH-20HAMVW	DH-30HAMVW
		\$ 182.56	\$ 191.07	\$ 212.34
Technical specifications	Capacity [l]	15	20	30
	Power supply [V]	220	220	220
	Power consumption [kW]	2.5	2.5	2.5
	Water pressure [max.][Mpa]	0.75	0.75	0.75
	Max. Temperature [°C]	75	75	75
	Boiling time [approx.] [min]	30	40	60
Machinery body	Color	White	White	White
	Hot water availability light indicator	•	•	•
	Net weight [kg]	7	8	10
	Dimension [HxWxD] [mm]	323x437x310	323x526x310	323x704x310
Material	Tank material	Japanese stainless steel	Japanese stainless steel	Japanese stainless steel
	Heating element	Copper	Copper	Copper
	Water proof	•	•	•
	Insulated material	Styrofoam	Styrofoam	Styrofoam
Safety	Build in ELB	•	•	•
	Auto thermal Cut - Off	•	•	•
	Stainless steel tank material	•	•	•
	Water splash - proof case cover	IPX4	IPX4	IPX4
	Insulated structure	•	•	•
	Non-flameable material compliance	•	•	•


AUTOMATIC HAND DRYER



FJ - T10T1

- Quick drying in 3-5 seconds with the function of drying from 2 sides and 4 nozzles
- Power capacity 1250W
- Luxurious and modern design with anti-allergy filter screen and antibacterial cover
- Normal and hot wind modes
- High and low wind speed (High/Low), noise level of 59dB
- The machine will automatically turn off after 30 seconds of continuous operation
- LED Signal
- Efficient power saving


\$ 829.79



FJ - T09A3 (With water tray)

- Hand drying in several seconds - Power capacity 1020W
- Normal and hot wind modes (Heater ON/OFF switch), noise level of 62dB
- Wind speed 120m/min
- Having Heater OFF function to save electricity in summer

\$ 300






FJ - T09B3 (Without water tray)

- Hand drying in several seconds - Power capacity 1,020W
- Normal and hot wind modes (Heater ON/OFF switch), noise level of 62dB
- Wind speed 120m/min
- Having Heater OFF function to save electricity in summer

\$ 254.90



Prices in Vietnam market and are for reference only, please contact our sales team for discount and quotation

INTERNET CABLE




Model	Description	Conductor O.D (mm)	Isulation O.D (mm)	Rip cord (V)	Jacket O.D (mm)	Price (Roll)
NC5E-U10	Cat5e UTP 0.51mm 4 Pairs 10% Cu 24 AWG Length: 305m/roll - White	0.51 CCA	PE 0.91	Yes	PVC 5.1	\$ 30.64
NC5E-F10	Cat5e FTP 0.51mm 4 Pairs anti-jamming 10% Cu 24 AWG Length: 305m/roll - Blue / White	0.51 CCA	PE 1.00	Yes	PVC 5.1	\$ 39.15
NC5E-F100	Cat5e FTP 0.51mm 4 Pairs anti-jamming 100% Cu 24 AWG Length: 305 m/roll - Blue / White	0.56 BC	PE 1.00	Yes	PVC 5.1	\$ 106.39
NC5E-F100P	Cat5e FTP 0.51mm 4 Pairs anti-jamming, 100% Cu 24 AWG - Pass fluke test Length: 305m/roll - Gray	0.56 BC	PE 1.00	Yes	PVC 5.1	\$ 138.30
NC5E-F100 O	Cat5e FTP 0.51mm 4 Pairs anti-jamming, có dấu, 100% Cu 24 AWG Length: 305m/roll - Blue / White	0.56 BC	PE 1.00	Yes	PVC 5.1	\$ 125.54
NC6-U10	CAT6 UTP 0.56 mm 4 Pairs 10% Cu 23 AWG Length: 305m/roll - White	0.56 CCA	PE 1.02	Yes	PVC 6	\$ 41.71
NC6-F10	CAT6 FTP 0.56 mm 4 Pairs anti-jamming 10% Cu 23 AWG Length: 305m/roll - Blue / White	0.56 CCA	PE 1.00	Yes	PVC 6.6	\$ 52.34
NC6-F100	CAT6 FTP 0.56mm 4 Pairs anti-jamming, 100% Cu 23 AWG Length: 305m/roll - Blue / White	0.56 BC	PE 1.00	Yes	PVC 6.6	\$ 138.30
NC6-F100P	CAT6 FTP 0.56mm 4 Pairs anti-jamming, 100% Cu 23 AWG - Pass fluke test Length: 305m/roll - Gray	0.56 BC	PE 1.00	Yes	PVC 6.6	\$ 170.22
NC6-F100 O	CAT6 FTP 0.56mm 4 Pairs anti-jamming, Có dấu - 100% Cu 23 AWG Length: 305m/roll - Blue / White	0.56 BC	PE 1.00	Yes	PVC 6.6	\$ 163.83

COAXIAL CABLE



Model	Description	Conductor O.D (mm)	Isulation O.D (mm)	Shielding (V)	Jacket O.D (mm)	Price (Roll)
NRG6-80	RG6 - Core CCS 80 fibres Length: 200m/roll White / Black	1.02 CCS	Foamed PE 4.57	1. Aluminum foil 2. Braiding: 80x0.12mm Al-Mag	PVC 6.9	\$ 26.39
NRG6-96	RG6 - Core CCS 96 fibres Chiều dài: 200m/roll White / Black	1.02 CCS	Foamed PE 4.57	1. Aluminum foil 2. Braiding: 96x0.12mm Al-Mag	PVC 6.9	\$ 27.66
NRG6-96 O	RG6 - Core CCS 96 fibres Length: 200m/roll Having oil White / Black	1.02 CCS	Foamed PE 4.57	1. Aluminum foil 2. Braiding: 96x0.12mm Al-Mag	PVC 6.9	\$ 40.64

TELEPHONE AND FIRE-ALARM CABLE



Model	Conductor O.D (mm)	Isulation O.D (mm)	Shielding (V)	Jacket O.D (mm)	Price (Roll)
NTV405	Telephone cable with many fibres 4 core 0.5mm Length: 200m/Roll White / Black	0.5 CCA	PVC	PVC	\$ 19.15

INSULATION TAPE

PVC insulating tape

Made in: Taiwan



FKPT10	10YDS	\$ 2.56/Pack
FKPT20	20YDS	\$ 4.56/Pack

Packaging 10 Roll/Pack, 200 Roll/carton



Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

PVC RIGID CONDUIT

Europe technology TCVN7417-1:2010

IEC61386_1:2008


The product reaches the standard BSEN61386-21:2004 (IEC6138 - 1:2002)



PVC Rigid Conduit

Model	Dimension (mm)	Thickness (mm)	Compressive (N)	Packaging (Pcs/pack)	Price (Pcs)
FPC16L	Ø16	0.9 ± 0.1	320	50	\$ 0.73
FPC20L	Ø20	1.1 ± 0.1	320	50	\$ 0.94
FPC25L	Ø25	1.3 ± 0.1	320	25	\$ 1.43
FPC32L	Ø32	1.6 ± 0.1	320	20	\$ 2.22
FPC16	Ø16	1.4 ± 0.1	750	50	\$ 0.81
FPC20	Ø20	1.55 ± 0.1	750	50	\$ 1.07
FPC25	Ø25	1.65 ± 0.1	750	25	\$ 1.58
FPC32	Ø32	2.0 ± 0.1	750	20	\$ 2.52
FPC16H	Ø16	1.6 ± 0.1	1250	50	\$ 1.07
FPC20H	Ø20	1.9 ± 0.1	1250	50	\$ 1.41
FPC25H	Ø25	2.0 ± 0.1	1250	25	\$ 2
FPC32H	Ø32	2.2 ± 0.1	1250	20	\$ 4.05
FPC40H	Ø40	2.4 ± 0.1	1250	10	\$ 5.32
FPC50H	Ø50	2.7 ± 0.1	1250	10	\$ 7.03

Note: Length 2.92m /pc.



TRUNKING

Trunking

Model	Dimension (mm)	Thickness (mm)	Packaging (Pcs/Pack)	Price (Pc)
NNV2015	15x9	0.7 ± 0.1	25	\$ 0.42
NNV2020	20x10	0.7 ± 0.1	25	\$ 0.52
NNV2025	25x14	0.9 ± 0.1	50	\$ 0.76
NNV2030	30x16	1.0 ± 0.1	50	\$ 0.98
NNV2040	40x18	1.2 ± 0.1	25	\$ 1.28
NNV2050	50x35	1.4 ± 0.1	10	\$ 2.56

Note: Length 2m/pc.

Coupling



Model	Dimension Ø (mm)	
NPA0116	Coupling Ø16 Packaging 100 pcs/pack, 2,000 pcs/carton	\$ 0.04
NPA0120	Coupling Ø20 Packaging 200 pcs/carton	\$ 0.05
NPA0125	Coupling Ø25 Packaging 100 pcs/carton	\$ 0.08
NPA0132	Coupling Ø32 Packaging 25 pcs/pack, 250 pcs/carton	\$ 0.14
FPA0140	Coupling Ø40 Packaging 20 pcs/pack	\$ 0.29
FPA0150	Coupling Ø50 Packaging 20 pcs/pack	\$ 0.38

PVC FLEXIBLE CONDUIT

The product reaches the standard

BS EN 61386-22:2004 + A11:2010

PVC flexible resist fire - resist broken"

Model	Dimension Ø (mm)	
FRG16W	16mm (50m/roll)	\$ 5.96
FRG20W	20mm (50m/roll)	\$ 7.67
FRG25WS	25mm (40m/roll)	\$ 8.52
FRG32WH	32mm (25m/roll)	\$ 10.64

Model	Dimension Ø (mm)	
FRG16G	16mm (50m/roll)	\$ 7.67
FRG20G	20mm (50m/roll)	\$ 10.22
FRG25GS	25mm (40m/roll)	\$ 11.28
FRG32GH	32mm (25m/roll)	\$ 11.07

Omega support clamp - Packaging 100 pcs/pack

Model	Dimension Ø (mm)	
NDI16012	Clamp IMC Ø20	\$ 0.13
NDI16034	Clamp IMC Ø25	\$ 0.15
NDI16100	Clamp IMC Ø32	\$ 0.22
NDI16114	Clamp IMC Ø40	\$ 0.28
NDI16112	Clamp IMC Ø50	\$ 0.34

Reducer

Model	Dimension Ø (mm)	
FPA2016	Reducer 20 - 16 Packaging 100 pcs/pack	\$ 0.05
FPA2520	Reducer 25 - 20 Packaging 100 pcs/pack	\$ 0.09
FPA3225	Reducer 32 - 25 Packaging 50 pcs/pack	\$ 0.14
FPA4032	Reducer 40 - 32 Packaging 40 pcs/pack	\$ 0.29
FPA5040	Reducer 50 - 40 Packaging 30 pcs/pack	\$ 0.38

Connector

Model	Dimension Ø (mm)	
NPA02162	Connector Ø16 Packaging 100 pcs/pack, 1,200 pcs/carton	\$ 0.11
NPA02202	Connector Ø20 Packaging 100 pcs/pack, 1,000 pcs/carton	\$ 0.12
NPA02252	Connector Ø25 Packaging 50 pcs/pack, 500 pcs/carton	\$ 0.14
NPA02322	Connector Ø32 Packaging 25 pcs/pack, 250 pcs/carton	\$ 0.22

Box cover

Model	Dimension Ø (mm)	
NPA2620	Box cover Packaging 60 pcs/pack, 1,500 pcs/carton	\$ 0.08
NPA2720F	Box cover used with PVC conduit Ø20 Packaging 20 pcs/pack, 400 pcs/carton	\$ 0.14

Prices in Vietnam market and are for reference only, please contact our sales team for discount and quotation

T Connector with cover

Model	Dimension Ø (mm)	
 FPA0420C	Inspection Tee Ø20 Packaging 25 pcs/pack	\$ 0.29
FPA0425C	Inspection Tee Ø25 Packaging 10 pcs/pack	\$ 0.43
FPA0432C	Inspection Tee Ø32 Packaging 10 pcs/pack	\$ 0.58

T Junction Connector

Model	Dimension Ø (mm)	
 NPA0416	T Junction connector Ø16 Packaging 100 pcs/pack 1,000 pcs/carton	\$ 0.09
NPA0420	T Junction connector Ø20 Packaging 50 pcs/pack 400 pcs/carton	\$ 0.16
NPA0425	T Junction connector Ø25 Packaging 25 pcs/pack 250 pcs/carton	\$ 0.24
NPA0432	T Junction connector Ø32 Packaging 15 pcs/pack 150 pcs/carton	\$ 0.33
FPA0440	T Junction connector Ø40 Packaging 10 pcs/pack	\$ 0.43
FPA0450	T Junction connector Ø50 Packaging 10 pcs/pack	\$ 0.52

PVC Flexible Conduit Connector

Model	Dimension Ø (mm)	
 FRGA116	PVC Box Connector Ø16 Packaging 100 pcs/pack	\$ 0.39
FRGA120	PVC Box Connector Ø20 Packaging 100 pcs/pack	\$ 0.56
FRGA125	PVC Box Connector Ø25 Packaging 50 pcs/pack	\$ 0.77
FRGA132	PVC Box Connector Ø32 Packaging 50 pcs/pack	\$ 1.15

PVC Pipe Clamp

Model	Dimension Ø (mm)	
 NPA1616	PVC pipe clamp Ø16, 100 pcs/pack; 3,000 pcs/carton	\$ 0.04
NPA1620	PVC pipe clamp Ø20, 100 pcs/pack; 3,000 pcs/carton	\$ 0.05
NPA1625	PVC pipe clamp Ø25, 100 pcs/pack; 2,000 pcs/carton	\$ 0.09
NPA1632	PVC pipe clamp Ø32, 100 pcs/pack; 1,000 pcs/carton	\$ 0.12
FPA1640	PVC pipe clamp Ø40 Packaging 50 pcs/pack	\$ 0.17

Conduit Bending Spring 750N

Model	Dimension Ø (mm)	
 FLXU016M	Conduit bending spring Ø16 - 750N	\$ 1.41
FLXU016M2	Conduit bending spring Ø20 - 750N	\$ 2.43
FLXU020M	Conduit bending spring Ø25 - 750N	\$ 2.73
FLXU025M2	Conduit bending spring Ø32 - 750N	\$ 4

Conduit Bending Spring 320N

Model	Dimension Ø (mm)	
 FLXU016L	Conduit bending spring Ø16 - 320N	\$ 1.41
FLXU020L	Conduit bending spring Ø20 - 320N	\$ 2.43
FLXU025L	Conduit bending spring Ø25 - 320N	\$ 2.73
FLXU032L	Conduit bending spring Ø32 - 320N	\$ 4

Connector with cover

Model	Dimension Ø (mm)	
 FPA0320C	Inspection elbow Ø20 Packaging 50 pcs/pack	\$ 0.19
FPA0325C	Inspection elbow Ø25 Packaging 40 pcs/pack	\$ 0.31
FPA0332C	Inspection elbow Ø32 Packaging 20 pcs/pack	\$ 0.47

Elbow Connector

Model	Dimension Ø (mm)	
 NPA0316	Elbow Ø16 Packaging 100 pcs/pack - 1,500 pcs/carton	\$ 0.06
NPA0320	Elbow Ø20 Packaging 50 pcs/pack - 700 pcs/carton	\$ 0.10
NPA0325	Elbow Ø25 Packaging 40 pcs/pack - 400 pcs/carton	\$ 0.14
NPA0332	Elbow Ø32 Packaging 20 pcs/pack - 200 pcs/carton	\$ 0.24
FPA0340	Elbow Ø40 Packaging 20 pcs/pack	\$ 0.38
FPA0350	Elbow Ø50 Packaging 15 pcs/pack	\$ 0.50

One-Way Junction Box - Packaging 60 pcs/carton

Model	Dimension Ø (mm)	
 NPA65161	One-way junction box Ø16	\$ 0.29
NPA65201	One-way junction box Ø20	\$ 0.31
NPA65251	One-way junction box Ø25	\$ 0.33
NPA65321	One-way junction box Ø32	\$ 0.43

Two-Way Junction Box - Packaging 60 pcs/carton

Model	Dimension Ø (mm)	
 NPA66161	Two-way junction box Ø16	\$ 0.29
NPA66201	Two-way junction box Ø20	\$ 0.31
NPA66251	Two-way junction box Ø25	\$ 0.33
NPA66321	Two-way junction box Ø32	\$ 0.43

Crossed Two-Way Junction Box - Packaging 60 pcs/carton

Model	Dimension Ø (mm)	
 NPA69161	Crossed two-way junction box Ø16	\$ 0.29
NPA69201	Crossed two-way junction box Ø20	\$ 0.31
NPA69251	Crossed two-way junction box Ø25	\$ 0.33
NPA69321	Crossed two-way junction box Ø32	\$ 0.43

Three-Way Junction Box - Packaging 60 pcs/carton

Model	Dimension Ø (mm)	
 NPA67161	Three-way junction box Ø16	\$ 0.29
NPA67201	Three-way junction box Ø20	\$ 0.31
NPA67251	Three-way junction box Ø25	\$ 0.33
NPA67321	Three-way junction box Ø32	\$ 0.43

Four-Way Junction Box - Packaging 60 pcs/carton

Model	Dimension Ø (mm)	
 NPA68161	Four-way junction box Ø16	\$ 0.29
NPA68201	Four-way junction box Ø20	\$ 0.31
NPA68251	Four-way junction box Ø25	\$ 0.33
NPA68321	Four-way junction box Ø32 packaging 30 pcs/carton	\$ 0.43

Prices in Vietnam market and are for reference only,
please contact our sales team for discount and quotation

INDUSTRIAL PLUGS AND SOCKETS

- Best use in temperatures of -25°C to 80°C
- Use continuously in 1 hour at a temperature of 100°C
- Manufactured with POLYAMIDE 6 material: flame resistant, abrasion resistant, high pressure bearing, anti-reaction with many chemicals

Made in Austria

Plug (Splashproof)



- F0511 - S**
- Rubber plug (Splashproof),
Platic 2P + 'E', 16A, 250V, IP44
- No water proof

\$ 3.45



- F0512 - S**
- Solid rubber plug (Splashproof),
Plastic 2P + 'E', 16A, 250V, IP44
- No water proof, shockproof

\$ 4.81



- F1050 - 0B**
- Socket outlet (Splashproof IP54)
- Socket with lid 2P + 'E', 16A, 250V, IP54

\$ 2.90



- F2510 - S**
- Rubber connector (Splashproof)
Plastic 2P + 'E', 16A, 250V, IP20
- No water proof

\$ 3.49



- F106 - 0**
- Mouting box (Splashproof IP44)

\$ 3.75

Mutiple-socket outlet (Splashproof IP44)



- F9432006**
16A - 3P - 230V - 6H - IP44

\$ 57.45



- F9432000**
16A - 3P - 230V - 6H - IP44

\$ 49.79



- F9430401**
Bộ chia ổ cắm PCE
16A 3P 230V

\$ 42.56

Switched interlocked sockets (Watertight IP67)



- F61132 - 6**
16A - 3P - 230V - 6H - IP67
F61252 - 6
32A - 5P - 400V - 6H - IP67

\$ 68.09

\$ 76.17



- F75252-6**
32A - 5P - 400V - 6H - IP67

\$ 130.64

Plug (Splashproof IP44)



- F013 - 6ECO**
16A - 3P - 230V - 6H - IP44

\$ 2.98



- F014 - 6** 16A - 4P - 400V - 6H - IP44

\$ 4.26

- F015 - 6** 16A - 5P - 400V - 6H - IP44

\$ 4.77

- F023 - 6** 32A - 3P - 230V - 6H - IP44

\$ 5.32

- F024 - 6** 32A - 4P - 400V - 6H - IP44

\$ 5.62

- F025 - 6** 32A - 5P - 400V - 6H - IP44

\$ 7.03

Connector (Splashproof IP44)



- F213 - 6ECO**
16A - 3P - 230V - 6H - IP44

\$ 4.26



- F214 - 6** 16A - 4P - 400V - 6H - IP44

\$ 5.32

- F215 - 6** 16A - 5P - 400V - 6H - IP44

\$ 6.60

- F223 - 6** 32A - 3P - 230V - 6H - IP44

\$ 6.47

- F224 - 6** 32A - 4P - 400V - 6H - IP44

\$ 7.45

- F225 - 6** 32A - 5P - 400V - 6H - IP44

\$ 9.45

Wall socket (Splashproof IP44)



- F113 - 6** 16A - 3P - 230V - 6H - IP44

\$ 5.75

- F114 - 6** 16A - 4P - 400V - 6H - IP44

\$ 7.03

- F115 - 6** 16A - 5P - 400V - 6H - IP44

\$ 7.45

- F123 - 6** 32A - 3P - 230V - 6H - IP44

\$ 7.96

- F124 - 6** 32A - 4P - 400V - 6H - IP44

\$ 8.39

- F125 - 6** 32A - 5P - 400V - 6H - IP44

\$ 8.98

Flanged socket straight (Splashproof IP44)



- F313 - 6** 16A - 3P - 230V - 6H - IP44

\$ 5.96

- F314 - 6** 16A - 4P - 400V - 6H - IP44

\$ 6.64

- F315 - 6** 16A - 5P - 400V - 6H - IP44

\$ 7.03

- F323 - 6** 32A - 3P - 230V - 6H - IP44

\$ 7.45

- F324 - 6** 32A - 4P - 400V - 6H - IP44

\$ 7.66

- F325 - 6** 32A - 5P - 400V - 6H - IP44

\$ 8.81

Flanged socket sloping (Splashproof IP44)



- F413 - 6** 16A - 3P - 230V - 6H - IP44

\$ 6.69

- F414 - 6** 16A - 4P - 400V - 6H - IP44

\$ 7.88



- F415 - 6** 16A - 5P - 400V - 6H - IP44

\$ 8.77

- F423 - 6** 32A - 3P - 230V - 6H - IP44

\$ 10.43

- F424 - 6** 32A - 4P - 400V - 6H - IP44

\$ 11.49

- F425 - 6** 32A - 5P - 400V - 6H - IP44

\$ 12.56

Plug (Watertight IP67)

	F0132 - 6	16A - 3P - 230V - 6H - IP67	\$ 11.28
	F0142 - 6	16A - 4P - 400V - 6H - IP67	\$ 11.92
	F0152 - 6	16A - 5P - 400V - 6H - IP67	\$ 12.77
	F0232 - 6	32A - 3P - 230V - 6H - IP67	\$ 13.83
	F0242 - 6	32A - 4P - 400V - 6H - IP67	\$ 14.69
	F0252 - 6	32A - 5P - 400V - 6H - IP67	\$ 15.54
	F033 - 6	63A - 3P - 230V - 6H - IP67	\$ 31.49
	F034 - 6	63A - 4P - 400V - 6H - IP67	\$ 32.34
	F035 - 6	63A - 5P - 400V - 6H - IP67	\$ 33.41
	F043 - 6	125A - 3P - 230V - 6H - IP67	\$ 60.43
	F044 - 6	125A - 4P - 400V - 6H - IP67	\$ 71.07
	F045 - 6	125A - 5P - 400V - 6H - IP67	\$ 81.28
	F0822 - 10V	16A - 2P - 24/42V - 10H - IP67	\$ 12

Connector (Watertight IP67)

	F2132 - 6	16A - 3P - 230V - 6H - IP67	\$ 11.92
	F2142 - 6	16A - 4P - 400V - 6H - IP67	\$ 13.20
	F2152 - 6	16A - 5P - 400V - 6H - IP67	\$ 16.60
	F2232 - 6	32A - 3P - 230V - 6H - IP67	\$ 17.03
	F2242 - 6	32A - 4P - 400V - 6H - IP67	\$ 17.45
	F2252 - 6	32A - 5P - 400V - 6H - IP67	\$ 18.94
	F233 - 6	63A - 3P - 230V - 6H - IP66/67	\$ 37.88
	F234 - 6	63A - 4P - 400V - 6H - IP66/67	\$ 38.73
	F235 - 6	63A - 5P - 400V - 6H - IP66/67	\$ 39.58
	F243 - 6	125A - 3P - 230V - 6H - IP66/67	\$ 82.98
	F244 - 6	125A - 4P - 400V - 6H - IP66/67	\$ 87.66
	F245 - 6	125A - 5P - 400V - 6H - IP66/67	\$ 94.05
	F3822-10F9V	16A - 2P - 24/42V - 10H - IP66/67	\$ 15.03

Wall socket (Watertight IP67)

	F1132 - 6	16A - 3P - 230V - 6H - IP67	\$ 17.32
	F1142 - 6	16A - 4P - 400V - 6H - IP67	\$ 20
	F1152 - 6	16A - 5P - 400V - 6H - IP67	\$ 21.92
	F1232 - 6	32A - 3P - 230V - 6H - IP67	\$ 23.41
	F1242 - 6	32A - 4P - 400V - 6H - IP67	\$ 25.11
	F1252 - 6	32A - 5P - 400V - 6H - IP67	\$ 26.60
	F133 - 6	63A - 3P - 230V - 6H - IP66/67	\$ 41.71
	F134 - 6	63A - 4P - 400V - 6H - IP66/67	\$ 45.96
	F135 - 6	63A - 5P - 400V - 6H - IP66/67	\$ 50.22
	F143 - 6	125A - 3P - 230V - 6H - IP66/67	\$ 102.13
	F144 - 6	125A - 4P - 400V - 6H - IP66/67	\$ 108.52
	F145 - 6	125A - 5P - 400V - 6H - IP66/67	\$ 114.90

Flanged socket straight (Watertight IP67)

	F3132 - 6	16A - 3P - 230V - 6H - IP67	\$ 13.83
	F3142 - 6	16A - 4P - 400V - 6H - IP67	\$ 15.96
	F3152 - 6	16A - 5P - 400V - 6H - IP67	\$ 17.03
	F3232 - 6	32A - 3P - 230V - 6H - IP67	\$ 17.45
	F3242 - 6	32A - 4P - 400V - 6H - IP67	\$ 18.30
	F3252 - 6	32A - 5P - 400V - 6H - IP67	\$ 19.15
	F333 - 6	63A - 3P - 230V - 6H - IP66/67	\$ 25.11
	F334 - 6	63A - 4P - 400V - 6H - IP66/67	\$ 28.30
	F335 - 6	63A - 5P - 400V - 6H - IP66/67	\$ 30.22
	F343 - 6	125A - 3P - 230V - 6H - IP66/67	\$ 66.81
	F344 - 6	125A - 4P - 400V - 6H - IP66/67	\$ 71.49
	F345 - 6	125A - 5P - 400V - 6H - IP66/67	\$ 75.75

Prices in Vietnam market and are for reference only, please contact our sales team for discount and quotation

Flanged socket sloping (Watertight IP67)

	F4132 - 6F78	16A - 3P - 230V - 6H - IP67	\$ 10
	F4142 - 6F78	16A - 4P - 400V - 6H - IP67	\$ 11.28
	F4152 - 6F78	16A - 5P - 400V - 6H - IP67	\$ 11.71
	F4232 - 6F78	32A - 3P - 230V - 6H - IP67	\$ 17.45
	F4252 - 6F78	32A - 5P - 400V - 6H - IP67	\$ 19.15
	F433 - 6	63A - 3P - 230V - 6H - IP66/67	\$ 26.39
	F433 - 6FC	63A - 3P - 230V - 6H - IP66/67	\$ 26.39
	F434 - 6FC	63A - 4P - 400V - 6H - IP66/67	\$ 28.30
	F435 - 6FC	63A - 5P - 400V - 6H - IP66/67	\$ 30.22
	F443 - 6	125A - 3P - 400V - 6H - IP66/67	\$ 64.69
	F444 - 6	125A - 4P - 400V - 6H - IP66/67	\$ 71.07
	F445 - 6	125A - 5P - 400V - 6H - IP66/67	\$ 79.15

Container - Plug and Socket (Watertight IP67)

	F0242 - 3V	Plug 32A - 4P - 440V - 3H - IP67	\$ 11.58
	F1242 - 3V	Wall socket 32A - 4P - 440V - 3H - IP67	\$ 33.83
	F2242 - 3V	Connector 32A - 4P - 440V - 3H - IP67	\$ 16.60
	F3242 - 3V	Flanged socket straight 32A - 4P - 440V - 3H - IP67	\$ 19.58

Electric distribution cabinet

	NDB313-232	Electric distribution cabinet IP44 1 MCB 2P 32A Panasonic combined with 3 sockets 3P 16A PCE Dimension: 200x200x65mm <i>Set assembling according to customer's requirements</i>	\$ 37.24
---	-------------------	---	-----------------

	NDB313	Electric distribution cabinet IP44 3 sockets 3P 16A PCE Dimension: 200x200x65mm	\$ 25.11
---	---------------	---	-----------------

Wiring box can be used as the support of Electrical distribution cabinet



NPA20065V

[*] For more information refer to wiring box types in page 12