



TIMBER TEXTURE

2020 CATALOGUE










TIMBER TEXTURE CHAMPION'S TEXTURED FLOOR SOLUTION IN TIMBER LOOK




INDEX

 ANHUI  PENGLAI /  ANION

IFOREST II
 /  **04**

LONDON
 /  **12**

MILANO
 **18**

RIFT OAK
  /  **30**



IFOREST II

WHITE OAK
F21631Y
Natural 19.5x120 / 7.7x47.2"

ZELKOVA BROWN
C21635Y

Natural 19.5x120 / 7.7x47.2"



IFOREST II

COLOR

PINE

F21630Y



19.5x120 cm 7.7x47.2"

WHITE OAK

F21631Y



19.5x120 cm 7.7x47.2"

ZELKOVA YELLOW

C21632Y



19.5x120 cm 7.7x47.2"

FRENCH OAK

N21611Y



19.5x120 cm 7.7x47.2"

COLOR

ZELKOVA GREY

C21633Y



19.5x120 cm 7.7x47.2"

KHAKI MAPLE

N21622Y



19.5x120 cm 7.7x47.2"

ZELKOVA BROWN

C21635Y



19.5x120 cm 7.7x47.2"


ZELKOVA BLACK

C21638Y



19.5x120 cm 7.7x47.2"

IFOREST II




SIZE

19.5X120 CM
7.7x47.2"


PRODUCT SPECIFICATIONS

COLOR SIZE FINISH		19.5x120 cm 7.7x47.2"	Regular	Anion
PINE	Natural	F21630Y	•	•
WHITE OAK	Natural	F21631Y	•	•
ZELKOVA YELLOW	Natural	C21632Y	•	•
FRENCH OAK	Brushed	N21611Y	•	•
ZELKOVA GREY	Natural	C21633Y	•	•
KHAKI MAPLE	Brushed	N21622Y	•	•
ZELKOVA BROWN	Natural	C21635Y	•	•
ZELKOVA BLACK	Natural	C21638Y	•	•

FINISH



Brushed




Natural

	Water Absorption (%)	Dimension (mm)		Thickness	Straightness of Sides	Central Warpage	Edge Curvature	Warpage	Rectangularity
		Length	Width						
EN14411 (ISO 13006)	≤ 0.5	± 2.0	± 2.0	± 0.5	± 1.5	± 2.0	± 2.0	± 2.0	± 2.0
19.5X120 CM 7.7x47.2"	≤ 0.1	±0.5	±0.4	± 0.4	± 0.4	+0.6~-0.4	+0.5~-0.5	± 1.0	± 1.0

	Breaking Strength Modulus of Rupture	Thermal Shock Resistance	Resistance to Chemical	Glazed Crack Resistance	Frost Resistance	Stain Resistance
19.5X120 CM 7.7x47.2"	S≥2600N / R≥40N/mm ²	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 5

PACKING LIST	Pcs Per M ²	Pcs Per Box	Weight Per Box	Boxes Per PLT
19.5X120 CM 7.7x47.2"	4.27	4	25	33



MACHILUS YELLOW
N59602
Natural 14.5x90 / 5.7x35.4"



LONDON

LONDON

COLOR

MACHILUS KHAKI

N59601Y

14.5x90 cm 5.7x35.4"

FRENCH OAK

N59611Y

14.5x90 cm 5.7x35.4"

NARD MAPLE

N59621

14.5x90 cm 5.7x35.4"

MACHILUS YELLOW

N59602

14.5x90 cm 5.7x35.4"

OAK YELLOW

N59612

14.5x90 cm 5.7x35.4"

COLOR

FIELD MAPLE

N59626

14.5x90 cm 5.7x35.4"

OAK RED

N59613

14.5x90 cm 5.7x35.4"

OREGON TEAK

N59622Y



14.5x90 cm 5.7x35.4"

MACHILUS GREY

N59608

14.5x90 cm 5.7x35.4"

LONDON



SIZE

14.5X90 CM
5.7x35.4"

FINISH

NA

Natural

PRODUCT SPECIFICATIONS

COLOR SIZE FINISH		14.5x90 cm 5.7x35.4"	Regular	Anion
MACHILUS KHAKI	Natural (Anion)	N59601Y	•	•
FRENCH OAK	Natural (Anion)	N59611Y	•	•
NARD MAPLE	Natural	N59621	•	-
MACHILUS YELLOW	Natural	N59602	•	-
OAK YELLOW	Natural	N59612	•	-
FIELD MAPLE	Natural	N59626	•	-
OAK RED	Natural	N59613	•	-
OREGON TEAK	Natural (Anion)	N59622Y	•	•
MACHILUS GREY	Natural	N59608	•	-

	Water Absorption (%)	Dimension (mm)		Thickness	Straightness of Sides	Central Warpage	Edge Curvature	Warpage	Rectangularity
		Length	Width						
EN14411 (ISO 13006)	≤ 0.5	± 2.0	± 0.9	± 0.5	± 1.5	± 2.0	± 2.0	± 2.0	± 2.0
14.5X90 CM 5.7x35.4"	≤ 0.1	±0.5	±0.4	± 0.4	± 0.4	+0.6~-0.4	+0.5~-0.5	± 1.0	± 1.0

	Breaking Strength Modulus of Rupture	Thermal Shock Resistance	Resistance to Chemical	Glazed Crack Resistance	Frost Resistance	Stain Resistance
14.5X90 CM 5.7x35.4"	S≥2100N / R≥40N/mm ²	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 5

PACKING LIST	Pcs Per M ²	Pcs Per Box	Weight Per Box	Boxes Per PLT
14.5X90 CM 5.7x35.4"	7.66	6	20	60



MILANO

CREAM 574385
Natural
14.5x75 / 5.7x29.5"

BROWN C57635
Natural
14.5x75 / 5.7x29.5"



BROWN C57635

Natural

14.5x75 / 5.7x29.5"





GREY C57636
Natural
14.5x75 / 5.7x29.5"

SEPIA C57638
Natural
14.5x75 / 5.7x29.5"



MOCHA 574367
Natural
14.5x75 / 5.7x29.5"



MILANO

COLOR

IVORY

C57630

14.5x75 cm 5.7x29.5"

TAN

C57633

14.5x75 cm 5.7x29.5"

TEAK SILVER

C57631

14.5x75 cm 5.7x29.5"

SEPIA

C57638

14.5x75 cm 5.7x29.5"

CREAM

574385

14.5x75 cm 5.7x29.5"

BROWN

C57635

14.5x75 cm 5.7x29.5"

MOCHA

574367

14.5x75 cm 5.7x29.5"

ASH

574369

14.5x75 cm 5.7x29.5"

GREY

C57636

14.5x75 cm 5.7x29.5"

CHARCOAL

574425


14.5x75 cm 5.7x29.5"

GOLD

C57632

14.5x75 cm 5.7x29.5"

MILANO



SIZE

14.5X75 CM
5.7x29.5"

FINISH

NA

Natural

PRODUCT SPECIFICATIONS

COLOR SIZE FINISH		14.5x75 cm 5.7x29.5"	Regular	By Request
IVORY	Natural	C57630	•	-
TEAK SILVER	Natural	C57631	•	-
CREAM	Natural	574385	•	-
MOCHA	Natural	574367	•	-
GREY	Natural	C57636	•	-
GOLD	Natural	C57632	•	-
TAN	Natural	C57633	•	-
SEPIA	Natural	C57638	•	-
BROWN	Natural	C57635	•	-
ASH	Natural	574369	-	•
CHARCOAL	Natural	574425	•	-

	Water Absorption (%)	Dimension (mm)		Thickness	Straightness of Sides	Central Warpage	Edge Curvature	Warpage	Rectangularity
		Length	Width						
EN14411 (ISO 13006)	≤ 0.5	± 2.0	± 0.9	± 0.5	± 1.5	± 2.0	± 2.0	± 2.0	± 2.0
14.5X75 CM 5.7x29.5"	≤ 0.1	± 1.0	± 0.7	± 0.4	± 0.7	+0.6~-0.4	± 0.5	± 1.0	± 1.0

	Breaking Strength Modulus of Rupture	Thermal Shock Resistance	Resistance to Chemical	Glazed Crack Resistance	Frost Resistance	Stain Resistance
14.5X75 CM 5.7x29.5"	S≥2100N / R≥40N/mm ²	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 5

PACKING LIST	Pcs Per M ²	Pcs Per Box	Weight Per Box	Boxes Per PLT
14.5X75 CM 5.7x29.5"	9.20	8	20	72

RIFT OAK




MOCHA / DIAGON MULTI
TF25015Y / TW75011T

Natural
24.5x150 & 25x75
9.6x59.1" & 9.8x29.5"



MOCHA TF25015Y
Natural
24.5x150 / 9.6x59.1"



HONEY TF25012Y
Natural
24.5x150 / 9.6x59.1"

RIFT OAK

COLOR _____

CRÈME

TF25011Y



24.5x150 cm 9.6x59.1"

HONEY


TF25012Y



24.5x150 cm 9.6x59.1"

MOCHA

TF25015Y



24.5x150 cm 9.6x59.1"



720° VR

COLOR _____

CRÈME SILK

TW75011



25x75 cm 9.8x29.5"

HONEY SILK

TW75012



25x75 cm 9.8x29.5"

MOCHA SILK

TW75015



25x75 cm 9.8x29.5"

DIAGON MULTI



TW75011T 25x75 cm 9.8x29.5"

DIAGON CRÈME




TW75012T 25x75 cm 9.8x29.5"

DIAGON MOCHA




TW75015T 25x75 cm 9.8x29.5"


RIFT OAK



SIZE



FINISH



PRODUCT SPECIFICATIONS

COLOR SIZE FINISH		25x75 cm 9.8x29.5"	Regular	24.5x150 cm 9.6x59.1"	Regular	Anion
CRÈME	Natural	-	-	TF25011Y	•	•
HONEY	Natural	-	-	TF25012Y	•	•
MOCHA	Natural	-	-	TF25015Y	•	•
CRÈME SILK	Natural	TW75011	•	-	-	-
HONEY SILK	Natural	TW75012	•	-	-	-
MOCHA SILK	Natural	TW75015	•	-	-	-
DIAGON MULTI	Natural	TW75011T	-	-	-	-
DIAGON CRÈME	Natural	TW75012T	-	-	-	-
DIAGON MOCHA	Natural	TW75015T	-	-	-	-

	Water Absorption (%)	Dimension (mm)		Thickness	Straightness of Sides	Central Warpage	Edge Curvature	Warpage	Rectangularity
		Length	Width						
EN14411 (ISO 13006)	> 10	± 2.0	± 1.5	± 0.5	± 1.5	± 2.0~-1.5	± 2.0~-1.5	± 2.0	± 2.0
25X75 CM 9.8x29.5"	≤ 18	± 0.3	± 0.3	± 0.3	± 0.3	± 0.6~-0.4	± 0.5	± 0.8	± 0.8
EN14411 (ISO 13006)	≤ 0.5	± 2.0	± 2.0	± 0.5	± 1.5	± 2.0	± 2.0	± 2.0	± 2.0
24.5X150 CM 9.6x59.1"	≤ 0.1	± 0.5	± 0.3	± 0.4	± 0.4	± 1.2~-0.6	± 0.8~-0.6	± 1.0	± 1.0

	Breaking Strength Modulus of Rupture	Thermal Shock Resistance	Resistance to Chemical	Glazed Crack Resistance	Frost Resistance	Stain Resistance
EN14411 (ISO 13006)	S≥1300N / R≥35N/mm ²	Test method available	Minimum GB	Resistant	Resistant	Minimum class 3
25X75 CM 9.8x29.5"	S≥2000N / R≥18N/mm ²	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 5
24.5X150 CM 9.6x59.1"	S≥2000N / R≥40N/mm ²	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 5

PACKING LIST	Pcs Per M ²	Pcs Per Box	Weight Per Box	Boxes Per PLT
25X75 CM 9.8x29.5"	5.33	7	23	43
24.5X150 CM 9.6x59.1"	2.72	4	38	30





CHAMPION BUILDING MATERIALS CO., LTD.

No. 200-7, Zhugaocuo, Dapu Li 13 Lin, Zhunan Town, Miaoli Hsien, Taiwan, R.O.C.

+886 - 37- 583810 export@mail.champion.com.tw www.champion-tile.com