

## K 09 D Syncro Crimping tools for DIN compression cable lugs and connectors, 25 - 150 mm<sup>2</sup>



- ▶ Unique with extra large crimping range
- ▶ Hexagonal crimping
- ▶ Faster, safer and synchronous cross-section adjustment
- ▶ Ergonomic design
- ▶ Extremely light and rigid

### Characteristics

- Precisely synchronised head plate position for optimum and consistent crimp results
- Modern, rigid and lightweight elliptical handle tubes

### Technical data

|                |                          |
|----------------|--------------------------|
| Crimping range | 25 - 150 mm <sup>2</sup> |
| Length         | 600 - 750 mm             |
| Weight         | 2.9 kg                   |

| Item  | Part No.    |
|---|-------------|
| Syncro Crimping tool for compression cable lugs and connectors (DIN 46235 / DIN 46267, Part 1) 25 - 150 mm <sup>2</sup> | <b>K09D</b> |

## K 511 / K 512 Crimping tools for gas-tight connections



- ▶ Parallel guided crimping jaws
- ▶ Suitable for gas-tight crimps in environments extremely harmful to crimps (e.g. ammonia gas)

### Characteristics

- Optimised force transmission
- With ratchet for consistently-controlled crimp results
- Handle with slip guard and inscription panel

### Suitable for

- Non-insulated tubular cable lugs, ring and fork type
- Parallel and butt connectors

### Technical data

|        |        |
|--------|--------|
| Length | 270 mm |
| Weight | 0.7 kg |

| Item  | Crimping range mm <sup>2</sup> | Part No.    |
|---|--------------------------------|-------------|
| Mechanical crimping tool 1 - 4 mm <sup>2</sup>  | 1-4                            | <b>K511</b> |
| Mechanical crimping tool 6 + 10 mm <sup>2</sup> | 6+10                           | <b>K512</b> |