# K 104/1 Hand-operated cutting tool for AI and Cu cables to 100 mm dia.



- Energy-efficient 2-stage ratchet system
- For earth, plastic and rubber cables
- Very wide cutting range up to 100 mm diameter

### **Characteristics**

- Not suitable for cutting steel or steel wire

Technical data		
Cutting range	e.g. 4 x 400 mm² NAYY, max. 100 mm dia.	
Length	870 mm	
Weight	5.7 kg	
Item		Part No.
Hand-operated cutting tool for Cu and Al cables to 100 mm dia.		K1041

# K 130 Hand-operated cutting tool for Al and Cu cables to 30 mm dia.



- Exceptional cutting performance even with fine-stranded conductors thanks to specially designed, extremely sharp cutting blades
- Large cutting range

### **Characteristics**

- Safe working thanks to roughened handle
- Not suitable for cutting steel or steel wire

Technical data				
Cutting range	e.g. 4 x 35 mm² NYY, max. 30 mm	e.g. 4 x 35 mm² NYY, max. 30 mm dia.		
Length	570 mm	570 mm		
Weight	1.7 kg	1.7 kg		
Item		Part No.		
Hand-operated cutting tool for Cu and Al cables to 30 mm dia.		K130		

# K 230 Hand-operated cutting tool for AI and Cu cables to 30 mm dia.



A 1000V

- Exceptional cutting performance even with fine-stranded conductors thanks to specially designed, extremely sharp cutting blades
- Secure grip due to roughened handle
- ▶ 1000 V fully insulated to IEC 60900

### **Characteristics**

- Not suitable for cutting steel or steel wire

Technical data				
Cutting range	max. 30 mm dia., e.g. 4 x 35 mm²	max. 30 mm dia., e.g. 4 x 35 mm² NYY		
Length	570 mm	570 mm		
Weight	2.1 kg			
Item		Part No.		
Hand-operated cutting tool for Cu and AI cables to 30 mm dia.		K230		