



## Crimping

Battery powered hydraulic crimping tools

### EK 15/50 ML Battery powered hydraulic crimping tool 0.14 - 50 mm<sup>2</sup>



- ▶ Long service life thanks to robust head
- ▶ Optimum crimping due to parallel guided crimping dies
- ▶ Effortless operations thanks to low weight
- ▶ Powerful 10.8 V Li-Ion battery technology with battery charge indicator

#### Characteristics

- Open head, rotatable
- Simple and safe: One-button operating concept for controlling all tool functions
- Comfortable and secure one-hand operation thanks to 2-component plastic housing with soft lining
- Simple and safe: Automatic retraction when operation is complete
- Maintenance display via LED

#### Suitable for

- 50-series interchangeable dies

#### Technical data

Crimping force	13 kN
Stroke / opening width	9 mm
Crimping range	0.14 - 50 mm <sup>2</sup>
Crimping cycle	approx. 2 s
Number of crimps	approx. 230 at 10 mm <sup>2</sup> Cu
Battery voltage	10.8 V
Battery capacity	1.5 Ah, Li-Ion
Charging time	approx. 40 min.
Weight incl. battery	1.5 kg
Ambient temperature	-10 °C up to +40 °C

Item	Part No.
Battery powered hydraulic crimping tool 0.14 - 50 mm <sup>2</sup>	<b>EK1550ML</b>
Scope of supply	Part No. Page
Battery 10.8 V / 1.5 Ah, Li-Ion (16.2 Wh)	RAML1 485
Charger for 10.8 V Li-Ion batteries, 230V	LGML1 487
Plastic case	KKML

