



CRISTINA

OXYZKIN

OXYGEN THERAPY



คุณรู้หรือไม่ว่าการอาบน้ำแบบเดิมๆ ไม่สามารถชำระล้างสิ่งสกปรกได้ 100% และเป็นสาเหตุที่ทำให้ผิวหนังของเราเสื่อมสภาพเร็วขึ้น เพราะในแต่ละวันที่เราเผชิญกับฝุ่นละออง แทรกซึมเข้าสู่ผิวหนังผ่านรูขุมขน สะสมจนผิวหนังไม่สามารถหายใจได้ และขาดการนำพาออกซิเจนเข้าสู่ผิวหนัง ส่งผลต่อการผลิตเปลี่ยนแปลงเซลล์ใหม่ให้ช้าลง ทำให้ผิวแห้งและหยابกร้าน ดูหมองคล้ำ

นี่คือนวัตกรรมใหม่ที่จะมาปฏิวัติการอาบน้ำให้สะอาดล้ำลึกในทุกอณูของผิวและซอกซอนลึกในทุกรูขุมขนจากผลการวิจัยค้นพบว่า ออกซิเจน ที่เข้าสู่ผิวหนังมีส่วนช่วยฟื้นฟูสภาพผิว ขจัดเซลล์ที่หมดสภาพ และช่วยสร้างเซลล์ผิวใหม่ ทำให้ผิวพรรณเนียนนุ่ม ชุ่มชื้น ดูอ่อนกว่าวัย

CRISTINA จึงได้คิดค้นเทคโนโลยีล้ำสมัย ด้วยการเติมออกซิเจนเข้าไปในน้ำฟองอากาศขนาดเล็กระดับ 5 ไมครอน ที่ถูกสร้างขึ้นส่งผลให้น้ำในอ่างเปลี่ยนเป็นสีขาวนวล คล้ายสีของน้ำนม ช่วยทำความสะอาดผิว ขจัดสารเคมี ฝุ่นละอองที่เกาะติดผิวหนัง และตามรูขุมขน ให้หลุดออกไปอย่างง่ายดาย ทำความสะอาดได้อย่างล้ำลึก พร้อมด้วยระบบ OZONE ที่ช่วยกำจัดเชื้อแบคทีเรีย ซึ่งเป็นวิธีธรรมชาติ ที่ปราศจากสารเคมี อย่างแท้จริง อีกทั้งการแตกตัว ของฟองอากาศนับล้านฟอง ก่อเกิดเป็นแอนไอออนที่ลอยอยู่เหนือผิวน้ำ การได้สูดดมหายใจและนำละอองน้ำขนาดเล็กที่มีแอนไอออนเข้าไป จะทำให้ร่างกายได้รับออกซิเจนเพิ่มขึ้น ร่างกายจะรู้สึกผ่อนคลาย ซึ่งแอนไอออนนั้นมีอยู่ในธรรมชาติ และเราสามารถหาได้บริเวณน้ำตก ป่า หรือทะเลเท่านั้น แต่ด้วยความเข้าใจในกระบวนการธรรมชาติผสานกับเทคโนโลยีที่ล้ำสมัย ทำให้คุณสามารถสัมผัสธรรมชาติอันบริสุทธิ์นี้ได้ที่บ้านคุณ



OXYZKIN จะเป็นผู้ช่วยที่นำออกซิเจน เข้าสู่ผิวของคุณอีกครั้ง โดยฟองอากาศที่มีขนาดเล็กถึง ระดับ 5 ไมครอน มีขนาดเล็กกว่า รูขุมขนบนร่างกาย ออกซิเจนแทรกซึมเข้าไปทำความสะอาดได้อย่างล้ำลึก



สะอาดล้ำลึก

ทุกรูขุมขน พลังการชำระล้างที่แทรกซึมทุกอณูของผิว



กระตุ้น

การไหลเวียนของโลหิตส่งผลให้เกิดการสร้างเซลล์ผิวใหม่



ฟื้นฟู

และปรับสภาพผิวหนังให้อ่อนนุ่ม ชุ่มชื้น มีชีวิตชีวาแลดูอ่อนกว่าวัย



ปราศจากสารเคมี

สามารถใช้ได้กับทุกสภาพผิวแม้ผิวบอบบางแพ้ง่าย

CRISTINA hybrid



PERFORMANCE, GREENER, QUIETER

A Whole new world of benefits.



Less Energy Consumption



Than The Closest Competitor



Ambient Noise




Warmer Longer




QUIETEST

Comparison Of Levels Of Noise (dB)




HIGH-END PERFORMANCE

Water Flow @ 5psi / 12 ft of head
(Gallons Per Minute)



WARMER LONGER


Cristina hybrid pump maintains constant water temperature



SOURCE : IAPMO - INTERNATIONAL ASSOCIATION OF PLUMBING AND MECHANICAL OFFICIALS

BATHTUB
CONTENTS

NEW
ARRIVAL



CARNIVAL 912



03 **OVERFLOW** SERIES



05 **SOAKING TUB** SERIES



07 **WATERFALL** SERIES



11 **WATERSHEET** SERIES



13 **FREESTAND** SERIES



17 **THE CONNECT** SERIES



19 **SCULPTURE** SERIES



23 **CORNER** SERIES




27 **VARIETY** SERIES




NEW
ARRIVAL

BELLA
1200 x 720 x 850 mm




NEW
ARRIVAL

CARNIVAL 912
1900 x 1200 x 480 mm




NEW
ARRIVAL

AWA
2000 x 1500 x 550 mm
2100 x 1700 x 550 mm
2100 x 1500 x 550 mm



NEW
ARRIVAL

CORNER WATERFALL 1
1900 X 1250 x 610 mm




OVERFLOW


Series




LUZERN
2100 x 1500 x 450 mm.



LUZERN
Ø 2100 x 2100 x 450 mm.



LUZERN
2100 x 2100 x 450 mm.




SOAKING TUB


Series




H2O
Ø 1800 x 620 mm



H2O
2000 x 1100 x 620 mm



H2O
2000 x 1500 x 620 mm



WATERFALL


Series



**BEST
SELLER**


TAKIYU 190120

- 1700 x 1000 x 500 mm
- 1800 x 1100 x 500 mm
- 1900 x 1200 x 500 mm
- 1900 x 1400 x 500 mm
- 2000 x 1300 x 500 mm



TAKIYU 190100

- 1900 x 1000 x 500 mm






TAKIYU 180180
1800 x 1800 x 500 mm




TAKIYU 220140
2200 x 1400 x 500 mm
2000 x 1400 x 500 mm




TAKIYU 190140
1900 x 1400 x 550 mm




TAKIYU 170000
Ø 1700 x 550 mm




TAKIYU 200120
2000 x 1200 x 550 mm




TAKIYU 190150
1900 x 1500 x 500 mm



TAKIYU 160160
1600 x 1600 x 500 mm



TAKIYU TT
2000 x 1700 x 500 mm




WATERSHEET


Series




ZPELL
1850 x 1050 x 470 mm.




ZPELL
1800 x 1300 x 500 mm
1900 x 1300 x 500 mm
2000 x 1300 x 500 mm



ZPELL Z
2000 x 1300 x 490 mm



SURF
2000 x 1200 x 450 mm



FREESTAND


Series




NOVA
1900 x 1300 x 620 mm




NOVA
1900 x 1300 x 620 mm



SAFARI
1800 x 900 x 680 mm
1900 x 1300 x 665 mm



CASA
1800 x 1050 x 620 mm



ECOLUTION TECHNOLOGY




QUIET BUT MORE POWERFUL WATER FLOW

น้ำแรงขึ้น / ประหยัดพลังงาน / ไร้เสียงรบกวน

"Minimal Momentum and Energy Loss"

BUILT-IN SUPA STEALTH™
Allows the water to change direction to a far smoother passage for the water to flow.



COMMERCIAL REFERENCE PUMPS
น้ำปะทะเกิดเสียงดังและแรงดันน้ำน้อยลง



SUPA STEALTH™
ลดแรงเสียดทาน ทำให้น้ำแรงมากขึ้น






THE CONNECT


Series




PALOMA
2000 x 2000 x 570 mm



SQUARE
1500 x 1500 x 450 mm



ESSENCE
1750 x 1750 x 520 mm




SCULPTURE


Series




REGEND
1700 x 750 x 780 mm




PRESTIGE
1800 x 800 x 760 mm




SENZA
1700 x 800 x 590 mm



EXCEL
1750 x 750 x 590 mm
1700 x 700 x 570 mm




KLASSE
1600 x 750 x 590 mm






TESLA

1700 x 800 x 750 mm
1800 x 800 x 750 mm




CONRAD-C

1670 x 780 x 580 mm




COOL

1700 x 800 x 600 mm




PAYTAI

1700 x 850 x 580 mm




HELIX

1800 x 850 x 580 mm




ARK-C

1500 x 820 x 695 mm




OVUM

1830 x 820 x 600 mm



VESSELA

1680 x 870 x 670 mm



CORNER
Series







TOSCANA
1300 x 1300 x 620 mm.

TIPTOP
1450 x 1450 x 620 mm.


TUBBY
1200 x 1200 x 600 mm.




JAKO
1500 x 1500 x 620 mm.




ZOOM
1700 x 850 x 620 mm.
1600 x 850 x 620 mm.




LOGO
1700 x 850 x 620 mm.
1800 x 900 x 620 mm.




VISA-R,L
1700 x 850 x 620 mm.




KYOTO
1600 x 1600 x 620 mm.



SERRE
1450 x 1450 x 620 mm.



KONI-R,L
1600 x 900 x 620 mm.







VARIETY
Series




CARNIVAL 213
2000 x 1300 x 500 mm




AQUA COOL
1900 x 1500 x 550 mm




REGAL
1900 x 1200 x 550 mm




AZURE
2000 x 1500 x 550 mm




LEISURE
1850 x 900 x 470 mm



CHAT
1800 x 900 x 480 mm




BACIO
1900 x 1200 x 550 mm






CARNIVAL

A 2000 x 1200 x 460 mm
 B 1900 x 1200 x 460 mm




NAGA

2000 x 1300 x 480 mm



NATURA

1200 x 750 x 410 mm



PASTA

A 1500 x 700 x 420 mm
 B 1400 x 700 x 420 mm



TARA

1600 x 700 x 400 mm
 1700 x 700 x 400 mm
 1700 x 800 x 400 mm




TEENA

1600 x 750 x 380 mm 1700 x 750 x 380 mm
 1600 x 700 x 380 mm 1700 x 700 x 380 mm



NAPOLI


1700 x 800 x 450 mm





BORABORA

1800 x 1300 x 500 mm
 1900 x 1300 x 500 mm
 2000 x 1300 x 500 mm



MAX

1500 x 700 x 430 mm	1700 x 800 x 460 mm
1500 x 750 x 430 mm	1750 x 850 x 460 mm
1600 x 700 x 430 mm	1800 x 800 x 460 mm
1600 x 750 x 430 mm	1800 x 900 x 460 mm
1700 x 750 x 430 mm	


X-TREME

1500 x 700 x 460 mm	1700 x 800 x 460 mm
1500 x 750 x 460 mm	1700 x 850 x 460 mm
1600 x 700 x 460 mm	1800 x 800 x 460 mm
1600 x 750 x 460 mm	1800 x 900 x 460 mm
1700 x 750 x 460 mm	




LIFE

1850 x 1100 x 550 mm




ONE

1900 x 900 x 500 mm




TATA

2000 x 1200 x 550 mm







ROMA
 Ø 1700 x 1700 x 480 mm




BARI
 1850 x 1100 x 550 mm




OPEN
 1800 x 1200 x 450 mm



KIKI
 1600 x 1600 x 480 mm




RADIUS
 1800 x 1800 x 500 mm






SELECT

1800 x 900 x 600 mm




SEASON

1850 x 900 x 470 mm




CANOVA

1800 x 1000 x 490 mm




FLASH

1800 x 900 x 420 mm



BELLE


1850 x 950 x 470 mm



CHROMOTHERAPY

bath with color to empower your life


with the need of inspiring your bathing experience with the great results of revitalization in a modern style and easy spa therapy CRISTINA proudly presents an underwater LED light system to make chromotherapy in your home.




Due to a variety of spectrum ranges that CRISTINA has innovation of 10 colours, and the users are able to captivate any colour they desire while soaking their body in the tub. Each colour empowers the user with it's own particular treatment quality. CRISTINA provide 2 practical systems of control as alternatives in usage, the digital and pneumatic.

WHIRLPOOL & AIRPOOL SYSTEM


In CRISTINA whirlpools, you can do more than just bathing. Relax and take time to enjoy the therapeutic feeling of water, which soothes away. Most of our luxurious baths can be fitted with a Whirlpool, Airpool or whirlpool + Airpool so you needn't settle for just an ordinary bath. Inquire our showroom technician as to the unit of your choice, if it could be equipped with any kind system.




Bathtub
(BT)



Airpool System
(AP)



Whirlpool System
(WP)




Whirlpool & Airpool System
(WA)

CIRCUIT BREAKER

All our whirlpool baths are fitted with a dual circuit breaker, and a secure grounded earth for your protection

- UL listed 220 volt, 50Hz.
- Fully automated tripping
- Complete with a sensitivity rating 30 milliamperes.
- With only one tenth of a second trip.



1 ON-OFF SWITCH

- Conveniently located and completely waterproof.
- Designed with a low profile to please the eye
- With two diameters : 4.25 cm. ,6.5cm.

2 AIR CONTROL VALVE

- A standard fitment which allows you to adjust the air/water mixture, so it's just right for your own personal use.

3 SUCTION OUTLET

- Side mounted incorporating an anti vortex design
- ABS or chrome plate brass
- Component diameters : 9.5 cm. and 10.5 cm.

4 VARIOUS JET

- Micro Jet
- Standard Jet
- Whirlpool
- Mini Rotary Jet

5 AIRPOOL JET

- Chrome - plated
- Flush inset design
- No water backflow
- Fixture diameter : 3.0 cm.

6 BLOWER

- Quiet running
- 220 volt, 50 Hz.

7 PUMP

- Self-draining
- UL listed, 220 volt, 50 Hz.

8 WASTE & OVERFLOW

CRISTINA

CRISTINA SANITARY (THAILAND) CO.,LTD.

1556 SUTTHISANWINICHAI RD., HUAY KWANG
BANGKOK, THAILAND.

TEL +66(2) 693 4046-9, **FAX** +66(2) 693 0430

WWW.CRISTINA.CO.TH