

# JFGA7.E490190 - FUSES FOR PHOTOVOLTAIC SYSTEMS CERTIFIED FOR CANADA

## Fuses for Photovoltaic Systems Certified for Canada

See General Information for Fuses for Photovoltaic Systems Certified for Canada

**ADLER ELEKTROTECHNIK LEIPZIG GMBH**

E490190


Zschochersche Str. 91  
04229 Leipzig, GERMANY

Cat. No.	Interrupting Capacity			Rating		
	Volts		Amps	Volts		Amps
	DC	AC		DC	AC	
A75, A78, may be followed by xxxx, followed by b, followed by xx	1500	—	30000	15000	—	2-32

Where xx is numbers for ampere rating

Cat. No.	Interrupting Capacity			Rating		
	Volts		Amps	Volts		Amps
	DC	AC		DC	AC	
A74, A77	1500	—	10,000	1500	—	1-30
A75, A78	1500	—	30,000	1500	—	2-15
A76, A79	1500	—	10,000	1500	—	1-6
A83, followed by 1100, 1200, 1300, 1400, 1500, 1600, 1800, 2100, 2120, 2150, 2160, 2200, 2250 or 2300, followed by 710	1100	—	30,000	1100	—	1-20
	1000	—	30,000	1000	—	1-30

A85, followed by 1100, 1200, 1300, 1400, 1500, 1600, 1800, 2100, 2120, 2150, 2160, 2200, 2250 or 2300, followed by b00	1500	—	30,000	1500	—	1-30
A85, followed by 1100, 1200, 1300, 1400, 1500, 1600, 1800, 2100, 2120, 2150, 2160, 2200, 2250 or 2300, followed by b01	1500	—	30,000	1500	—	1-30
A89, followed by 1100, 1200, 1300, 1400, 1500, 1600, 1800 2100, 2120, 2150, 2160 or 2200, followed by b00	1500	—	30,000	1500	—	1-20
A94, followed by 1100, 1200, 1300, 1400, 1500, 1600, 1800, 2100, 2120, 2150, 2160, 2200, 2250, 2300, 2320, 2350, 2400, 2450, 2500, 2550, 2600, 2650, 2700 or 2800, followed by b00.	1500	—	10,000	1500	—	1-80
AX6, followed by 3100, 3125, 3160 or 3200, followed by b00.	1500, 1000	—	10,000	1500	—	100- 200
AX7, followed by 3125, 3160, 3200 or 3250, followed by b00.	1500, 1000	—	10,000	1500	—	125- 250
AX8, followed by 3250, 3315, 3355 or 3400, followed by b00.	1500, 1000	—	10,000	1500	—	250- 400
A84, followed by 1100, 1200, 1300, 1400, 1500, 1600, 1800, 2100, 2120, 2150, 2160, 2200, 2250, 2300, 2320, 2350, 2400, 2450, 2500, followed by b00	1500	—	10,000	1500	—	1-50
A84, followed by 1100, 1200, 1300, 1400, 1500, 1600, 1800, 2100, 2120, 2150, 2160, 2200, 2250, 2300, 2320, 2350, 2400, 2450, 2500, followed by b01	1500	—	10,000	1500	—	1-50

Trademark and/or Tradename: 

Last Updated on 2019-11-04

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"