




平面型转动把手
Swinghandle Lock
产品系列：1201



黑色 PA 塑料锁体或者锌合金锁体，锌合金手柄、转轴，镀锌钢安装紧固件
PA black plastic or zinc die housing, zinc die handle black powder coated, zinc die shaft and m.s. zinc plated fixing parts.

	锌合金手柄，塑料座 Zinc die handle,PA housing
大型 Large size GH=18	1201-01-0118





黑色 PA 塑料锁体或者锌合金锁体，锌合金手柄、转轴，镀锌钢安装紧固件
PA black plastic or zinc die housing, zinc die handle black powder coated, zinc die shaft and m.s. zinc plated fixing parts.

	锌合金手柄，塑料座 Zinc die handle,PA housing	全锌合金 Zinc Die
大型 Large size GH=20	1201-01-0120	1201-01-0220

可选配件 Accessories ref. to page #
1. 锁舌 见页面 9A-001
CAM ref. to page 9A-001


备注: Remark
1. 专用钥匙可选 Key different on request.
2. CH751 钥匙可选,CH751 key code on request
3. 可配挂锁 Padlockable on request






黑色 PA 塑料锁体或者锌合金锁体，锌合金手柄、转轴，镀锌钢安装紧固件
Black PA or zinc die lock housing, zinc die handle black powder coated,zinc die shaft and m.s. zinc plated fixing parts.

	锌合金手柄，塑料座 Zinc die handle, PA housing	全锌合金 Zinc Die	全塑料 PA
小型 Small size	1201-02-0120	1201-02-0220	1201-02-0320




不锈钢锁体、钢栓、螺母
Stainless steel

不锈钢 304 SUS 304	不锈钢 316 SUS 316
1205-304	1205-316



黑色 PA 塑料锁体或者锌合金锁体，锌合金手柄、转轴，镀锌钢安装紧固件
Black PA body, zinc die, shaft and m.s. zinc plated fixing parts.

	塑料手柄、座 PA handle and housing
密码型 Code mode	1201-01-0320



锌合金锁体喷塑黑, 不锈钢挂锁座, 安装板
Zinc die, black powder coated, SUS padlock, mounting bracket

喷塑黑 Black Powder Coated	
不带挂 Without padlock	带挂 Padlockable
1209-101-10	1209-101-10-P




备注: Remark
锁头可换:
锁舌选配开孔 □10X10;
Optional cam cutout: □10X10

可选配件 Accessories ref. to page #
1. 锁舌 见页面 9A-001
CAM ref. to page 9A-001
备注: Remark
1. 专用钥匙可选 Key different on request.
2. CH751 钥匙可选, CH751 key code on request

平面型转动把手
Swinghandle Lock
产品系列：1207、1208

按钮型转动把手
Pushbutton Lock
产品系列：1221

RL IP65



开孔尺寸
Panel Cutout


锌合金锁体，表面处理可做喷塑及电镀
Zinc die body, black powder coated or plating

锁芯 Cylinder style		麻面黑 Black Textured Powder Coated	亮铬 Bright Chrome
CH751 锁芯 CH751 cylinder	不带挂 Without padlock	1207-101-20	1207-101-30
	带挂 Padlockable	1207-101-20-P	1207-101-30-P
三角锁芯 8 Triangle insert 8	不带挂 Without padlock	1207-103-20	1207-103-30
	带挂 Padlockable	1207-103-20-P	1207-103-30-P

可选配件 Accessories ref. to page #
1. 锁舌 见页面 9A-001
CAM ref. to page 9A-001

备注: Remark
1. 专用钥匙可选 Key different on request.
2. CH751 钥匙可选 CH751 key code on request
3. 可配挂锁 Padlockable on request

NEW




开孔尺寸
Panel Cutout

黑色 PA 塑料锁体，锌合金手柄，锌合金手柄、转轴，镀锌钢安装紧固件
Black PA body, zinc die handle, shaft and m.s. zinc plated fixing parts.


	麻面黑 Black Textured Powder Coated
带锁芯 Key locking	1208-101-20

可选配件 Accessories ref. to page #
1. 锁舌 见页面 9A-003
CAM ref. to page 9A-003




开孔尺寸
Panel Cutout

中型 Middle size



开孔尺寸
Panel Cutout

小型 Small size



开孔尺寸
Panel Cutout


锌合金基座、手柄、按钮、锁芯；镀锌钢栓、压板
Zinc die casting handle, housing, button and cylinder; m.s. zinc plated cam and fixing parts.

	沙铬 Satin Chrome	喷塑黑 Black Powder Coated
大型 Large size	1221-01-40	1221-01-10
中型 Middle size	1221-02-40	1221-02-10
小型 Small size	1221-03-40	1221-03-10


RL IP65



RL



方型 Square type




开孔尺寸
Panel Cutout

铝合金锁壳，黑色锌合金手柄；镀锌钢栓，镀铬锌合金锁头
Aluminum alloy handle, Zinc die; m.s. zinc plated cam.

锁芯 cylinder style	无光黑 Black Powder Coated
1117 钥匙 1117 Key	1222-1P01-10
0200 钥匙 0200 Key	1222-1P02-10

可选配件：Accessories ref. page#
1. 锁舌 见页面 9A-003
Cam ref. to page 9A-003



无锁芯 Non-locking

带锁芯 Key locking

十字槽锁芯
Tooling-Secured

开孔尺寸
Panel cutout


内六角4.5
Hexagon female 4.5

锌合金基座、手柄；镀锌钢栓
Zinc die handle and housing black powder coated or bright chrome; m.s. zinc plated cam and shaft

止口高度 Grip-Range				
正 Pawl Forward	反 Pawl Reversed	锁芯类型 Cylinder Style	喷塑黑 Black Powder Coated	亮铬 Bright Chrome
MIN-MAX	MIN-MAX			
6~16	56~66	无锁芯 Non-locking	1240-00-110	1240-00-130
16~26	46~56		1240-00-210	1240-00-230
26~36	36~46		1240-00-310	1240-00-330
6~16	56~66	带锁芯 Key locking	1240-10-110	1240-10-130
16~26	46~56		1240-10-210	1240-10-230
26~36	36~46		1240-10-310	1240-10-330
6~16	56~66	十字槽 Tooling-Secured	1240-11-110	1240-11-130
16~26	46~56		1240-11-210	1240-11-230
26~36	36~46		1240-11-310	1240-11-330
6~16	56~66	内六角4.5 Hexagon female 4.5	1240-12-110	1240-12-130
16~26	46~56		1240-12-210	1240-12-230
26~36	36~46		1240-12-310	1240-12-330




大型 Large size




锌合金基座、手柄；镀锌钢栓
Zinc die handle and housing black powder coated or bright chrome; m.s. zinc plated cam and shaft

止口高度 Grip-Range		锁芯类型 Cylinder Style	喷塑黑 Black powder coated	亮铬 Bright Chrome
正 Pawl Forward MIN~MAX	反 Pawl Reversed MIN~MAX			
6~16	56~66	不带锁芯 Non-locking	1241-00-110	1241-00-130
16~26	46~56		1241-00-210	1241-00-230
26~36	36~46		1241-00-310	1241-00-330







小型 Small size



锌合金基座、手柄；镀锌钢栓
Zinc die handle and housing black powder coated or bright chrome; m.s. zinc plated cam and shaft

止口高度 Grip-Range		锁芯类型 Cylinder Style	喷塑黑 Black powder coated	亮铬 Bright Chrome
正 Pawl Forward MIN~MAX	反 Pawl Reversed MIN~MAX			
4. 5~10. 5	34. 5~40. 5	不带锁芯 Non-locking	1241-200-110	1241-200-130
10. 5~16. 5	28. 5~34. 5		1241-200-210	1241-200-230
16. 5~22. 5	22. 5~28. 5		1241-200-310	1241-200-330





黑色锌合金基座、手柄、按钮；镀锌钢安装件
Zinc die handle ,housing and trigger black powder coated or bright chrome; m.s. zinc plated screw and fixing parts

止口高度Grip-Range	1~24		23~46	
	短杠杆 Short Arm		长杠杆 Longer Arm	
按钮款式 Trigger Style	喷塑黑 Black powder coated	亮铬 Bright Chrome	喷塑黑 Black powder coated	亮铬 Bright Chrome
无钥匙升高型 Non-locking raised trigger	1242-124-10	1242-124-30	1242-146-10	1242-146-30
无钥匙齐平型 Non-locking Flush trigger	1242-224-10	1242-224-30	1242-246-10	1242-246-30
带锁芯(CH751) Key locking	1242-324-10	1242-324-30	1242-346-10	1242-346-30
十字槽 Tooling-Secured	1242-524-10	1242-524-30	1242-546-10	1242-546-30
带CH751钥匙锁带防尘盖型 CH751 key locking,with shutter	1242-624-10	1242-624-30	1242-646-10	1242-646-30
内六角4.5mm Hexagon female 4.5mm	1242-724-10	1242-724-30	1242-746-10	1242-746-30
内四方8.5mm Female square 8.5mm	1242-824-10	1242-824-30	1242-846-10	1242-846-30



黑色锌合金基座、手柄、按钮；镀锌钢安装件
Zinc die handle ,housing and trigger black powder coated or bright chrome; m.s. zinc plated screw and fixing parts






止口高度Grip-Range	1~24		23~46	
	短杠杆 Short Arm		长杠杆 Longer Arm	
按钮款式 Trigger Style	无光黑 Black powder coated	亮铬 Bright Chrome	无光黑 Black powder coated	亮铬 Bright Chrome
无钥匙升高型 Non-locking raised trigger	1242-A124-10	1242-A124-30	1242-A146-10	1242-A146-30
无钥匙齐平型 Non-locking Flush trigger	1242-A224-10	1242-A224-30	1242-A246-10	1242-A246-30
带锁芯(CH751) Key locking	1242-A324-10	1242-A324-30	1242-A346-10	1242-A346-30
十字槽 Tooling-Secured	1242-A524-10	1242-A524-30	1242-A546-10	1242-A546-30
带CH751钥匙锁带防尘盖型 CH751 key locking,with shutter	1242-A624-10	1242-A624-30	1242-A646-10	1242-A646-30
内六角4.5mm Hexagon female 4.5mm	1242-A724-10	1242-A724-30	1242-A746-10	1242-A746-30
内四方8.5mm Female square 8.5mm	1242-A824-10	1242-A824-30	1242-A846-10	1242-A846-30



黑色锌合金基座、手柄、按钮；镀锌钢安装件
Zinc die handle ,housing and button; m.s. zinc plated fixing parts.



带锁芯 Key Locking	1244-10-10
无锁芯 Non-Locking	1244-00-10





黑色锌合金基座、手柄、按钮；镀锌钢安装件
Zinc die handle, housing and trigger; m.s. zinc plated fixing parts


				喷塑黑Black powder coated		沙铬Satin Chrome	
门板厚度 Panel Thickness	间距 Grip Range	H	B	不带锁芯型 Non-locking	CH751 locking with shutter	不带锁芯型 Non-locking	CH751 locking with shutter
1 to 11mm	1-25mm	36.50	13.50	1246-100-10	1246-110-10	1246-100-40	1246-110-40
1 to 11mm	15-30mm	40.00	28.50	1246-200-10	1246-210-10	1246-200-40	1246-210-40



开孔尺寸
Panel Cutout



Zinc die handle and housing black powder coated or bright chrome; m.s. zinc plated cam and shaft

止口高度 Grip-Range		1247 锁芯 Key Locking	
正 Pawl Forward	反 Pawl Reversed	喷塑黑 Black Powder Coated	亮铬 Bright Chrome
6-16	56-66	1247-10-110	1247-10-130
16-26	46-56	1247-10-210	1247-10-230
26-36	36-46	1247-10-310	1247-10-330





安装示意图
Installation diagram

开孔尺寸
Panel Cutout







开孔尺寸
Panel Cutout





黑色PA+GF
Black PA+GF


带锁芯型 Key locking	1252-10
不带锁芯型 Non-locking	1252-00



黑色PA锁壳，锁舌，锁芯；YK333钥匙
black PA housing, cam, insert; YK333 key

黑色 Black PA	1254-20
-------------	---------




开孔尺寸
Panel Cutout




塑料锁体或锌合金锁体,可做不锈钢
Plastic, zinc die or stainless steel lock body

门板厚度 Panel thickness	固定支架高度 Mounting bracket height	固定螺丝高度 Fixingscrew length	带锁芯型 Key Locking version				不带锁芯型 Non-locking version			
			全不锈钢 Stainless steel	塑料黑色 Acetal black	塑料灰棕色 Acetal Grey	锌合金 Zinc die	全不锈钢 Stainless steel	塑料黑色 Acetal black	塑料灰棕色 Acetal Grey	锌合金 Zinc die
2	7	14	1256-10-2-304	1256-10-2-PAB	1256-10-2-PAG	1256-10-2-20	1256-00-2-304	1256-00-2-PAB	1256-00-2-PAG	1256-00-2-20
7	12	14	1256-10-7-304	1256-10-7-PAB	1256-10-7-PAG	1256-10-7-20	1256-00-7-304	1256-00-7-PAB	1256-00-7-PAG	1256-00-7-20
12	17	3.8	1256-10-12-304	1256-10-12-PAB	1256-10-12-PAG	1256-10-12-20	1256-00-12-304	1256-00-12-PAB	1256-00-12-PAG	1256-00-12-20
17	22	3.8	1256-10-17-304	1256-10-17-PAB	1256-10-17-PAG	1256-10-17-20	1256-00-17-304	1256-00-17-PAB	1256-00-17-PAG	1256-00-17-20






大型 Large size




小型 Small size




锌合金，喷塑黑或电镀
Zinc die, black powder coated or chrome plating

		带锁芯 Key Locking	无锁芯 Non-Locking
喷塑黑 Black Powder Coated	大型 Large size	1261-110-10	1261-100-10
	小型 Small size	1261-210-10	1261-200-10
沙铬 Satin Chrome	大型 Large size	1261-110-40	1261-100-40
	小型 Small size	1261-210-40	1261-200-40

大型 Large size





小型 Small size





锌合金，喷塑黑或电镀
Zinc die, black powder coated or plating

		带锁芯 Key Locking	无锁芯 Non-Locking
喷塑黑 Black Powder Coated	大型 large size	1262-110-10	1262-100-10
	小型 Small size	1262-210-10	1262-200-10
沙铬 Satin Chrome	大型 large size	1262-110-40	1262-100-40
	小型 Small size	1262-210-40	1262-200-40



锌合金，喷塑黑或电镀亮铬
Zinc die,black powder coated or bright chrome

	螺丝孔 Screw Hole M5X0.8			螺丝孔 Screw Hole 10-32UNC		
	喷塑黑 Black Powder Coated	亮铬 Bright Chrome	全不锈钢 Stainless Steel	喷塑黑 Black Powder Coated	亮铬 Bright Chrome	全不锈钢 Stainless Steel
带锁芯 CH751 Locking	1271-10-10	1271-10-30	1271-10-316	1271-110-10	1271-110-30	1271-110-316
不带锁芯 Non-locking	1271-00-10	1271-00-30	1271-00-316	1271-100-10	1271-100-30	1271-100-316



不锈钢 316 或 304
SUS 316 or 304

材质 Material	
不锈钢 316 SUS 316	1272-10-316
不锈钢 304 SUS 304	1272-10-304
铁镀锌 M. S. zinc plated	1272-10-01