


直角转舌锁
Quarter Turn Lock
产品系列：1401



锁芯类型 Insert type	锌合金 或 不锈钢 Zinc die casting or Stainless Steel				
	亮铬 Bright Chrome	麻面黑 Black Textured Powder Coated	全塑料PA	塑料壳+锌合金锁芯 PA Housing+Zinc Die Insert	不锈钢 316 SUS 316
双翅3mm Double Bit 3mm	1401-013-30	1401-013-20		1401-013-20P	1401-013-316
双翅4mm Double Bit 4mm	1401-014-30	1401-014-20		1401-014-20P	1401-014-316
双翅5mm Double Bit 5mm	1401-015-30	1401-015-20	1401-015P-20	1401-015-20P	1401-015-316
2×4直槽型2×4 Slot	1401-024-30	1401-024-20	1401-024P-20	1401-024-20P	
2×4直槽防硬币型2×4 Slot coin proof	1401-124-30	1401-124-20		1401-124-20P	
三角7mm Triangular 7mm	1401-037-30	1401-037-20		1401-037-20P	1401-037-316
三角8mm Triangular 8mm	1401-038-30	1401-038-20		1401-038-20P	1401-038-316
四方6mm Square 6mm	1401-046-30	1401-046-20		1401-046-20P	
四方7mm Square 7mm	1401-047-30	1401-047-20		1401-047-20P	1401-047-316
四方8mm Square 8mm	1401-048-30	1401-048-20		1401-048-20P	1401-048-316
四方7mm 带槽Square 7mm with slot	1401-147-30	1401-147-20		1401-147-20P	
四方8mm 带槽Square 8mm with slot	1401-148-30	1401-148-20		1401-148-20P	
内四方8型Female square 8mm	1401-248-30	1401-248-20		1401-248-20P	
内六角8mm Hexagon female 8mm	1401-168-30	1401-168-20		1401-168-20P	
内六角9mm Hexagon female 9mm	1401-169-30	1401-169-20		1401-169-20P	
内六角10mm Hexagon female 10mm	1401-160-30	1401-160-20		1401-160-20P	
内六角8mm带销3mm Hexagon female 8mm with 3mm pin	1401-268-30	1401-268-20		1401-268-20P	
外六角10型Hexagon male 10mm	1401-360-30	1401-360-20		1401-360-20P	
半圆型锁芯 13 Eastern Europe Ø13	1401-135-30	1401-135-20		1401-135-20P	
三角带螺丝孔型Triangular 10mm with M5 screw hole	1401-105-30	1401-105-20		1401-105-20P	


可选配件 Accessories ref. to page #
1. 锁舌 见页面 9A-001
CAM ref. to page 9A-001

S TAINLESS
SERIES RL IP65



可选配件 Accessories ref. to page #
1. 锁舌 见页面 9A-001
CAM ref. to page 9A-001

备注: Remark
1. 专用钥匙可选 Key different on request.
2. CH751 钥匙可选,CH751 key code on request




锌合金基座、手柄；喷漆黑或电镀亮铬。镀锌钢栓。
Zinc die handle and housing black powder coated or bright chrome; m.s. zinc plated cam.

锁芯类型 Insert type	锌合金 Zinc die casting		
	亮铬 Bright Chrome	麻面黑 Black Textured Powder Coated	全塑料PA
圆柱YK333相同钥匙Alike YK333	1401-18-30	1401-18-20	1401-18-PA

RL IP65




可选配件 Accessories ref. to page #
1. 锁舌 见页面 9A-001
CAM ref. to page 9A-001




锌合金基座、手柄；喷漆黑或电镀亮铬。镀锌钢栓。
Zinc die handle and housing black powder coated or bright chrome; m.s. zinc plated cam.

锁芯类型 Insert type	锌合金 Zinc die casting	
	亮铬 Bright Chrome	麻面黑 Black Textured Powder Coated
双翅旋钮型Wingknob	1401-170-30	1401-170-20
星型把手Star knob	1401-180-30	1401-180-20



锌合金基座、手柄；喷漆黑或电镀亮铬。镀锌钢栓。
Zinc die handle and housing black powder coated or bright chrome; m.s. zinc plated cam.


	钥匙双点插拔	钥匙单点插拔
麻面黑 Black Textured Powder Coated	1401-20-20	1401-20-20B
亮铬 Bright Chrome	1401-20-30	1401-20-30B



316L不锈钢锁壳、锁芯、锁舌。
SUS316L housing, insert,sus304 cam

不锈钢 316L SUS316L	1401-30-316L

RL IP65



可选配件 Accessories ref. to page #
1. 锁舌 见页面 9A-001
CAM ref. to page 9A-001

备注: Remark
1. 专用钥匙可选 Key different on request.
2. CH751 钥匙可选,CH751 key code on request

S TAINLESS
SERIES RL IP65




可选配件 Accessories ref. to page #
1. 锁舌 见页面 9A-001
CAM ref. to page 9A-001


目录
Index

锁具
Lock

RL IP65




可选配件 Accessories ref. to page #
1. 锁舌 见页面 9A-001
CAM ref. to page 9A-001
备注: Remark
1. 专用钥匙可选 Key different on request.
2. CH751 钥匙可选, CH751 key code on request



锌合金基座、手柄；喷塑黑或电镀亮铬。镀锌钢栓。
Zinc die handle and housing black powder coated or bright chrome; m.s. zinc plated cam.

	亮铬 Bright Chrome	麻面黑 Black Textured Powder Coated	不锈钢 316 SUS 316
带锁芯 Key locking	1402-110-30	1402-110-20	1402-110-316
不带锁芯 Non-locking	1402-100-30	1402-100-20	1402-100-316




锌合金基座、手柄；喷塑黑或电镀亮铬。镀锌钢栓。
Zinc die handle and housing black powder coated or bright chrome; zinc plated cam.

	GH=30		GH=50	
锁芯类型 Insert type	亮铬 Bright Chrome	麻面黑 Black Textured Powder Coated	亮铬 Bright Chrome	麻面黑 Black Textured Powder Coated
带锁芯 Key Locking	1402-30110-30	1402-30110-20	1402-50110-30	1402-50110-20
不带锁芯 Non-locking	1402-30100-30	1402-30100-20	1402-50100-30	1402-50100-20

NEW

RL IP65




可选配件 Accessories ref. to page #
1. 锁舌 见页面 9A-001
CAM ref. to page 9A-001

目录
Index

锁具
Lock


如需获得产品3D模型图，请联系 info@yeekaco.com

备注: Remark
钥匙编号：2233
Key code:2233



锌合金基座、手柄；镀锌钢栓。
Zinc die handle and housing black powder coated or bright chrome; m.s. zinc plated cam.

	锁舌 H	麻面黑 Black Textured Powder Coated	亮铬 Bright Chrome
不带锁芯 Non-locking	H=7.5	1402-300-20.107.5	1402-300-30.107.5
	H=13.5	1402-300-20.1013.5	1402-300-30.1013.5
	H=19.5	1402-300-20.1019.5	1402-300-30.1019.5
带锁芯 Key locking	H=7.5	1402-310-20.107.5	1402-310-30.107.5
	H=13.5	1402-310-20.1013.5	1402-310-30.1013.5
	H=19.5	1402-310-20.1019.5	1402-310-30.1019.5



锌合金基座、手柄；镀锌钢栓。
Zinc die handle and housing black powder coated or bright chrome; m.s. zinc plated cam.

	锁舌 H	麻面黑 Black Textured Powder Coated	亮铬 Bright Chrome
不带锁芯 Non-locking	H=7.5	1402-400-20.107.5	1402-400-30.107.5
	H=13.5	1402-400-20.1013.5	1402-400-30.1013.5
	H=19.5	1402-400-20.1019.5	1402-400-30.1019.5
	H=7.5	1402-410-20.107.5	1402-410-30.107.5
带锁芯 Key locking	H=13.5	1402-410-20.1013.5	1402-410-30.1013.5
	H=19.5	1402-410-20.1019.5	1402-410-30.1019.5


备注: Remark
钥匙编号：2233
Key code:2233

To get product 3D models freely, Please contact info@yeekaco.com

RL IP65



备注: Remark
钥匙编号：2233
Key code:2233



锌合金基座、手柄；镀锌钢栓。
Zinc die handle and housing black powder coated or bright chrome; m.s. zinc plated cam.


	锁舌 H	麻面黑 Black Textured Powder Coated	亮铬 Bright Chrome
不带锁芯 Non-locking	H=7.5	1402-500-20.107.5	1402-500-30.107.5
	H=13.5	1402-500-20.1013.5	1402-500-30.1013.5
	H=19.5	1402-500-20.1019.5	1402-500-30.1019.5
带锁芯 Key locking	H=7.5	1402-510-20.107.5	1402-510-30.107.5
	H=13.5	1402-510-20.1013.5	1402-510-30.1013.5
	H=19.5	1402-510-20.1019.5	1402-510-30.1019.5

RL





可选配件 Accessories ref. to page #
1. 锁舌 见页面 9A-001
CAM ref. to page 9A-001

备注: Remark
1. 专用钥匙可选 Key different on request.
2. CH751 钥匙可选, CH751 key code on request



锌合金，喷塑黑或电镀亮铬，镀锌钢栓。
Zinc die, black powder coated or bright chrome; m.s. zinc plated cam.


麻面黑 Black Textured Powder Coated	1403-20-20
亮铬 Bright Chrome	1403-20-30




锌合金基座、手柄；喷塑黑或电镀亮铬，镀锌钢栓或全不锈钢
Zinc die handle and housing, black powder coated or bright chrome, m.s. zinc plated cam or full stainless steel.

麻面黑 Black textured powder coated	1406-110-20
亮铬 Bright chrome	1406-110-30
全不锈钢 316 Stainless steel 316	1406-110-316


RL IP65




可选配件：Accessories ref. page#
1. 锁舌 见页面 9A-001
Cam ref. to page 9A-001





挂锁孔
Padlock hole



锁壳带2个挂锁孔
Housing with 2 padlock holes




锁壳带4个挂锁孔
Housing with 4 padlock holes




锌合金基座、锁芯；喷塑黑或电镀亮铬，镀锌钢栓。
Zinc die housing and cylinder ; black textured powder coated or bright chrome,m.s. zinc plated cam.

	锁壳带2个挂锁孔 Housing with 2 padlock holes			锁壳带4个挂锁孔 Housing with 4 padlock holes		
锁芯类型 Insert type	GH=18 锌合金, 麻面黑 GH=18 Zinc die, black textured powder coated	GH=22, 锌合金, 麻面黑 GH=22, Zinc die, black textured powder coated	GH=22,全不锈钢 GH=22,Full stainless steel	GH=18 锌合金, 麻面黑 GH=18 Zinc die, black textured powder coated	GH=22, 锌合金, 麻面黑 GH=22, Zinc die, black textured powder coated	GH=22,全不锈钢 GH=22,Full stainless steel
双翅3mm Double Bit 3mm	1407-180132H-20	1407-220132H-20	1407-220132H-304	1407-180134H-20	1407-220134H-20	1407-220134H-304
双翅4mm Double Bit 4mm	1407-180142H-20	1407-220142H-20	1407-220142H-304	1407-180144H-20	1407-220144H-20	1407-220144H-304
双翅5mm Double Bit 5mm	1407-180152H-20	1407-220152H-20	1407-220152H-304	1407-180154H-20	1407-220154H-20	1407-220154H-304
2×4直槽型2×4 Slot	1407-180242H-20	1407-220242H-20	1407-220242H-304	1407-180244H-20	1407-220244H-20	1407-220244H-304
三角7mm Triangular 7mm	1407-180372H-20	1407-220372H-20	1407-220372H-304	1407-180374H-20	1407-220374H-20	1407-220374H-304
三角8mm Triangular 8mm	1407-180382H-20	1407-220382H-20	1407-220382H-304	1407-180384H-20	1407-220384H-20	1407-220384H-304
四方7mm Square 7mm	1407-180472H-20	1407-220472H-20	1407-220472H-304	1407-180474H-20	1407-220474H-20	1407-220474H-304
四方8mm Square 8mm	1407-180482H-20	1407-220482H-20	1407-220482H-304	1407-180484H-20	1407-220484H-20	1407-220484H-304



锌合金, 电泳黑
Zinc die, black E-coated.

	双翅5锁芯 Double Bit 5mm	2X4直槽锁芯 2×4 Slot
电泳黑 Black E-coated	1410-015-50	1410-024-50




锌合金基座、手柄；喷塑黑或电镀亮铬,镀锌钢钢栓
Zinc die handle and housing black powder coated or bright chrome;M.S. zinc plated cam.

	锌合金 Zinc	塑料壳+锌合金锁芯 PA Housing+Zinc Die Insert
无光黑 Black Powder Coated	1428-015-10	1428-015-20P




可选配件 Accessories ref. to page #
1. 锁舌 见页面 9A-001
CAM ref. to page 9A-001

RL IP65



螺母安装


With Nut Mounting




开孔尺寸 A
Panel Cutout A

弹簧固定片

Spring Fixing Plate



开孔尺寸 B
Panel Cutout B



手柄型
Handle type

三角锁芯 6.5mm
Triangular 6.5mm


四方锁芯 6mm
Square 6mm

直槽 1.5
Slot 1.5

锌合金，镀锌钢栓

Zinc die body,black textured powder coated or bright chrome,m.s. zinc plated cam.

锁芯类型 Cylinder Style	锁舌款式 H Cam Style H	螺母安装 (开孔 A 型) With Nut Mounting			弹簧固定片 (开孔 B 型) Spring Fixing Plate		
		锌合金 Zinc die		不锈钢 316 SUS 316	锌合金 Zinc die		不锈钢 316 SUS 316
		表面处理 Finish			表面处理 Finish		
		亮铬 Bright Chrome	麻面黑 Black Textured Powder Coated		亮铬 Bright Chrome	麻面黑 Black Textured Powder Coated	
四方 6 Square 6mm	H=7.5	1412-046-130.107.5	1412-046-120.107.5	1412-046-1316.107.5	1412-046-230.107.5	1412-046-220.107.5	1412-046-2316.107.5
	H=13.5	1412-046-130.1013.5	1412-046-120.1013.5	1412-046-1316.1013.5	1412-046-230.1013.5	1412-046-220.1013.5	1412-046-2316.1013.5
	H=19.5	1412-046-130.1019.5	1412-046-120.1019.5	1412-046-1316.1019.5	1412-046-230.1019.5	1412-046-220.1019.5	1412-046-2316.1019.5
三角 6.5 Triangular 6.5mm	H=7.5	1412-036-130.107.5	1412-036-120.107.5	1412-036-1316.107.5	1412-036-230.107.5	1412-036-220.107.5	1412-036-2316.107.5
	H=13.5	1412-036-130.1013.5	1412-036-120.1013.5	1412-036-1316.1013.5	1412-036-230.1013.5	1412-036-220.1013.5	1412-036-2316.1013.5
	H=19.5	1412-036-130.1019.5	1412-036-120.1019.5	1412-036-1316.1019.5	1412-036-230.1019.5	1412-036-220.1019.5	1412-036-2316.1019.5
直槽 1.5 Slot 1.5mm	H=7.5	1412-024-130.107.5	1412-024-120.107.5	1412-024-1316.107.5	1412-024-230.107.5	1412-024-220.107.5	1412-024-2316.107.5
	H=13.5	1412-024-130.1013.5	1412-024-120.1013.5	1412-024-1316.1013.5	1412-024-230.1013.5	1412-024-220.1013.5	1412-024-2316.1013.5
	H=19.5	1412-024-130.1019.5	1412-024-120.1019.5	1412-024-1316.1019.5	1412-024-230.1019.5	1412-024-220.1019.5	1412-024-2316.1019.5
手柄型 Handle type	H=7.5	1412-110-130.107.5	1412-110-120.107.5	1412-110-1316.107.5	1412-110-230.107.5	1412-110-220.107.5	1412-110-2316.107.5
	H=13.5	1412-110-130.1013.5	1412-110-120.1013.5	1412-110-1316.1013.5	1412-110-230.1013.5	1412-110-220.1013.5	1412-110-2316.1013.5
	H=19.5	1412-110-130.1019.5	1412-110-120.1019.5	1412-110-1316.1019.5	1412-110-230.1019.5	1412-110-220.1019.5	1412-110-2316.1019.5



开孔尺寸
Panel Cutout

锌合金，镀锌钢栓

Zinc die body,black textured powder coated or bright chrome,m.s. zinc plated cam.

双翅锁芯5

四方锁芯7

	锌合金 Zinc die		不锈钢 316 SUS 316
锁芯类型 Cylinder Style	喷塑黑 Black Powder Coated	亮铬 Bright Chrome	
双翅锁芯 5 Double Bit 5mm	1413-015-20	1413-015-30	
四方锁芯 7 Square 7mm	1413-047-20	1413-047-30	
2X4 直槽型 2X4 Slot			1413-024-316

RL IP65




可选配件：Accessories ref. page#

1. 锁舌 见页面 9A-001

Cam ref. to page 9A-001

备注：内装弹簧，O 型圈，按压时
伸缩量 1.5mm
innerspring,O-ring,Pull-up 1.5mm



开孔尺寸
Panel Cutout

四方锁芯7
Square 7mm

双翅锁芯5
Double Bit 5mm



锌合金，镀锌钢栓

Zinc die body,powder coated,m.s. zinc plated cam.


	喷塑煤灰色 Powder Coated RAL7016	
锁芯类型 Cylinder Style	S01:CL=30,H=16	S02:CL=36,H=50
双翅锁芯 5 Double Bit 5mm	1413-015-21.S01	1413-015-21.S02
四方锁芯 7 Square 7mm	1413-047-21.S01	1413-047-21.S02

备注：内装弹簧，O 型圈，按压时
伸缩量 1.5mm
innerspring,O-ring,Pull-up 1.5mm


RL IP65




把手型
Wingknob




一字槽2X13mm型
Slot 2X13mm




四方7mm型
Square 7mm




四方8mm型
Square 8mm



双翅5mm型
Double bit 5mm



三角7mm型
Triangular 7mm




三角8mm型
Triangular 8mm

锌合金锁体，镀锌钢钢栓。
Zinc die black textured powder coated or bright chrome,m.s. zinc plated cam.

锁芯款式 Insert Type	麻面黑 Black Textured Powder coated	喷沙镀铬 Textured chrome plated
低把手Short wingknob	1415-010-20	1415-010-79
高把手Tall wingknob	1415-110-20	1415-110-79
一字槽2X4 slot	1415-024-20	1415-024-79
双翅5mm Double bit 5mm	1415-015-20	1415-015-79
7mm三角Triangular 7mm	1415-037-20	1415-037-79
8mm三角Triangular 8mm	1415-038-20	1415-038-79
7mm四方Square 7mm	1415-047-20	1415-047-79
8mm四方Square 8mm	1415-048-20	1415-048-79


可选配件 Accessories ref. to page #
1. 锁舌 见页面 9A-002
CAM ref. to page 9A-002

把手型 Handle knob



开孔尺寸
Panel cutout

翼型锁芯 Double bit 3mm



开孔尺寸
Panel cutout

锌合金，镀锌钢栓
Zinc die powder coated ,m.s. zinc plated cam



	蓝绿色 Bule green	麻面黑 Black Textured Powder Coated
翼型锁芯 Double bit 3mm	1416-110-60	1416-110-20
把手型 Handle type	1416-100-60	1416-100-20

可选配件：Accessories ref. page#
1. 锁舌 见页面 9A-001
Cam ref. to page 9A-001

目录
Index

锁具
Lock


RL



锌合金锁体，喷塑或电镀亮铬，镀锌钢钢栓
Zinc die,black powder coated or bright chrome,m.s. zinc plated cam.

喷塑黑 Black Powder Coated	亮铬 Bright Chrome
	1417-110-30

RL





锌合金锁体，喷塑或电镀亮铬，镀锌钢钢栓
Zinc die,black powder coated or bright chrome,m.s. zinc plated cam.


锁舌款式 H Cam Style H	螺母安装 With nut mounting	
	麻面黑 Black Textured Powder Coated	亮铬 Bright Chrome
H=7.5	1418-1-20.117.5	1418-1-30.117.5
H=13.5	1418-1-20.1113.5	1418-1-30.1113.5
H=19.5	1418-1-20.1119.5	1418-1-30.1119.5

备注: Remark
钥匙编号：2233
Key code:2233

RL



弹簧固定片
Spring fixing plate



锌合金锁体，喷塑或电镀亮铬，镀锌钢钢栓
Zinc die,black powder coated or bright chrome,m.s. zinc plated cam.




锁舌款式 H Cam Style H	弹簧固定片 Spring fixing plate	
	麻面黑 Black Textured Powder Coated	亮铬 Bright Chrome
H=7.5	1418-2-20.117.5	1418-2-30.117.5
H=13.5	1418-2-20.1113.5	1418-2-30.1113.5
H=19.5	1418-2-20.1119.5	1418-2-30.1119.5

备注: Remark
钥匙编号：2233
Key code:2233

目录
Index



锁具
Lock

RL





316 不锈钢弹力锁舌，不锈钢定位环和螺钉
SUS316 slam cam, spacer, screw

	不锈钢 316 SUS 316	
锁芯类型 Cylinder Style	左开 Left	右开 Right
内四方锁芯 8 Square Female 8mm	1419-248-316L	1419-248-316R



L型（左开）Version L(Left)
















R型（右开）Version R(Right)

锌合金 Zinc die casting				
锁芯类型 Insert type	左开 Left		右开 Right	
	亮铬 Bright Chrome	麻面黑 Black Textured Powder Coated	亮铬 Bright Chrome	麻面黑 Black Textured Powder Coated
双翅3mm Double Bit 3mm	1419-013-30L	1419-013-20L	1419-013-30R	1419-013-20R
双翅4mm Double Bit 4mm	1419-014-30L	1419-014-20L	1419-014-30R	1419-014-20R
双翅5mm Double Bit 5mm	1419-015-30L	1419-015-20L	1419-015-30R	1419-015-20R
2×4直槽型2×4 Slot	1419-024-30L	1419-024-20L	1419-024-30R	1419-024-20R
2×4直槽防硬币型2×4 Slot coin proof	1419-124-30L	1419-124-20L	1419-124-30R	1419-124-20R
三角7mm Triangular 7mm	1419-037-30L	1419-037-20L	1419-037-30R	1419-037-20R
三角8mm Triangular 8mm	1419-038-30L	1419-038-20L	1419-038-30R	1419-038-20R
四方6mm Square 6mm	1419-046-30L	1419-046-20L	1419-046-30R	1419-046-20R
四方7mm Square 7mm	1419-047-30L	1419-047-20L	1419-047-30R	1419-047-20R
四方8mm Square 8mm	1419-048-30L	1419-048-20L	1419-048-30R	1419-048-20R
四方7mm 带槽Square 7mm with slot	1419-147-30L	1419-147-20L	1419-147-30R	1419-147-20R
四方8mm 带槽Square 8mm with slot	1419-148-30L	1419-148-20L	1419-148-30R	1419-148-20R
内四方8型Female square 8mm	1419-248-30L	1419-248-20L	1419-248-30R	1419-248-20R
内六角8mm Hexagon female 8mm	1419-168-30L	1419-168-20L	1419-168-30R	1419-168-20R
内六角9mm Hexagon female 9mm	1419-169-30L	1419-169-20L	1419-169-30R	1419-169-20R
内六角10mm Hexagon female 10mm	1419-160-30L	1419-160-20L	1419-160-30R	1419-160-20R
内六角8mm带销3mm Hexagon female 8mm with 3mm pin	1419-268-30L	1419-268-20L	1419-268-30R	1419-268-20R
外六角10型Hexagon male 10mm	1419-360-30L	1419-360-20L	1419-360-30R	1419-360-20R
半圆型锁芯 13 Eastern Europe Ø13	1419-135-30L	1419-135-20L	1419-135-30R	1419-135-20R
三角带螺丝孔型Triangular 10mm with M5 screw hole	1419-105-30L	1419-105-20L	1419-105-30R	1419-105-20R

RL IP65

NEW





GH=18



GH=30



GH=36



GH=40



GH=50




GH=60





锌合金基座、手柄；喷塑黑或电镀亮铬，镀锌钢栓。 或全不锈钢
Zinc die handle and housing,black powder coated or bright chrome,m.s.
zinc plated cam or full stainless steel.

锁芯类型 Cylinder Style	锁壳GH=18 Housing GH=18				锁壳GH=30 Housing GH=30			
	锌合金或不锈钢 Zinc die casting or Stainless Steel				锌合金或不锈钢 Zinc die casting or Stainless Steel			
	亮铬 Bright Chrome	麻面黑 Black Textured Powder Coated	塑料壳+锌合金锁芯 PA Housing+Zinc Die Insert	不锈钢 Stainless Steel	亮铬 Bright Chrome	麻面黑 Black Textured Powder Coated	塑料壳+锌合金锁芯 PA Housing+Zinc Die Insert	不锈钢 Stainless Steel
双翅3 Double Bit 3mm	1420-18013-30	1420-18013-20	1420-18013-20P	1420-18013-316	1420-30013-30	1420-30013-20	1420-30013-20P	1420-30013-316
双翅4 Double Bit 4mm	1420-18014-30	1420-18014-20	1420-18014-20P	1420-18014-316	1420-30014-30	1420-30014-20	1420-30014-20P	1420-30014-316
双翅5 Double Bit 5mm	1420-18015-30	1420-18015-20	1420-18015-20P	1420-18015-316	1420-30015-30	1420-30015-20	1420-30015-20P	1420-30015-316
2X4 直槽型 2X4 Slot	1420-18024-30	1420-18024-20	1420-18024-20P	1420-18024-316	1420-30024-30	1420-30024-20	1420-30024-20P	1420-30024-316
2X4 锁芯防硬币型 2X4 Slot coin proof	1420-18124-30	1420-18124-20	1420-18124-20P	1420-18124-316	1420-30124-30	1420-30124-20	1420-30124-20P	1420-30124-316
三角7 Triangular 7mm	1420-18037-30	1420-18037-20	1420-18037-20P	1420-18037-316	1420-30037-30	1420-30037-20	1420-30037-20P	1420-30037-316
三角8 Triangular 8mm	1420-18038-30	1420-18038-20	1420-18038-20P	1420-18038-316	1420-30038-30	1420-30038-20	1420-30038-20P	1420-30038-316
四方7 Square 7mm	1420-18047-30	1420-18047-20	1420-18047-20P	1420-18047-316	1420-30047-30	1420-30047-20	1420-30047-20P	1420-30047-316
四方8 Square 8mm	1420-18048-30	1420-18048-20	1420-18048-20P	1420-18048-316	1420-30048-30	1420-30048-20	1420-30048-20P	1420-30048-316
四方7带槽 Square 7mm with slot	1420-18147-30	1420-18147-20	1420-18147-20P	1420-18147-316	1420-30147-30	1420-30147-20	1420-30147-20P	1420-30147-316
四方8带槽 Square 8mm with slot	1420-18148-30	1420-18148-20	1420-18148-20P	1420-18148-316	1420-30148-30	1420-30148-20	1420-30148-20P	1420-30148-316
内四方8型 Square female 8mm	1420-18248-30	1420-18248-20	1420-18248-20P	1420-18248-316	1420-30248-30	1420-30248-20	1420-30248-20P	1420-30248-316
内六角8 Hexagon female 8mm	1420-18168-30	1420-18168-20	1420-18168-20P	1420-18168-316	1420-30168-30	1420-30168-20	1420-30168-20P	1420-30168-316
内六角9 Hexagon female 9mm	1420-18169-30	1420-18169-20	1420-18169-20P	1420-18169-316	1420-30169-30	1420-30169-20	1420-30169-20P	1420-30169-316
内六角8带销3 Hexagon female 8mm with 3mm pin	1420-18268-30	1420-18268-20	1420-18268-20P	1420-18268-316	1420-30268-30	1420-30268-20	1420-30268-20P	1420-30268-316
外六角10型 Hexagon male 10mm	1420-18360-30	1420-18360-20	1420-18360-20P	1420-18360-316	1420-30360-30	1420-30360-20	1420-30360-20P	1420-30360-316
三角螺丝孔型 Triangular 10mm with M5 screw hole	1420-18105-30	1420-18105-20	1420-18105-20P	1420-18105-316	1420-30105-30	1420-30105-20	1420-30105-20P	1420-30105-316

锁芯类型 Cylinder Style	锁壳GH=36 Housing GH=36				锁壳GH=40 Housing GH=40			
	锌合金或不锈钢 Zinc die casting or Stainless Steel				锌合金或不锈钢 Zinc die casting or Stainless Steel			
	亮铬 Bright Chrome	麻面黑 Black Textured Powder Coated	塑料壳+锌合金锁芯 PA Housing+Zinc Die Insert	不锈钢 Stainless Steel	亮铬 Bright Chrome	麻面黑 Black Textured Powder Coated	塑料壳+锌合金锁芯 PA Housing+Zinc Die Insert	不锈钢 Stainless Steel
双翅3 Double Bit 3mm	1420-36013-30	1420-36013-20	1420-36013-20P	1420-36013-316	1420-40013-30	1420-40013-20	1420-40013-20P	1420-40013-316
双翅4 Double Bit 4mm	1420-36014-30	1420-36014-20	1420-36014-20P	1420-36014-316	1420-40014-30	1420-40014-20	1420-40014-20P	1420-40014-316
双翅5 Double Bit 5mm	1420-36015-30	1420-36015-20	1420-36015-20P	1420-36015-316	1420-40015-30	1420-40015-20	1420-40015-20P	1420-40015-316
2X4 直槽型 2X4 Slot	1420-36024-30	1420-36024-20	1420-36024-20P	1420-36024-316	1420-40024-30	1420-40024-20	1420-40024-20P	1420-40024-316
2X4 锁芯防硬币型 2X4 Slot coin proof	1420-36124-30	1420-36124-20	1420-36124-20P	1420-36124-316	1420-40124-30	1420-40124-20	1420-40124-20P	1420-40124-316
三角7 Triangular 7mm	1420-36037-30	1420-36037-20	1420-36037-20P	1420-36037-316	1420-40037-30	1420-40037-20	1420-40037-20P	1420-40037-316
三角8 Triangular 8mm	1420-36038-30	1420-36038-20	1420-36038-20P	1420-36038-316	1420-40038-30	1420-40038-20	1420-40038-20P	1420-40038-316
四方7 Square 7mm	1420-36047-30	1420-36047-20	1420-36047-20P	1420-36047-316	1420-40047-30	1420-40047-20	1420-40047-20P	1420-40047-316
四方8 Square 8mm	1420-36048-30	1420-36048-20	1420-36048-20P	1420-36048-316	1420-40048-30	1420-40048-20	1420-40048-20P	1420-40048-316
四方7带槽 Square 7mm with slot	1420-36147-30	1420-36147-20	1420-36147-20P	1420-36147-316	1420-40147-30	1420-40147-20	1420-40147-20P	1420-40147-316
四方8带槽 Square 8mm with slot	1420-36148-30	1420-36148-20	1420-36148-20P	1420-36148-316	1420-40148-30	1420-40148-20	1420-40148-20P	1420-40148-316
内四方8型 Square female 8mm	1420-36248-30	1420-36248-20	1420-36248-20P	1420-36248-316	1420-40248-30	1420-40248-20	1420-40248-20P	1420-40248-316
内六角8 Hexagon female 8mm	1420-36168-30	1420-36168-20	1420-36168-20P	1420-36168-316	1420-40168-30	1420-40168-20	1420-40168-20P	1420-40168-316
内六角9 Hexagon female 9mm	1420-36169-30	1420-36169-20	1420-36169-20P	1420-36169-316	1420-40169-30	1420-40169-20	1420-40169-20P	1420-40169-316
内六角8带销3 Hexagon female 8mm with 3mm pin	1420-36268-30	1420-36268-20	1420-36268-20P	1420-36268-316	1420-40268-30	1420-40268-20	1420-40268-20P	1420-40268-316
外六角10型 Hexagon male 10mm	1420-36360-30	1420-36360-20	1420-36360-20P	1420-36360-316	1420-40360-30	1420-40360-20	1420-40360-20P	1420-40360-316
三角螺丝孔型 Triangular 10mm with M5 screw hole	1420-36105-30	1420-36105-20	1420-36105-20P	1420-36105-316	1420-40105-30	1420-40105-20	1420-40105-20P	1420-40105-316






RL IP65



锌合金基座、锁芯； 喷塑黑或电镀亮铬，镀锌钢栓和转轴
Zinc die housing, cylinder; black powder coated or bright chrome; m.s. zinc plated cam and shaft.

锁片款式 Camstyle	间距 Grip Range		锁头类型 Head Style			
	最小 Min	最大 Max	三角 Triangular 7mm	三角 Triangular 8mm	四方 Square 7mm	四方 Square 8mm
正向锁片 reversed cam	11.4	27.2	1422-0371-1510	1422-0381-1510	1422-0471-1510	1422-0481-1510
	25.4	41.1	1422-0371-2510	1422-0381-2510	1422-0471-2510	1422-0481-2510
直立锁片 straight cam	38.9	54.6	1422-0371-3510	1422-0381-3510	1422-0471-3510	1422-0481-3510
反向锁片 offset cam	52.6	68.3	1422-0371-2510	1422-0381-2510	1422-0471-2510	1422-0481-2510
	66.3	76.2	1422-0371-1510	1422-0381-1510	1422-0471-1510	1422-0481-1510



锌合金基座、锁芯； 喷塑黑或电镀亮铬，镀锌钢栓和转轴。
Zinc die housing, cylinder; black powder coated or bright chrome; m.s. zinc plated cam and shaft.


锁片款式 Camstyle	锁头类型 Head Style									
	钥匙操纵型 Key operated	双翅型 Double bit 3mm	三角 Triangular 7mm	三角 Triangular 8mm	四方 Square 7mm	四方 Square 8mm	一字槽型 Slotted recess	内六角 Hex female 8mm	外六角 Hex.male 10mm	把手型 Knob style
见页面 9A-002 Cam ref. to page 9A-002	1423-20-10	1423-013-10	1423-037-10	1423-038-10	1423-047-10	1423-048-10	1423-05-10	1423-068-10	1423-060-10	1423-07-10

选配件，需单独订购
Optional components, need to be ordered separately.

产品编号 (part#) : 9501-4702
取手 (Pull-Tab)



产品编号 (part#) : 9401-4101
防水盖 (Water dust proof cover)









钥匙操纵型锁芯专用钥匙
For key operated
产品编号 (part#) : 9200-1422-80

RL



可选配件：Accessories ref. page#
1. 锁舌 见页面 9A-002
Cam ref. to page 9A-002

RL IP65



三角锁芯 7mm
Triangular 7mm

三角锁芯 8mm
Triangular 8mm


四方锁芯 7mm
Square 7mm

四方锁芯 8mm
Square 8mm

锌合金基座、锁芯； 喷漆黑或电镀亮铬，镀锌钢栓和转轴
Zinc die housing, cylinder; black powder coated or bright chrome; m.s. zinc plated cam and shaft.

锁片款式 Camstyle	锁头类型 Head Style			
	三角 Triangular 7mm	三角 Triangular 8mm	四方 Square 7mm	四方 Square 8mm
见页面 9A-002 Cam ref. to page 9A-002	1423-0371-10	1423-0381-10	1423-0471-10	1423-0481-10


可选配件：Accessories ref. page#
1. 锁舌 见页面 9A-002
Cam ref. to page 9A-002



黑色塑料 PA 锁壳，取手，螺母，锌合金锁芯，亮铬，镀锌钢锁舌
Black PA plastic, housing, pull-tab, nut, zinc alloy shaft, chrome plated, m.s. zinc plated cam


轴类型 Shaft style	间距 Grip Range				锁芯类型 Cylinder Style	
	不带取手 Without Pull-Tap		带取手 With Pull-Tap			
	正向 Pawl Forward	反向 Pawl Reversed	正向 Pawl Forward	反向 Pawl Reversed		
长轴 Long Shaft	MIN-MAX	MIN-MAX	MIN-MAX	MIN-MAX	内六角一字槽锁芯 Hex female 5mm with slot insert	圆形头带槽锁芯 Tubular
	19-28	29-38	17-26	37-36	1426-265-L21	1426-140-L21
	14-23	34-43	17-21	32-34	1426-265-L22	1426-140-L22
	9-18	39-48	7-16	37-46	1426-265-L23	1426-140-L23
	24-33		22-31		1426-265-L24	1426-140-L24

RL



黑色塑料 PA 锁壳，取手，螺母，锌合金锁芯，亮铬，镀锌钢锁舌
Black PA plastic, housing, pull-tab, nut, zinc alloy shaft, chrome plated, m.s. zinc plated cam



轴类型 Shaft style	间距 Grip Range				锁芯类型 Cylinder Style
	不带取手 Without Pull-Tap		带取手 With Pull-Tap		
	正向 Pawl Forward	反向 Pawl Reversed	正向 Pawl Forward	反向 Pawl Reversed	
短轴 Short shaft	13.6	23.6	11.6	21.6	内六角一字槽锁芯 Hex female 5mm with slot insert
	8.6	28.6	6.6	26.6	
	3.6	33.6	1.6	31.6	
	18.6		16.6		



316不锈钢,锁壳,锁芯,销轴.
Compression latch SUS316

	不锈钢 316 SUS 316	
锁芯类型 Cylinder Style	左开 Left open	右开 Right open
四方 7 Square 7mm	1427-047-316L	1427-047-316R
三角 8 Triangular 8mm	1427-038-316L	1427-038-316R

RLS
STAINLESS
SERIES





可选配件：Accessories ref. page#
1. 锁舌 见页面 9A-002
Cam ref. to page 9A-002

RLS

TAINLESS



SERIES



316不锈钢,锁壳,锁芯,销轴,
Comperssion latch SUS316


锁片款式 Camstyle	间距 Grip Range		锁头类型 Head Style					
	最小 Min	最大 Max	左开 Left open			右开 Right open		
			双翅型 5mm Double bit 5mm	三角锁芯 8mm Triangular 8mm	四方锁芯 7mm Square 7mm	双翅型 5mm Double bit 5mm	三角锁芯 8mm Triangular 8mm	四方锁芯 7mm Square 7mm
正向锁片 reversed cam	11.4	27.2	1427-015L-316L-15	1427-038L-316L-15	1427-047L-316L-15	1427-015L-316R-15	1427-038L-316R-15	1427-047L-316R-15
	25.4	41.1	1427-015L-316L-25	1427-038L-316L-25	1427-047L-316L-25	1427-015L-316R-25	1427-038L-316R-25	1427-047L-316R-25
直立锁片 straight cam	38.9	54.6	1427-015L-316L-35	1427-038L-316L-35	1427-047L-316L-35	1427-015L-316R-35	1427-038L-316R-35	1427-047L-316R-35
	52.6	68.3	1427-015L-316L-25	1427-038L-316L-25	1427-047L-316L-25	1427-015L-316R-25	1427-038L-316R-25	1427-047L-316R-25
反向锁片 offset cam	66.3	76.2	1427-015L-316L-15	1427-038L-316L-15	1427-047L-316L-15	1427-015L-316R-15	1427-038L-316R-15	1427-047L-316R-15

RL



锌合金
Zinc die, bright chrome




亮铬 Bright Chrome	1430-01-30
------------------	------------



锌合金
Zinc die, bright chrome


亮铬 Bright Chrome	1430-02-30
------------------	------------

RL




黑色尼龙 ABS black

	带锁芯 Key Locking	不带锁芯 Non-locking
不带取手 Latch only	1431-10-NP	1431-00-NP
拉手与锁舌平行 Pull tab in-line with latching Cam	1431-10	1431-00
拉手与锁舌垂直 Pull tab perpendicular to latching Cam	1431-10-V	1431-00-V




锁芯类型 Cylinder Style	锁壳GH=20 锌合金 Zinc die housing; GH=20
	镀镍 Nickel Plated
四方 7 带箭头 Square 7mm with arrow	1432-047-80
三角 6.5 Triangular 6.5mm	1432-036-80



锌合金基座、手柄；喷塑黑或电镀亮铬。镀锌钢栓。
Zinc die handle and housing black powder coated or bright chrome; zinc plated cam

麻面黑Black textured powder coated	亮铬 Bright chrome
1435-110-20	1435-110-30



RL



备注：内装弹簧，O型圈，带防震功能。
linnerspring,O-ring,with anti-vibration function.



RL IP65

NEW




可选配件：Accessories ref. page#
1. 锁舌 见页面 9A-001
Cam ref. to page 9A-001

RL IP65



锌合金基座、锁芯； 喷塑黑或电镀亮铬，镀锌钢栓和转轴。
Zinc die housing, cylinder; black powder coated or bright chrome ,m.s. zinc plated cam and shaft.




轴类型 Shaft style	锁舌款式 BH Cam Style BH	间距 Grip Range		锁芯类型 Cylinder Style								
		最小 Min	最大 Max	钥匙操纵型 Key Operated	双翅 3 Double Bit 3mm	三角 7 Triangular 7mm	三角 8 Triangular 8mm	四方 7 Square 7mm	四方 8 Square 8mm	一字槽型 Slotted recess	内六角 8 Hexagon female 8mm	外六角 10 Hexagon male 10mm
长轴 Long Shaft	正向 Reversed Cam	11.4	27.2	1436-20-L1510	1436-013-L1510	1436-037-L1510	1436-038-L1510	1436-047-L1510	1436-048-L1510	1436-05-L1510	1436-068-L1510	1436-060-L1510
		25.4	41.1	1436-20-L2510	1436-013-L2510	1436-037-L2510	1436-038-L2510	1436-047-L2510	1436-048-L2510	1436-05-L2510	1436-068-L2510	1436-060-L2510
	直立 Straight Cam	38.9	54.6	1436-20-L3510	1436-013-L3510	1436-037-L3510	1436-038-L3510	1436-047-L3510	1436-048-L3510	1436-05-L3510	1436-068-L3510	1436-060-L3510
		52.6	68.3	1436-20-L2510	1436-013-L2510	1436-037-L2510	1436-038-L2510	1436-047-L2510	1436-048-L2510	1436-05-L2510	1436-068-L2510	1436-060-L2510
	反向 Offset Cam	66.3	76.2	1436-20-L1510	1436-013-L1510	1436-037-L1510	1436-038-L1510	1436-047-L1510	1436-048-L1510	1436-05-L1510	1436-068-L1510	1436-060-L1510



锌合金基座、锁芯； 喷塑黑或电镀亮铬，镀锌钢栓和转轴。
Zinc die housing, cylinder; black powder coated or bright chrome ,m.s. zinc plated cam and shaft.

轴类型 Shaft style	锁舌款式 BH Cam Style BH	间距 Grip Range		锁芯类型 Cylinder Style			
		最小 Min	最大 Max	三角7 Triangular 7mm	三角8 Triangular 8mm	四方7 Square 7mm	四方8 Square 8mm
长轴 Long Shaft	正向 Reversed Cam	11.4	27.2	1436-0371-L1510	1436-0381-L1510	1436-0471-L1510	1436-0481-L1510
		25.4	41.1	1436-0371-L2510	1436-0381-L2510	1436-0471-L2510	1436-0481-L2510
	直立 Straight Cam	38.9	54.6	1436-0371-L3510	1436-0381-L3510	1436-0471-L3510	1436-0481-L3510
		52.6	68.3	1436-0371-L2510	1436-0381-L2510	1436-0471-L2510	1436-0481-L2510
	反向 Offset Cam	66.3	76.2	1436-0371-L1510	1436-0381-L1510	1436-0471-L1510	1436-0481-L1510




RL IP65




锌合金基座、锁芯； 喷塑黑或电镀亮铬，镀锌钢栓和转轴。
Zinc die housing cylinder; black powder coated or bright chrome ,m.s. zinc plated cam and shaft.

轴类型 Shaft style	锁芯类型 Cylinder Style	
短轴 Short shaft	三角7 Triangular 7mm	1436-0371-S10
	三角8 Triangular 8mm	1436-0381-S10
	四方7 Square 7mm	1436-0471-S10
	四方8 Square 8mm	1436-0481-S10

可选配件：Accessories ref. page#
1. 锁舌 见页面 9A-002
Cam ref. to page 9A-002






钥匙操纵型锁芯专用钥匙
For key operated
产品编号 (part#) : 9200-1422-80



锌合金基座、锁芯； 喷塑黑或电镀亮铬，镀锌钢栓和转轴。
Zinc die housing cylinder; black powder coated or bright chrome ,m.s. zinc plated cam and shaft.

轴类型 Shaft style	锁芯类型 Cylinder Style	
短轴 Short shaft	钥匙操纵型 Key operated	1436-20-S10
	双翅3 Double bit 3mm	1436-013-S10
	三角7 Triangular 7mm	1436-037-S10
	三角8 Triangular 8mm	1436-038-S10
	四方7 Square 7mm	1436-047-S10
	四方8 Square 8mm	1436-048-S10
	一字槽型 Slotted recess	1436-05-S10
	内六角8 Hex female 8mm	1436-068-S10
外六角10 Hex.male 10mm		1436-060-S10

RL IP65




可选配件：Accessories ref. page#
1. 锁舌 见页面 9A-002
Cam ref. to page 9A-002

RL




固定间距
Fixed grip range




短轴 Short shaft	锁头类型 Head Style	
	带锁芯 Key Locking	不带锁芯 Non-locking
	1437-110-S20	1437-100-S20

可调间距
Adjustable grip range



锌合金基座、锁芯；喷塑黑或电镀亮铬，镀锌钢栓和转轴。
Zinc die housing cylinder; black powder coated or bright chrome ,m.s. zinc plated cam and shaft.


轴类型 Shaft style	锁舌款式 BH Cam Style BH	间距 Grip Range		锁头类型 Head Style	
		最小 Min	最大 Max	带锁芯 Key Locking	不带锁芯 Non-locking
长轴 Long Shaft	正向 Reversed Cam	11.4	27.2	1437-110-L1520	1437-100-L1520
		25.4	41.1	1437-110-L2520	1437-100-L2520
	直立 Straight Cam	38.9	54.6	1437-110-L3520	1437-100-L3520
		52.6	68.3	1437-110-L2520	1437-100-L2520
	反向 Offset Cam	66.3	76.2	1437-110-L1520	1437-100-L1520



316不锈钢压紧锁，带弹簧密封圈
Compression latch SUS 316,with spring and seal

锁芯类型 Cylinder Style	不锈钢 316 SUS 316
四方8带点槽 Square 8mm with marking	1438-048-316
直槽2X4 2X4 Slot	1438-024-316
双翅3 Double Bit 3mm	1438-013-316
双翅5 Double Bit 5mm	1438-015-316

可选配件：Accessories ref. page#
1. 锁舌 见页面 9A-001
Cam ref. to page 9A-001



带箭头和红、绿双色标识的316不锈钢压紧锁，带弹簧和平垫圈
Compression latch with arrowhead and red-green marking SUS 316,with spring and flat seal


锁芯类型 Cylinder Style	不锈钢 316 SUS 316	
	左装 Left	右装 Right
四方8带点槽 Square 8mm with marking	1438-048S-316L	1438-048S-316R

可选配件：Accessories ref. page#
1. 锁舌 见页面 9A-001
Cam ref. to page 9A-001

RL




固定间距
Fixed grip range



锌合金基座、锁芯； 喷塑黑或电镀亮铬，镀锌钢栓和转轴。
Zinc die housing cylinder; Black powder coated or bright chrome ,M.S. zinc plated cam and shaft.

短轴 Short shaft	锁头类型 Head Style	
	带锁芯 Key Locking	不带锁芯 Non-locking
	1439-110-S20	1439-100-S20


可调间距
Adjustable grip range



锌合金基座、锁芯； 喷塑黑或电镀亮铬，镀锌钢栓和转轴。
Zinc die housing cylinder; black powder coated or bright chrome ,m.s. zinc plated cam and shaft.


轴类型 Shaft style	锁舌款式 BH Cam Style BH	间距 Grip Range		锁头类型 Head Style	
		最小 Min	最大 Max	带锁芯 Key Locking	不带锁芯 Non-locking
长轴 Long Shaft	正向 Reversed Cam	11.4	27.2	1439-110-L1520	1439-100-L1520
		25.4	41.1	1439-110-L2520	1439-100-L2520
	直立 Straight Cam	38.9	54.6	1439-110-L3520	1439-100-L3520
	反向 Offset Cam	52.6	68.3	1439-110-L2520	1439-100-L2520
		66.3	76.2	1439-110-L1520	1439-100-L1520

RL



锌合金锁体，喷塑或电镀亮铬，镀锌钢钢栓
Zinc die black powder coated or bright chrome zinc plated cam.

亮铬 Bright Chrome	1451-220-30
	1451-220-10
	1451-220-10










PA塑料锁体, 锌合金锁芯, 镀锌钢固定件。
PA lock body, zinc die insert, M.S. zinc plated mounting parts

1462-013-92	

RL IP65

NEW



锁芯 (选配)
Insert (optional)



双翅4mm
Double Bit 4mm



2×4直槽型
2×4 Slot



三角7mm
Triangular 7mm



三角8mm
Triangular 8mm



四方7mm
Square 7mm



四方8mm
Square 8mm

锌合金基座、手柄；喷塑黑或电镀亮铬。镀锌钢栓。
Zinc die handle and housing black powder coated or bright chrome; zinc plated cam.

锁芯类型 Insert type	亮铬 Bright Chrome	麻面黑 Black Textured Powder Coated
双翅4mm Double Bit 4mm	1465-014-30	1465-014-20
2×4直槽型2×4 Slot	1465-024-30	1465-024-20
三角7mm Triangular 7mm	1465-037-30	1465-037-20
三角8mm Triangular 8mm	1465-038-30	1465-038-20
四方7mm Square 7mm	1465-047-30	1465-047-20
四方8mm Square 8mm	1465-048-30	1465-048-20

可选配件 Accessories ref. to page #
1. 锁舌 见页面 9A-001
CAM ref. to page 9A-001