

DGC 7840

XL Steam combination oven for steam cooking, baking, roasting with wireless food probe + menu cooking.



- Large touch display with proximity sensor – M Touch + MotionReact
- Perfect results DualSteam technology
- Crispy outside, succulent inside combination cooking
- Miele@home network-enabled WiFi appliance + Mix & Match
- Easy cleaning PerfectClean stainless steel oven compartment

EAN: 4002516137184 / material number: 11103620	
Model and design	

Model and design	
Combi steam ovens	•
VitroLine	•
Appliance colour	Graphite grey
Convenience features	
Rapid heat-up	•
External steam generation	•
Oxygen sensor	•
Individual humidity settings in combination cooking	•
Menu cooking without transfer of taste	•
Mix & Match	•
Automatic programmes with programmable settings for cooking results	•
Keeping warm	•
Operating modes	
Defrosting	•
Country-specific automatic programmes	•
Combination cooking	•
Steam cooking	•
Reheat	•
Grill operating modes	•
Grill	•
Economy grill	•
Fan plus	•
Intensive bake	•
Cake plus	•
Conventional heat	•
Top heat	•
Bottom heat	•
Fan grill	•
Special applications	•
User convenience	
Display	M Touch
MultiLingua	•
MyMiele	•
Help function	•
Motorised fascia panel	•
Quantity-independent cooking	•
Steam cooking on up to 3 levels at the same time	•
Automatic menu cooking	•
Steam reduction before end of programme	•
Polyphonic buzzers	•
Timer functions	•
Time of day display	•
Date display	•
Minute minder	•
Actual temperature display	•
Recommended temperature	•
Sabbath programme	•
Individual settings	•

more information: http://www.miele.co.uk/domestic



DGC 7840

XL Steam combination oven for steam cooking, baking, roasting with wireless food probe + menu cooking.




Efficiency and sustainability	
Power rating in off mode in W	0.5
Cleaning convenience	
Stainless-steel oven compartment with linen-weave pattern PerfectClean finish	•
External steam generator	•
Floor heater for condensate reduction	•
Maintenance programmes	•
Soak programme	•
Rinse programme	•
Oven compartment drying programme	•
Quick-release side racks	•
Automatic descaling	•
CleanGlass door	•
Steam technology and water supply	
DualSteam	•
Fresh water container volume in I	1.4
Fresh water container behind motorised lift-up control panel with SoftClose	•
Condensate container behind motorised lift-up control panel with SoftClose	•
Drain filter	•
Safety	
Appliance cooling system and touch-cool fronts	•
Safety switch-off	•
System lock	•
Vapour cooling system	•
Technical data	
Oven compartment volume in I	48
No. of shelf levels	3
Numbered shelf levels	•
Door hinge	Bottom
Niche depth in mm	555
Appliance width in mm	595
Appliance height in mm	456
Weight in kg	39.7
Total rated load in kW	3.4
Voltage in V	230
Number of phases	1
Fuse rating in A	16
Standard accessories	
Perforated stainless steel cooking container	2
Solid stainless steel cooking containers	1

Míele

DGC 7840


XL Steam combination oven for steam cooking, baking, roasting with wireless food probe + menu cooking.






DG2840, DG7x40, DGC7x4x, DG7x6x, DGC7x6x, DGD7635, DGM7x4x, DO7, H28B/BP, H7x4xB/BM/BP, H7x6xB/BP, installation drawing

- 1) 400 mm 2) 360 mm 3) 47 mm 4) 24 mm 5) 32.5 mm




DG7x40, DGC7x4x, DGC7x6x, DG7635, DGM7x4x, DO7, H2860B/BP, H7240BM, H7x40BM, H7x4xB/BP, H7x6xB/BP, installation drawings

- 1) 400 mm 2) 360 mm 3) 47 mm 4) 27 mm 5) 32.5 mm



ESW7x20, installation drawings



ESW7x10, installation drawings


Míele

DGC 7840


XL Steam combination oven

for steam cooking, baking, roasting with wireless food probe + menu cooking.






DG7x4x, DGM7x4x, DGC7x4x, DGC7x4xX installation drawings




DGC7x4x, DGC7x4xX installation drawings



DGC7x40, installation drawings

- Front view
 Mains connection cable, L=2.000 mm
 Ventilation cut min. 180 cm²
 No connection in this area



DGC7x4x, DGC7x4x-55, DGC7xxx, installation drawings

