

Steam oven with microwave for healthy cooking & rapid heating-up with networking, menu cooking + M Touch.



- Large touch display with proximity sensor – M Touch + MotionReact
- Perfect results DualSteam technology
- Consistent and quick microwave results - Quick & Gentle
- Perfect results guaranteed every time - Automatic programmes
- Shorter cooking durations by combining steam with microwave power

EAN: 4002516166672 / material number: 11094500

Model and design	
Steam oven with microwave	•
PureLine	
a a a a a a a a a a a a a a a a a a a	Stainless steel/Clean Steel
Appliance colour	Stainless steel/Clean Steel
Convenience features	•
External steam generation	•
Menu cooking without transfer of taste Automatic programmes with programmable settings for	•
cooking results	•
Keeping warm	•
Operating modes	
Defrosting	•
Steam cooking	•
Sous-vide	•
Reheat	•
Microwave	•
Special applications	•
User convenience	
Display	M Touch
MultiLingua	•
MyMiele	
Help function	
•	
Popcorn function	•
Quantity-independent cooking	•
Steam cooking on up to 3 levels at the same time	•
Automatic menu cooking	•
Steam reduction before end of programme	•
Polyphonic buzzers	•
Time of day display	•
Date display	•
Minute minder	•
Actual temperature display	•
Recommended temperature	•
Quick microwave	•
User programmes	20
Individual settings	•
Efficiency and sustainability	
Power rating in off mode in W	0.5
Cleaning convenience	
Stainless steel front with CleanSteel finish	•
External steam generator	•
Floor heater for condensate reduction	•
Soak programme	•
Quick-release side racks	•
Automatic descaling	•
CleanGlass door	•
Steam technology and water supply	
DualSteam	•
Fresh water container volume in I	1.5
Removal of fresh water container with Push2release	
mechanism	•

more information: http://www.miele.co.uk/domestic



Steam oven with microwave for healthy cooking & rapid heating-up with networking, menu cooking + M Touch.




, ,	0,	0	
Safety			
Appliance coolin	g system and touch-cool f	ronts	•
Safety switch-off	f		•
System lock			•
Vapour cooling system			•
Technical data			
Oven compartm	ent volume in l		40
No. of shelf level	S		4
Door hinge			Bottom
Microwave powe	er levels in W		80/150/300/450/600/850/1 000
Niche depth in m	nm		550
Appliance width	in mm		595
Appliance height	t in mm		455
Weight in kg			30.7
Total rated load	in kW		3.3
Voltage in V			230
Number of phase	es		1
Fuse rating in A			16
Standard acces	ssories		
Perforated stain	ess steel cooking containe	er	2



Steam oven with microwave

for healthy cooking & rapid heating-up with networking, menu cooking + M Touch.






DG2840, DG7x40, DGC7x4x, DG7x6x, DGC7x6x, DGD7635, DGM7x4x, DO7, H28B/BP, H7x4xB/BM/BP, H7x6xB/BP, installation drawing


1) 400 mm 2) 360 mm 3) 47 mm 4) 24 mm 5) 32.5 mm






DG7x40, DGC7x4x, DGC7x6x, DG7635, DGM7x4x, DO7, H2860B/BP, H7240BM, H7x40BM, H7x4xB/BP, H7x6xB/BP, installation drawings

1) 400 mm 2) 360 mm 3) 47 mm 4) 27 mm 5) 32.5 mm





ESW7x20, installation drawings


ESW7x20, DG7xxx, DGM7xxx installation drawings




Steam oven with microwave

for healthy cooking & rapid heating-up with networking, menu cooking + M Touch.








ESW7x20, DGM7x4x installation drawings


Front view
Mains connection cable, L=2.000 mm
Ventilation cut min. 180 cm²
No connection in this area






ESW7x10, EVS7010, DG7x4x, DGM7x4x installation drawings


A) 22 mm glass, 23,3 mm stainless steel



ESW7x10, installation drawings

DG7x4x, DGM7x4x, DGC7x4x, DGC7x4xX installation drawings





DG7xxx, DGM7xxx, installation drawings


DG7x4x, DGM7x4x, installation drawings



Steam oven with microwave

for healthy cooking & rapid heating-up with networking, menu cooking + M Touch.





DG7x4x, DGM7x4x, DG7x4x-55, DGM7x4x-55, installation drawings

A 22 mm glass 23,3 mm metal