

Poly Studio X Family

This document covers the following Poly Studio X models:

- Poly Studio X30 (models P018 & P018NR)
- Poly Studio X50 (models P017 & P017NR)
- Poly Studio X52 (models P033 & P033NR)
- Poly Studio X70 (models P026 & P026NR)

Service Agreements

Please contact your Poly Authorized Reseller for information about service agreements applicable to your product.

Safety, Compliance, and Disposal Information

- This equipment is intended for indoor use only.
- This equipment is not intended to be directly connected to outdoor cables.
- Always disconnect the system from power and telecommunications networks before cleaning or servicing.
- In order to remove all power from this unit, disconnect the power supply mains cord.
- Do not spray liquids directly onto the system when cleaning. Always apply the liquid first to a staticfree cloth.
- Do not immerse the system in any liquids or place any liquids on it.
- Do not disassemble this system. To maintain the warranty on the system, a qualified technician must perform service or repair work.
- There are no user serviceable parts inside this product.
- Users must not service any parts in compartments that require a tool to access.
- This equipment should be used only on even surfaces.
- This product is intended to be powered by an external (LPS) power supply use only the type which is supplied with this product.
- Do not use a power cord that is damaged. This could cause fire or electric shock. Contact the manufacturer for a replacement cord, if necessary.
- Only use a power cord which is appropriately rated and approved relevant to the country of use.
- This system is considered to be a Pluggable Equipment Type A. The socket outlets must be installed near the equipment and be easily accessible.
- This equipment is not intended to be operated by children.
- When connecting to the mains supply, connect only to an earthed supply outlet.
- Keep ventilation openings free from any obstructions.

Plantronics, Inc.

 The ambient operating temperature rating of this equipment is 0 - 40°C and should not be exceeded.

Installation Instructions

Installation must be performed in accordance with all relevant national wiring rules.

L'Installation doit être exécutée conformément à tous les règlements nationaux applicable au filage électrique.

Plug Acts as Disconnect Device

The socket outlet to which this apparatus is connected must be installed near the equipment and must always be readily accessible.

USA

Part 15 FCC Rules

This device is compliant with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- This device may not cause harmful interference.
- This device must accept any interferences received, including interference that may cause undesired operation.

In accordance with part 15 of the FCC rules, the user is cautioned that any changes or modifications not expressly approved by Polycom Inc. could void the user's authority to operate the equipment.



This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.

Modifications

In accordance with Part 15 of the FCC Rules, the user is cautioned that any changes or modifications not expressly approved by Polycom, Inc. could void the user's authority to operate the equipment.

Radiation Exposure Statement

The antenna used for this transmitter must be installed to provide a separation distance of at least 20 centimeters from all persons and must not be co located or operating in conjunction with any other antenna or transmitter. This device with its antenna complies with FCC's RF radiation exposure limits set forth for an uncontrolled environment. To maintain compliance, this transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Canada

Industry Canada Statement

This device complies with RSS247 of the Industry Canada rules and also with ISED's license-exempt RSS regulations. Operation is subject to the two following conditions:

- (1) This device does not cause harmful interference.
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Le présent appareil est conforme aux CNR d' ISED applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) le dispositif ne doit pas produire de brouillage préjudiciable, et (2) ce dispositif doit accepter tout brouillage reçu, y compris un brouillage susceptible de provoquer un fonctionnement indésirable.

This device for operation in band 5150-5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems.

Cet appareil destiné à fonctionner dans la bande 5150-5250 MHz est uniquement destiné à une utilisation en intérieur afin de réduire le potentiel d'interférences nuisibles aux systèmes satellites mobiles cocanaux.

This Class [A] digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe [A] est conforme à la norme NMB-003 du Canada. Certification Number IC: 1849C-P017, 1849C-P018, and 1849C-P026

Radiation Exposure Statement:

This equipment complies with ISED radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with greater than 20cm between the radiator and your body.

Déclaration d'exposition aux radiations:

Cet équipement est conforme aux limites d'exposition aux rayonnements ISED établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé à plus de 20 cm entre le radiateur et votre corps.

FCC and Industry Canada Example Label

See an example of the Poly Studio X52 (P033) regulatory label below.

FCC ID: M72-P033

IC: 1849C-P033



Model: P033

Studio X52

Video Conference Equipment















電波法により5回4等は最内使用に振ります。




Made in Laos 2668-08416-402 Rev D EU Contact: HP Deutschland GmbH, HP HQ-TRE, 71025 Boeblingen, Germany UK Contact: HP Inc UK Ltd, Regulatory Enquiries, Earley West, 300 Thames Valley Park Drive, Reading, RG6 1PT



See an example of the Poly Studio X30 (P018) regulatory label below.

FCC ID: M72-P018



影音會議設備 ((()





:12 VDC===

Model/型號: P018

Poly Studio X30

Video Conference Equipment



This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.



この装置は、クラス Λ 情報技術装置です。この装置を家庭環境 で使用すると電波妨害を引き起こすことがあります。この場合に は使用者が適切な対策を講ずるよう要求されることがあります。 VCCI-A




UGCA

電波法により5GHz帯は屋内使用に限ります。

FCC ID: M72-P018 IC: 1849C-P018 CAN ICES-3 (A)/NMB-3(A)







Manufacturer/ 製造商: Polycom, Inc.

LBL: 2668-08416-300 REV B EU Contact: Scorplus 171 Hoofddorp, 2132 LR Netherlands 中國製造 Made in China

See an example of the Poly Studio X50 (P017) regulatory label below.

FCC ID: M72-P017 IC: 1849C-P017



See an example of the Poly Studio X70 (P026) regulatory label below.

FCC ID: M73-P026

IC: 1849C-P026



P:N "2201-87075-001"
S:N 822112506000FL
S:N 82 900800000

IMDA Standards DA101619

Manufacturer : Polycom, Inc. Made in Thalland 2668-08416-393 REV A

EU Contact: Plantronics BV, Scorpius 171, 2132 LR Hoofddorp, Netherlands Plantronics Ltd, 4 Foundation Park, Rosborough Way, Maldenhead, SL6 3UD, UK 夏 ② 12VDC ***



Model: P026NR Studio X70 Video Conference Equipment

s with part 15 of the FCC Rules. Operation is subject to the to , and (2) this device must accept any interference received, in





PIN "2201-87361-001"

S/N 8221125D6000FL

生产日期 知主义,集 DATE OF NWFR: 20210015

Manufacturer : Polycom, Inc.

2668-08416-400 REV A

Made in Thailand

EU Contact: Plantronics BV, Scorplus 171, 2132 LR Hoofddorp, Netherlands Plantronics Ltd, 4 Foundation Park, Roxborough Way, Maidenhead, SL6 3UD,UK





EEA

CE Mark

P017, P018, P026, and P033 are all marked with the CE mark. This mark indicates compliance with EU Radio Equipment Directive (RED) 2014/53/EU, RoHS Directive 2011/65/EU, and Commission Regulation 278/2009.

P017NR, P018NR, P026NR and P033NR are all marked with the CE mark. This indicates compliance with the EU EMC Directive (EMCD) 2014/30/EU, Low Voltage Directive (LVD) 2014/35/EU, RoHS Directive 2011/65/EU and Commission Regulation 278/2009.

A full copy of the Declaration of Conformity for each model can be obtained at www.poly.com/conformity

Poly Studio X Family Radio Operating Frequency

The frequency ranges in the following table apply to Poly Studio X30 (P017), Poly Studio X50 (P018), Poly Studio X70 (P026).and Poly Studio X52 (P033).

Radio Operating Frequency

Maximum Transmit Power							
Frequency Range	P017	P018	P026	P033			
2422 - 2480 MHz	Max EIRP [19.1]	Max EIRP [18.88]	Max EIRP [18.17]	Max EIRP [19.09]			
	dBm	dBm	dBm	dBm			
5150 – 5350 MHz	Max EIRP [19.93]	Max EIRP [20.06]	Max EIRP [20.31]	Max EIRP [19.85]			
	dBm	dBm	dBm	dBm			
5470 - 5725 MHz	Max EIRP [19.33]	Max EIRP [19.7]	Max EIRP [20.58]	Max EIRP [20.39]			
	dBm	dBm	dBm	dBm			

Japan

Models P017, P018, P026 and P033 devices are only approved to transmit indoors within the W52 and W53 bands for Japan:

- W52(5180MHz / 5200MHz / 5220MHz / 5240MHz)
- W53(5260MHz / 5280MHz / 5300MHz / 5320MHz)

VCCI A Statement

この装置は、クラスA機器です。この装置を住宅環境で使用すると電波妨害を引き起こすことがあります。この場合には使用者が適切な対策を講ずるよう要求されることがあります。 VCCI – A

This product can't be connected directly to the telecommunications circuits (or public wireless LANs) of any telecommunications carriers (e.g., mobile communications carriers, fixed communication carriers, or internet providers). To connect this product to the Internet, be sure to connect it via a router.

Taiwan

Taiwan RoHS table

	限用物質及其化學符號 Restricted substances and their chemical symbols						
單元 Unit	鉛 (Pb)	汞 (Hg)	鎘 (Cd)	六價鉻 (Cr ⁺⁶)	多溴聯 苯 (PBB)	多溴二 苯醚 (PBDE)	
金屬結構件 Metal Part	12%	0	0	О	0	0	
印刷電路板组件 Circuit Module		0	О	0	0	0	
外殼 Shell	0	0	0	0	O	0	
風扇裝置 Fan assembly	e	0	0	0	0	0	
擴展卡, ISDN 卡, 中央處理器, 硬盤 Riser card, ISDN card, CPU, Hard disk	=	0	0	0	0	О	
線材 Cable	=	0	0	0	0	0	
電源 Power Supply	, .	0	0	0	0	0	

備考 1: "超出 0.1 wt %"及 "超出 0.01 wt %"係指限用物質之百分比含量超出百分比含量基準值。

Note 1: "Exceeding 0.1 wt %" and "exceeding 0.01 wt %" indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

備考 2: *。" 係指該項限用物質之百分比含量未超出百分比含量基準值。

Note 2: "o" indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考 3: *- * 係指該項限用物質為排除項目。

Note 3: The "-" indicates that the restricted substance corresponds to the exemption.

Taiwan Class A Statement

警告使用者

這是甲類的質訊產品, 在居住的環境中使用時, 可能會造成射頻干擾, 在這種情況下, 使用者會被要求採取某些適當的對策。

Safety Statements

安全警語

- 1. "不得打開產品外殼,以免造成安全問題"或 "不要對本設備進行機械或電氣修改,以免造成安全問題"。
- 請勿任意拆裝設備。任何未經授權或認證人員之設備拆裝可能造成嚴重的安全問題。任何問題,請給您的銷售人員或經銷商尋求協助。
- 3. 除非安装手册或使用手册中提及,否则請勿嘗試維修您的設備。永遠遵守安装手册及使用手册的說明。

NCC Statements

低功率電波輻射性電視管理選供

第十、倫 辨型式复数合格之似功率和如压罐、干燥的电、公司、商品或使用者均不得的自要更新率、加力。 功率或變可原驗針之特性及功能。

第十四條 (5) 与不见规章概之使用不得影響能航安全及一提合法宣信,經發現在一環現象時,應立即停用。 並或者至與主接時方得經過使用。

前项台头通信。指依電信法規定作業之無總電通信。

低功率對抗電視頻為及合法通信級工業、軍學及香港川電復報射性電腦設備之工機。

供切率警击

"奶型犬般的合格之似功率在东西概,非婚许可,公司、函就或使用者这个得着自 變更對待,加大功益或變 可屬設計之特性及功能

"以为不审概之使用不得影響發統沒全效于複合法遺信,經發現在「浸現象時,應立即停用,並改善至無「 投時方省繼續使用,與現合法通信。指依审信法 規定生業之無線實電信,似功率射頻電機等必要合法電性 或工業、各學及醫療用電影響數件電機設備之重接。

South Korea

Korean Class A Statement

최급 기기 (업무용 방송통신기기) 이 기가는 업무용(A급)으로 선자파석합등록을 한 기가이오 나 판매자 또는 자용자는 이 집을 주의하시기 바라며, 가장의의 지역에서 자용하는 것을 목적으로 함止다.

이 장치는 이동전화. Wi if 또는 블루투스 장치 등 트선통한장치와 메우 근접한 장소에서 사용할 경우 오작동을 일으킬 가능성이 있습니다.

하당 무선질비는 선판혼선 가능성이 있으므로 인명인선과 관련된 처비스는 할 수 없음.

하당 무선질비는 5150×5250GHz 다역에서 실내에서만 사용할 수 있음.

China

CCC Class A Statement

警告

此为A級产品,在生活环境中,该产品可能会造成无线电干扰。在这种情况下,可能需要用户对于 抗采取切实可行的措施。

China RoHS table

	限用物質及其化學符號 Restricted substances and their chemical symbols						
單元 Unit	鉛 (Pb)	汞 (Hg)	鎘 (Cd)	六價鉻 (Cr ⁺⁶)	多溴聯 苯 (PBB)	多溴二 苯醚 (PBDE)	
金屬結構件 Metal Part	-	0	0	0	О	0	
印刷電路板组件 Circuit Module	_	0	0	0	0	0	
外殼 Shell	0	0	0	0	0	0	
攝像頭组件 (如含有) Camera Module (if contains)	-	0	0	0	0	0	
揚聲器 (如含有) Speaker (if contains)	_	0	0	0	0	0	
線材 Cable	-	0	0	0	0	0	
電源 Power Supply	-	0	0	0	0	0	
觸摸控製器 Touch Controller	-	0	0	0	0	0	

備考 1: "超出 0.1 wt %"及"超出 0.01 wt %"係指限用物質之百分比含量超出百分比含量基準值。

Note 1: "Exceeding 0.1 wt %" and "exceeding 0.01 wt %" indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

備考 2: ``○ " 係指該項限用物質之百分比含量未超出百分比含量基準值。

Note 2: "o" indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考 3: *- * 係指該項限用物質為排除項目。

Note 3: The "-" indicates that the restricted substance corresponds to the exemption.

Singapore

P017, P018, P026 and P033 all comply with the relevant IDA radio standards (IDA101619).

Mexico

IFETEL RF Statement

"La operación de este equipo está sujeta a las siguientes dos condiciones:

- (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y
- (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.

Brazil

Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.

Operating Ambient Temperatures

- Operating temperature: +32 to 104°F (0 to 40°C)
- Relative humidity: 5% to 95%, noncondensing
- Storage temperature: -40 to +160°F (-40 to +70°C)

Waste Electrical and Electronic Equipment (WEEE)



All Polycom products that fall within the scope of the EU WEEE Directive carry the crossed wheelie bin symbol which advises customers not to recycle electronic products in the domestic waste stream but to recycle them safely as e-waste.

Restriction of Hazardous Substances Directive (RoHS)

All Poly products comply with the requirements of the EU RoHS Directive. Statements of compliance can be obtained by contacting typeapproval@poly.com.

Environmental

For the latest environmental information including Networked Standby Efficiency, Battery use and disposal, take back RoHS and Reach, please visit https://www.poly.com/us/en/company/corporate-responsibility/environment.

End of Life Products

Poly encourages you to recycle your end-of-life Poly products in an environmentally considerate way. We recognize our Extended Producer Responsibility (EPR), in accordance with the requirements of the European Waste Electronic and Electrical Equipment (WEEE) Directive 2012/19/EU.

All Poly products are marked with the crossed wheelie bin symbol shown below. Products that carry this symbol should be not be disposed of in the household or general waste stream. Further recycling information and detail of the options open to you, including our voluntary free global recycling service to ISO 14001 standard can be found at: https://www.poly.com/WEEE.

The Poly Global Producer Responsibility Statement can be found in the Environment section of the Poly.com website.

Poly Take Back

In addition to any mandated take back requirement, Poly offers free recycling of its branded products to business users. Detailed information is available at www.poly.com/us/en/company/corporate-responsibility/environment.

Getting Help and Copyright Information

GETTING HELP

For more information about installing, configuring, and administering Poly products or services, go to the <u>Poly Online Support Center</u>.

© 2023 Poly. Bluetooth is a registered trademark of Bluetooth SIG, Inc. All other trademarks are the property of their respective owners.

Poly 345 Encinal Street Santa Cruz, California 95060