



Part of the Allegion Family of Brands.



GIÁ TRỊ TĂNG THEO THỜI GIAN

SMART DIGITAL DOOR LOCK CATALOG








A COMPANY THAT CREATES VALUE AND THE CUSTOMERS' HAPPINESS BASED ON ADVANCED TECHNOLOGY

Milre Systek is a digital doorlock company that has continuously secured original technologies since its foundation in 1991. Milre has led the digital doorlock market domestically and internationally with high quality and design competitiveness acquired through technology development ever since.





MILRE SYSTEK PRODUCT LINE-UP


MORTISE LOCKS

PRODUCTS IMAGE	MODEL NAME	SOLUTION	PRODUCT SIZE	PRODUCT COLOR
	MI-7800	4WAY	<ul style="list-style-type: none"> • OUTER : 88 (W) X 396 (H) X 40 (D)MM • INNER : 83.7 (W) X 373 (H) X 38.7 (D)MM • MORTISE LOCK : 105.4 (W) X 110 (H) X 25 (D)MM 	<ul style="list-style-type: none"> ● Warmgray ● Gold
	MI-6850	4WAY	<ul style="list-style-type: none"> • OUTER : 88.6 (W) X 331 (H) X 30 (D)MM • INNER : 82 (W) X 310 (H) X 33.7 (D)MM • MORTISE LOCK : 105.4 (W) X 110 (H) X 25 (D)MM 	<ul style="list-style-type: none"> ● Warmgray ● Gold
	MI-6450	3WAY	<ul style="list-style-type: none"> • OUTER : 88.6 (W) X 331 (H) X 30 (D)MM • INNER : 82 (W) X 310 (H) X 33.7 (D)MM • MORTISE LOCK : 105.4 (W) X 110 (H) X 25 (D)MM 	<ul style="list-style-type: none"> ● Warmgray ● Gold
	MI-6800	4WAY	<ul style="list-style-type: none"> • OUTER : 76 (W) X 306 (H) X 28 (D)MM • INNER : 71 (W) X 298.6 (H) X 30.7 (D)MM • MORTISE LOCK : 123 (W) X 109.5 (H) X 24.5 (D)MM 	<ul style="list-style-type: none"> ● Black ● Gold
	MI-6000	3WAY	<ul style="list-style-type: none"> • OUTER : 76 (W) X 306 (H) X 28 (D)MM • INNER : 71 (W) X 298.6 (H) X 30.7 (D)MM • MORTISE LOCK : 123 (W) X 109.5 (H) X 24.5 (D)MM 	<ul style="list-style-type: none"> ● Dark Gray ● Gold

RIM LOCKS

PRODUCTS IMAGE	MODEL NAME	SOLUTION	PRODUCT SIZE	PRODUCT COLOR
	MI-580	3WAY	<ul style="list-style-type: none"> • OUTER : 74 (W) X 184 (H) X 20.7 (D)MM • INNER : 160 (W) X 93 (H) X 37 (D)MM 	<ul style="list-style-type: none"> ● Black
	MI-480	2WAY	<ul style="list-style-type: none"> • OUTER : 72 (W) X 163.6 (H) X 18.8 (D)MM • INNER : 154 (W) X 93 (H) X 37 (D)mm 	<ul style="list-style-type: none"> ● Black

GLASS LOCK

PRODUCTS IMAGE	MODEL NAME	SOLUTION	PRODUCT SIZE	PRODUCT COLOR
	MI-260	2WAY	<ul style="list-style-type: none"> • OUTER : 72.4 (W) X 164.2 (H) X 20.4 (D)MM • INNER : 72.4 (W) X 164.2 (H) X 20.1 (D)MM 	<ul style="list-style-type: none"> ● Black



4WAY Method Fingerprint Push-Pull Door Lock

ADVANCED FINGERPRINT PUSH-PULL DOOR LOCK

MI-7800



SECRET CODE



SMART CARD
(TAG-KEY)



FINGERPRINT



EMERGENCY KEY

SHOW YOUR PRESTIGIOUS LIFESTYLE AND DIGNIFIED ELEGANCE.



* The image is to aid in understanding and may differ from the actual.

PUSH-PULL DOOR LOCK

PUSH-PULL HANDLE

Push-Pull Door Lock is a new concept door lock that can open a door in 1 step, quickly by simple push or pull of the handle while an existing door locks require to turn the handle to pull or push the door through 2 step.

FINGERPRINT SENSOR

AREA-TYPE FINGERPRINT SENSOR

Area touch(method) applied for high fingerprint recognition rate in any direction of 360°, ensuring security and safety excellence.

SMART AUTO SAFETY HANDLE

SAFETY HANDLE FUNCTION

Operation of the handle inside is restricted for preventing outside intrusion.



MODEL NAME	MI-7800
POWER	DC 6 VOLT (AA,LR6 Alkaline Battery 8ea / Minimum 4ea)
PRODUCT SIZE (W x H x D)	Outer : 88 (W) x 396 (H) x 40 (D)mm Inner : 83.7 (W) x 373 (H) x 38.7 (D)mm Mortise Lock : 105.4 (W) x 110 (H) x 25 (D)mm
PRODUCT MATERIAL	Aluminum Alloy Die-casting, PC(polycarbonate), PCABS(polycarbonate acrylonitrile butadiene styrene)
EXTERNAL EMERGENCY POWER	When the Battery is Completely Discharged, Use 9v Battery to Open the Door.
PRODUCT COLOR	● Warmgray ● Gold

* The function and design of the product may change without any prior notification for performance improvement.



4WAY Method Fingerprint Mortise Lock

HIGHER VALUE THAN JUST DIGITAL DOOR LOCK

MI-6850



SECRET CODE



SMART CARD
(TAG-KEY)



FINGERPRINT



EMERGENCY KEY

HIGH CLASS, EXPRESSING THE TRUE VALUE



* The image is to aid in understanding and may differ from the actual.



PANIC RELEASE HANDLE METHOD

HIGHLY RELIABLE MOTOR MORTISE LOCK METHOD

Escape when in emergency is easier as door opens with the motion of pulling down the handle.



FINGERPRINT SENSOR

AREA-TYPE FINGERPRINT SENSOR

Area touch(method) applied for high fingerprint recognition rate in any direction of 360°, ensuring security and safety excellence.



FIRE DETECTION SAFETY SYSTEM

HIGH HEAT DETECTION ALARM FUNCTION

The product will sound a loud alarm for safety when high heat (60°C±5°C) is detected and there is possibility of fire.



MODEL NAME	MI-6850
POWER	DC 6 VOLT (AA,LR6 Alkaline Battery 8ea / Minimum 4ea)
PRODUCT SIZE (W x H x D)	Outer : 88.6 (W) x 331 (H) x 30 (D)mm Inner : 82 (W) x 310 (H) x 33.7 (D)mm Mortise Lock : 105.4 (W) x 110 (H) x 25 (D)mm
PRODUCT MATERIAL	Aluminum Alloy Die-casting, PC(polycarbonate), PCABS(polycarbonate acrylonitrile butadiene styrene)
EXTERNAL EMERGENCY POWER	When the Battery is Completely Discharged, Use 9v Battery to Open the Door.
PRODUCT COLOR	● Warmgray ● Gold ● Bronze

* The function and design of the product may change without any prior notification for performance improvement.



3WAY Method Mortise Door Lock

HIGHER VALUE THAN JUST DIGITAL DOOR LOCK

MI-6450



SECRET CODE



SMART CARD
(TAG-KEY)



EMERGENCY KEY

HIGH CLASS, EXPRESSING THE TRUE VALUE



* The image is to aid in understanding and may differ from the actual.



PANIC RELEASE HANDLE METHOD

HIGHLY RELIABLE MOTOR MORTISE LOCK METHOD

Escape when in emergency is easier as door opens with the motion of pulling down the handle.



VOICE GUIDE FUNCTION

VOICE GUIDANCE VOLUME CONTROL IN 3 LEVELS

Voice guide (operation status, menu selection) and provide 3 step volume control system



FIRE DETECTION SAFETY SYSTEM

HIGH HEAT DETECTION ALARM FUNCTION

The product will sound a loud alarm for safety when high heat (60°C±5°C) is detected and there is possibility of fire.



MODEL NAME	MI-6450
POWER	DC 6 VOLT (AA,LR6 Alkaline Battery 8ea / Minimum 4ea)
PRODUCT SIZE (W x H x D)	Outer : 88.6 (W) x 331 (H) x 30 (D)mm Inner : 82 (W) x 310 (H) x 33.7 (D)mm Mortise Lock : 105.4 (W) x 110 (H) x 25 (D)mm
PRODUCT MATERIAL	Aluminum Alloy Die-casting, PC(polycarbonate), PCABS(polycarbonate acrylonitrile butadiene styrene)
EXTERNAL EMERGENCY POWER	When the Battery is Completely Discharged, Use 9v Battery to Open the Door.
PRODUCT COLOR	● Warmgray ● Gold ● Bronze

* The function and design of the product may change without any prior notification for performance improvement.



3WAY Method Mortise Door Lock
PREMIUM DIGITAL DOOR LOCK

MI-6000



SECRET CODE



SMART CARD
(TAG-KEY)



EMERGENCY KEY

HIGH CLASS, EXPRESSING THE TRUE VALUE



* The image is to aid in understanding and may differ from the actual.



PANIC RELEASE HANDLE METHOD

HIGHLY RELIABLE MECHANICAL MORTISE LOCK METHOD

Escape when in emergency is easier as door opens with the motion of pulling down the handle.



SMART CARD-KEY & TOUCHPAD

SMART CARD-KEY AND TOUCHPAD APPLICATION!

Through Smart Card-key and touchpad application, the use may be more speedy and convenient.



8 COLORS LED MOTION NOTIFICATION LAMP

LED LIGHT WITH 8 BEAUTIFUL COLORS

The Motion Notice is marked with 8 colors (red, orange, yellow, green, blue, navy, purple, white) of LED for easier motion notification status identification.



MODEL NAME	MI-6000
POWER	DC 6 VOLT (AA,LR6 Alkaline Battery 8ea / Minimum 4ea)
PRODUCT SIZE (W x H x D)	Outer : 76 (W) x 306 (H) x 28 (D)mm Inner : 71 (W) x 298.6 (H) x 30.7 (D)mm Mortise Lock : 123 (W) x 109.5 (H) x 24.5 (D)mm
PRODUCT MATERIAL	Aluminum Alloy Die-casting, PC(polycarbonate), PCABS(polycarbonate acrylonitrile butadiene styrene)
EXTERNAL EMERGENCY POWER	Aluminum Alloy Die-casting
PRODUCT COLOR	● Dark Gray ● Gold

* The function and design of the product may change without any prior notification for performance improvement.



4WAY Method Fingerprint Mortise Lock
PREMIUM LUXURIOUS DIGITAL DOOR LOCK

MI-6800



SECRET CODE



SMART CARD
(TAG-KEY)



FINGERPRINT



EMERGENCY KEY

HIGH CLASS, EXPRESSING THE TRUE VALUE



* The image is to aid in understanding and may differ from the actual.



PANIC RELEASE HANDLE METHOD

HIGHLY RELIABLE MECHANICAL MORTISE LOCK METHOD

Escape when in emergency is easier as door opens with the motion of pulling down the handle.



FINGERPRINT SENSOR

AREA-TYPE FINGERPRINT SENSOR

Area touch(method) applied for high fingerprint recognition rate in any direction of 360°, ensuring security and safety excellence.



REAL-TIME DOOR LOCK STATUS NOTIFICATION FUNCTION

GUI ICONS THAT CAN BE UNDERSTOOD INTUITIVELY

It may be more convenient of use due to more comprehensible marks of Unlocked & Locked (Closed) and Low Battery.



MODEL NAME	MI-6800
POWER	DC 6 VOLT (AA,LR6 Alkaline Battery 8ea / Minimum 4ea)
PRODUCT SIZE (W x H x D)	Outer : 76 (W) x 306 (H) x 28 (D)mm Inner : 71 (W) x 298.6 (H) x 30.7 (D)mm Mortise Lock : 123 (W) x 109.5 (H) x 24.5 (D)mm
PRODUCT MATERIAL	Aluminum Alloy Die-casting, PC(polycarbonate), PCABS(polycarbonate acrylonitrile butadiene styrene)
EXTERNAL EMERGENCY POWER	When the Battery is Completely Discharged, Use 9v Battery to Open the Door.
PRODUCT COLOR	● Black ● Gold

* The function and design of the product may change without any prior notification for performance improvement.



3WAY Method Fingerprint Rim Lock
ADVANCED FINGERPRINT DIGITAL DOOR LOCK

MI-580



SECRET CODE



SMART CARD
(TAG-KEY)



FINGERPRINT

TOGETHER WITH SAFETY AND CONVENIENCE, VALUE OF NEW LIFESTYLE IS MADE.



* The image is to aid in understanding and may differ from the actual.



FINGERPRINT SENSOR

AREA-TYPE FINGERPRINT SENSOR

Area touch(method) applied for high fingerprint recognition rate in any direction of 360°, ensuring security and safety excellence.



VOICE GUIDE FUNCTION

VOICE GUIDANCE VOLUME CONTROL IN 3 LEVELS

Voice guide (operation status, menu selection) and provide 3 step volume control system



FIRE DETECTION SAFETY SYSTEM

HIGH HEAT DETECTION ALARM FUNCTION

The product will sound a loud alarm for safety when high heat (60°C±5°C) is detected and there is possibility of fire.



MODEL NAME	MI-580
POWER	DC 6 VOLT (AA,LR6 Alkaline Battery 4ea)
PRODUCT SIZE (W x H x D)	Outer : 74 (W) x 184 (H) x 20.7 (D)mm Inner : 160 (W) x 93 (H) x 37 (D)mm
PRODUCT MATERIAL	Aluminum Alloy Die-casting, PC(polycarbonate), PCABS(polycarbonate acrylonitrile butadiene styrene)
EXTERNAL EMERGENCY POWER	When the Battery is Completely Discharged, Use 9v Battery to Open the Door.
PRODUCT COLOR	● Black

* The function and design of the product may change without any prior notification for performance improvement.



2WAY Method Rim Lock
STANDARD OF RIM-LOCK

MI-480



SECRET CODE



SMART CARD
(TAG-KEY)

TOGETHER WITH SAFETY AND CONVENIENCE, VALUE OF NEW LIFESTYLE IS MADE.



* The image is to aid in understanding and may differ from the actual.



REAL-TIME DOOR LOCK STATUS NOTIFICATION FUNCTION

GUI ICONS THAT CAN BE UNDERSTOOD INTUITIVELY

It may be more convenient of use due to more comprehensible marks of Unlocked & Locked (Closed) and Low Battery.



NORMAL MODE & SAFETY MODE

SAFETY MODE WITH A PROTECTED MANAGER FUNCTION

Individual management for multiple cards in Safety mode


- Normal mode : Easy to use for normal user
- Safety Mode : High security mode with manager function added, provides individual register and delete function which is not provided in normal mode.



GUEST SECRET CODE (TEMPORARY USE)

TEMPORARY SECRET CODE FOR GUEST

The Guest Secret Code is a one-time usage password that is automatically deleted after it has been used. It can be set in 6 to 12 digits in Safety Mode, and it can be utilized in situations that require special security functions such as when a guest makes a temporary visit.



MODEL NAME	MI-480
POWER	DC 6 VOLT (AA,LR6 Alkaline Battery 4ea)
PRODUCT SIZE (W x H x D)	Outer : 72 (W) x 163.6 (H) x 18.8 (D)mm Inner : 154 (W) x 93 (H) x 37 (D)mm
PRODUCT MATERIAL	Aluminum Alloy Die-casting, PC(polycarbonate), PCABS(polycarbonate acrylonitrile butadiene styrene)
EXTERNAL EMERGENCY POWER	When the Battery is Completely Discharged, Use 9v Battery to Open the Door.
PRODUCT COLOR	● Black

* The function and design of the product may change without any prior notification for performance improvement.



2WAY Method Glass Door Lock
STANDARD OF GLASS DOOR LOCK

MI-260



SECRET CODE



SMART CARD
(TAG-KEY)

ADDING SAFETY TO SENSIBLE DESIGN!




* The image is to aid in understanding and may differ from the actual.



ILLEGAL TRESPASSING PREVENTIVE SYSTEM FUNCTION

STRONG SECURITY AND RELIABILITY

Separable knob structure provides perfect security function when external trespassing occur using wire string.



LEFT-RIGHT AUTOMATIC SYSTEM FUNCTION

LEFT/RIGHT-HANDED AUTOMATIC IDENTIFICATION SYSTEM

Installability UP through Left/Right-handed Automatic Identification System Function.

With no separate disassembling work, both left and right-handed installment is convenient.



REAL-TIME DOOR LOCK STATUS NOTIFICATION FUNCTION

GUI ICONS THAT CAN BE UNDERSTOOD INTUITIVELY

It may be more convenient of use due to more comprehensible marks of Unlocked & Locked (Closed) and Low Battery.



* Striker : Separate Purchase

MODEL NAME	MI-260	
POWER	DC 6 VOLT (AA.LR6 Alkaline Battery 4ea)	
PRODUCT SIZE (W x H x D)	Main	Outer : 72.4 (W) x 164.2 (H) x 20.4 (D)mm Inner : 72.4 (W) x 164.2 (H) x 20.1 (D)mm
	Striker	Outer : 35.2 (W) x 161.2 (H) x 17.4 (D)mm Inner : 35.2 (W) x 161.2 (H) x 37.2 (D)mm
PRODUCT MATERIAL	Aluminum Alloy Die-casting, PC(polycarbonate), PCABS(polycarbonate acrylonitrile butadiene styrene)	
EXTERNAL EMERGENCY POWER	When the Battery is Completely Discharged, Use 9v Battery to Open the Door.	
PRODUCT COLOR	● Black	

* The function and design of the product may change without any prior notification for performance improvement.

About Allegion™

Allegion (NYSE: ALLE) is a global pioneer in the field of safety and security . We keep people and their property safe, wherever they are, bringing together simple solutions and advanced technology. Allegion is a \$2 billion company, with products sold in almost 130 countries.

For more, visit www.allegion.com.

Briton ■ LCN ■ *Milre* ■ **SCHLAGE** ■ VON DUPRIN

