

THE SLABS

MAXIMUS
MEGA SLAB

THE SLABS

RAK
CERAMICS

CONTENTS

MARBLE32

- AMANI MARBLE 152
- BLACK BEAUTY 155
- BRECCIA ADIGE 156
- BAHIA WAVE 157
- BLU DEL BELGIO 158
- CALACATTA AFRICA 160
- CALACATTA GOLD 161
- CALACATTA EXTRA 162
- CALACATTA VERDE 163
- CLASSIC CARRARA GREY 164
- CLASSIC CARRARA HYPER WHITE 165
- CLASSIC NEW MARFIL 166
- DARK INK 167
- ELLE MARBLE 168
- ELEGANT MARFIL 170
- IRISH XL 171
- MEDICEA MARBLE 172
- ONYX CANVAS 174
- PANDA MARBLE 173
- PREZIOSI 176
- RAIN MARBLE 180
- SAWYER 182
- SMERALDO 183
- STATUARIO CONTINUO 184
- TAJ MAHAL 185
- THASSOS 186
- URBAN MARBLE 187
- VERSILIA MARBLE 188
- VERDE ALPI 189

LUCE82

LUCE 190

CONCRETE92

- BASIC CONCRETE XL 192
- CONCRETE PROJECT 192
- REVIVE CONCRETE XL 194
- SURFACE XL 195
- TOKYO CONCRETE 193

METAL & RESIN106

- COSMIC METAL 196
- ICON METAL 197
- METAMORFOSI 198

STONE120

- CEPPO DI GRE’ 204
- FLAG STONE XL 205
- MILANO STONE 206
- NEW TRAVERTINO 207
- PECE STONE 208

OTHERS138

- MERMAID 210
- UNI 211



RAK CERAMICS

Focused on ceramics' expertise

RAK Ceramics is one of the largest ceramics' brands in the world. Specialising in ceramic and gres porcelain wall and floor tiles and sanitaryware, the company has the capacity to produce 123 million square metres of tiles and 5 million pieces of sanitaryware per year at its state-of-the-art plants across the United Arab Emirates, India and Bangladesh.

Founded in 1989 and headquartered in the United Arab Emirates, RAK Ceramics serves clients in more than 150 countries through network of operational hubs its in Europe, Middle East and North Africa, Asia, North and South America and Australia. Across global operations the company employs approximately 12,000 staff from more than 40 nationalities. RAK Ceramics is a publicly listed company on the Abu Dhabi Securities Exchange in the United Arab Emirates and as a group has an annual turnover of approximately US\$1 billion.

Forged in the mountains of Ras Al Khaimah


RAK Ceramics was established in Ras Al Khaimah in 1989 by H.H. Sheikh Saud Bin Saqr Al Qasimi, member of the Supreme Council and Ruler of Ras Al Khaimah, who aspired to have the best machinery, latest technology, and to produce the best products possible for sale in the world.

Now under the vision and leadership of Sheikh Khalid Bin Saud Al Qasimi, Chairman of RAK Ceramics, the company has enjoyed rapid growth becoming an industry leader in just 30 years.





Innotech - RAK Ceramics lab



Innovation is the heart of RAK Ceramics philosophy and the company is a pioneer in introducing hi-tech innovations that are a breakthrough in the industry and a world leader in the production of ceramic and porcelain tiles ideal for use of indoor and outdoor spaces for wall and floor coverings for residential, retail and industrial projects.

A wide range of technologies are used at the state-of-the-art plants including big slabs pressing technology, advanced digital printing technology for industrial decoration and effects, translucent, double and triple charged feeding systems, digital soluble salts, thermal resistant komfy glaze, slim, anti-microbial, glow in the dark, and other advanced technologies.

RAK Ceramics is known for the wide product range and size range and for its ability to produce bespoke ranges for both small and large scale projects, enabling its clients to bring their idea to life.

INNOTECH - RAK CERAMICS LAB



The antibacterial revolution



Antislip surfaces for indoor and outdoor application



Technical and versatile surfaces suitable for any kind of usage



Heat adaptive technology on porcelain tiles



3D texture, surfaces, colours in unique materials

INNOTECH - RAK CERAMICS LAB



Environmentally sustainable surfaces




Extra matt, zero gloss surfaces



Porcelain tile that is as real as natural marble



Backlighting high tech




High definition structures using digital technology

We play our role for a better environment and society

Sustainability in every sphere of business is one of the main elements of RAK Ceramics mission statement. The company is committed to practicing environmental stewardship throughout its manufacturing chain – from product design and efficient operations processes – and to playing an active role in building a better community by enhancing the surrounding environment. Organization's activities improve energy efficiency, reduce pollution, enhance biodiversity and improve the quality of life for both people in the communities it operates in and for its workforce. It recycles natural raw materials to help conserve natural resources and adopts clean development mechanism (cdm) projects to reduce carbon emissions during the manufacturing process.

RAK Ceramics is the first ceramics manufacturing company in its region to produce a global reporting initiative (gri) sustainability and corporate social responsibility (csr) report, based on the latest gri-gr4 guidelines. RAK Ceramics is a founding member of Emirates Green Building Council, which supports the development of sustainable buildings in the UAE.





Quality makes us different

RAK Ceramics was the first company in United Arab Emirates being awarded with ISO 9001 certification by internationally recognized UK certification body "CICS" (Ceramic Research Institute Certification Scheme) for ceramics tiles and sanitary wares. Bureau Veritas Certifications verified the implementation of RAK Ceramics' quality management system and certified the company in compliance with the requirements of ISO 9001:2015 with the scope covering the design, development, production and supply of ceramics and porcelain floor and wall tiles, slabs and vitreous china sanitary wares.

Bureau Veritas Certifications also certified RAK Ceramics for ISO 14001:2015 Environmental Management System.

RAK Ceramics manufactures ceramic tiles according to the latest version of ISO 13006 and/or EN 1441 standards with equivalent ANSI A137.1 American national standard specifications for ceramics tiles.

Its Testing Laboratory is operating in accordance to ISO/IEC 17025 accredited by NATA (National Association of Testing Authorities, Australia).


Being a corporate member of EGBC (Emirates Green Building Council), RAK Ceramics supports the promotion and development of sustainable buildings in United Arab Emirates.

The world's leading ceramics lifestyle solution provider

RAK Ceramics helps architects and interior designers create icons and build marvels. It provides sustainable materials that inspire ideas, shapes and hues designed to freely express any style. Unique and inspiring products that realistically resemble natural materials, with unlimited choice.

RAK Ceramics gives porcelain perfection and limitless imagination. Its passion and expertise combined with a careful attention to details enables it to provide designers and end users with a wide range of integrated ceramics solutions, allowing their freedom to be creative and plenty of room for imagination.










A track record of expertise

RAK Ceramics' products feature in some of the most iconic buildings in the world. From the Burj Al Arab, Atlantis on The Palm and Ferrari World, to Dubai Duty Free, Wembley Stadium, The O2 Arena, Mercedes Benz Showrooms, Airports, Residential Developments and Shopping Malls all over the world.

The design possibilities are endless.

Imagine a tiled space with virtually no grout lines.
Imagine limitless possibilities for your surfaces and unparalleled flexibility for any kind of applications.
Maximus is available in 3 thicknesses and a wide range of finishes and sizes.
Heat resistant, recyclable, light weight, durable and easy to clean.
Maximus is the best answer to the most challenging architectural and interior design needs.



High performance sintered slabs

Versatile and simply beautiful, the Maximus slab revolutionizes the design and architecture world by opening up new perspectives in tiles application that were previously unimaginable.

All the continuous surfaces are designed for any type of application: floor and walls, cladding, furnishing, countertops and provide creative flexibility and high technical and aesthetic performances.

WALLS AND FACADE

FURNITURE

FLOOR



Wall

The best solution to create astonishing vertical surfaces like living, kitchen walls, bathroom and all the other walls. Maximus gives all your rooms a great personality and allows you to freely express your style.



Floor

Maximus has created a world where big is beautiful - with visually expanded spaces and fewer design interruptions. The application on the floor is the best way to appreciate its endless possibilities, exhibiting incredible aesthetic appeal and high resistance to stress.



Furniture

The best answer to a big trend. Maximus is ideal for dressing up modern spaces and covering doors, tables, kitchen doors or living room furniture. Choose your favorite decorating style in order to create a coordinated environment. Marble, metal, stone and concrete become part of the interior design without any compromise.




Facade: Surface XL

Façade

The technical performances of the gigantic sized Maximus slabs are the perfect solution for the external cladding of buildings. High resistance, light weight, easy to install and maintain, with a high aesthetic and energy value that enhance the building industry.

AMANI MARBLE 152
BLACK BEAUTY 155
BRECCIA ADIGE 156
BAHIA WAVE 157
BLU DEL BELGIO 158
CALACATTA AFRICA 160
CALACATTA GOLD 161
CALACATTA EXTRA 162
CALACATTA VERDE 163
CLASSIC CARRARA GREY 164
CLASSIC CARRARA HYPER WHITE 165
CLASSIC NEW MARFIL 166
DARK INK 167
ELLE MARBLE 168
ELEGANT MARFIL 170
IRISH XL 171
MEDICEA MARBLE 172
ONYX CANVAS 174
PANDA MARBLE 173
PREZIOSI 176
RAIN MARBLE 180
SAWYER 182
SMERALDO 183
STATUARIO CONTINUO 184
TAJ MAHAL 185
THASSOS 186
URBAN MARBLE 187
VERSILIA MARBLE 188
VERDE ALPI 189

MARBLE





MARBLE

A wide and varied range of collections inspired by the elegance of marble to offer hundreds of solutions for residential areas, hospitality industry and business places. Revised classy marble and granite patterns displaying elegant veins which remodel walls, floors, countertops and furniture, creating sophisticated ambiances. Maximus marble collections are the epitome of luxury and sophistication. Also available in the trendy Open Book effect in a huge range of sizes, thicknesses and design solutions.



Wall and Floor: Calacatta Verde



Wall: Dark Ink Black 120x260 cm
Floor: Dark Ink White 120x120cm



Wall and Floor: Black Beauty



Wall and Floor: Versilia Marble White
Kitchen Top: Versilia Marble Hyper White
Furniture: Versilia Marble Hyper White and Uni Black



Counter: Onyx Canvas Ivory
Wall: Onyx Canvas Black
Floor: Revive Concrete XL



Counter: Irish XI Green
Wall: Irish XI Green



Wall: Verde alpi green
Floor: Versilia marble white
Counter Wall: Versilia marble white



Floor: Amani Marble Dark Grey




Wall: Rain Marble White (Open Book Effect)



Wall: Medicea Marble White
Floor: Revive Concrete XL Concrete Grey
Kitchen Top: Medicea Marble Hyper White
Table Top: Medicea Marble Hyper White



Wall: Medicea Marble White
Floor: Revive Concrete XL Concrete Grey
Kitchen Top: Medicea Marble Hyper White
Table Top: Medicea Marble Hyper White





Wall: Preziosi Plum



Wall: Preziosi Rock



Wall: Preziosi Deep Blue



Wall and Counter Wall: New Travertino Ivory
Floor: Amani Marble Brown





Furniture: Bahia Wave Blue



Wall: Medicea Marble



Wall and Floor: Smeraldo Green



Wall: Calacatta Africa White



Wall and Counter: Panda Marble White



Wall: Calacatta Gold White



Wall: Urban Marble Ormate



Wall: Blu Del Belgio Blue (open book effect)



Wall: Calacatta Extra White



Table: Breccia Adige Grey
Floor: Uni Ivory



Wall: Classic Carrara Grey (open book effect)
Floor: Amani Marble Dark Grey
Counter: Classic Carrara Grey



Wall: Sawyer Green



Wall: Blu Del Belgio Blue
 Floor: Blu Del Belgio Clay



Wall: Thassos White

LUCE 190






LUCE

Light becomes a design tool in the hands of the designer and through elegant surfaces contributes to enrich special environments, making them magical.

This is what makes the new Maximus Luce slabs a stunning centerpiece for your design concept and amaze when enhanced with backlighting technology. An absolute novelty that will inspire your creativity.

Hotels, restaurants, offices, shops and sophisticated residential environments.

Light up your projects with Maximus Luce.





Wall: Luce Onyx Green Jade



Wall and Counter: Luce Onyx Arco Red



Wall: Luce Marble White

BASIC CONCRETE XL 192
CONCRETE PROJECT 192
REVIVE CONCRETE XL 194
SURFACE XL 195
TOKYO CONCRETE 193

CONCRETE






CONCRETE

Maximus' concrete collections make a powerful statement with their sheer simplicity. No fuss, just pure perfection. Packed full of contemporary style, the concrete-effect big slabs are the ideal choice for creating a minimalist look and feel.

Applied on furniture or indoor and outdoor cladding, the Maximus solutions are strikingly bold and beautiful, inspired by the simplicity and strength of industrial concrete.



Wall: Concrete Project Grey



Wall: Revive Concrete XL Active White
Floor: Revive Concrete XL Concrete Grey



Wall and Floor: Basic Concrete XL Dark Grey



Wall: Tokyo Concrete
Floor: Revive Concrete XL Active White




Wall and Wash Basin: Surface XL Cool Grey



Façade: Surface XL Cool Grey

COSMIC METAL 196
ICON METAL 197
METAMORFOSI 198


METAL & RESIN





METAL & RESIN

Maximus celebrates the dramatic effects and contrasting colours created during the ageing process of raw metal. With a bold and arresting appearance, the Metal collection is perfect for urban and industrial settings and is suitable for indoor and outdoor applications.



Wall: Cosmic Metal Emerald



Wall and Floor: Icon Metal Light Grey



Wall: Metamorfosi Cord, Metamorfosi Flowers Blue Decor
 Counter Wall And Table Top: Metamorfosi Dusk
 Floor: Metamorfosi Cloud





Wall: Metamorfosi Dusk, Midnight and Metamorfosi Ibisco Decor
Floor: Metamorfosi Cord



Wall: Metamorfosi Grape
Floor: Metamorfosi Cotton



Wall: Metamorfosi Olive and Metamorfosi Jungle Decor
Floor: Metamorfosi Cord

CEPPO DI GRE' 204
FLAG STONE XL 205
MILANO STONE 206
NEW TRAVERTINO 207
PECE STONE 208

STONE





STONE

Maximus reinterprets the ancestral charm of stone and transforms it in one of the most favourite material in contemporary architecture.

Solid, durable and extremely versatile.

Maximus stones can be applied both indoors and out, and are designed to interpret both more minimalist tastes as well as the more refined and stylish ones.




Wall and Floor: Milano Stone Grey



Wall: Ceppo Di Gre' Mid Grey
Floor and Counter: Ceppo Di Gre' Light Grey



Wall and Floor: Pece Stone Brown



Furniture: New Travertino Grey

Wall: Flag Stone XL Grey



Wall: New Travertino Ivory
Floor: Surface XL Cool Grey



Wall and Floor: Flüg-Stone-XI Dark Grey



Wall: New Travertino Grey
Floor: New Travertino Ivory
Kitchen Top: New Travertino Grey

MERMAID 210
UNI 211

OTHERS





Shelves and Wall: Uni Dark Black
Floor and Furniture: Uni Hyper white
Backsplash: Uni Dark Black



Wall: Uni Hyper White
Floor: Uni Dark Grey



Wall and Floor: Uni Dark Black
Counter : Uni Dark Black



Wall and Floor: Versilia Marble
Furniture: Uni Dark Black
Countertop: Versilia Marble



Wall: Classic Flurry
Counter: Uni Ivory



Facade: Uni Hyper White and Uni Dark Black



Wall: Mermaid Blue and Flag Stone XL Dark Grey

PRODUCTS

AMANI MARBLE

Porcelain Tiles
Polished / Honed

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 6 mm

120x260 cm

47.24"x102.36"

>|< 9 mm

120x240 cm

47.24"x94.48"

>|< 9 mm

120x120 cm

47.24"x47.24"

>|< 9 mm

80x160 cm *


31.49"x63"






amani marble light grey

amani marble light grey variations
120x280, 120x260 and 120x240



amani marble light grey variations
120x120



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)
AMABI MARBLE LIGHT GREY	120x280 / 47.24"x110.23"	9	A82GAMMB-LIG.N0X5P	-
	120x260 / 47.24"x102.36"	6	A62GAMMB-LIG.N0X6P	A62GAMMB-LIG.O0X6P
	120x240 / 47.24 "x94.5"	9	AGB46AMMBLIGZHSC3P	-
	120x120 / 47.24"x47.24"	9	A22GAMMB-LIG.N0X5P	-
	80x160 / 31.49"x63"	9	AGB86AMMBLIGZHSC3P	-

Porcelain Tiles
Polished / Honed

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 6 mm

120x260 cm

47.24"x102.36"

>|< 9 mm

120x240 cm

47.24"x94.48"

>|< 9 mm

120x120 cm

47.24"x47.24"

>|< 9 mm


80x160 cm *

31.49"x63"




amani marble dark grey

amani marble dark grey variations
120x280, 120x260 and 120x240



amani marble dark grey variations
120x120



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)
AMABI MARBLE DARK GREY	120x280 / 47.24"x110.23"	9	A82GAMMB-DKG.N0X5P	-
	120x260 / 47.24"x102.36"	6	A62GAMMB-DKG.N0X6P	A62GAMMB-DKG.O0X6P
	120x240 / 47.24 "x94.5"	9	AGB46AMMBDKGZHSC3P	-
	120x120 / 47.24"x47.24"	9	A22GAMMB-DKG.N0X5P	-
	80x160 / 31.49"x63"	9	AGB86AMMBDKGZHSC3P	-

* sizes obtained by press productions

AMANI MARBLE

Porcelain Tiles
Polished

>|< 9 mm

120x240 cm
47.24"x94.48"


>|< 9 mm

120x120 cm
47.24"x47.24"




amani marble brown

amani marble brown variations
120x240



amani marble brown variations
120x120



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
AMABI MARBLE BROWN	120x240 / 47.24 "x94.5"	9	AGB46AMMBBRNZHSC3P
	120x120 / 47.24"x47.24"	9	A22GAMMB-BRN.N0X5P

BLACK BEAUTY

Porcelain Tiles
Polished

>|< 9 mm

120x280 cm
47.24"x110.23"

>|< 6 mm

120x260 cm
47.24"x102.36"

>|< 9 mm

120x240 cm
47.24"x94.48"

>|< 9 mm

120x120 cm
47.24"x47.24"



black beauty

black beauty variations
120x260 and 120x240



black beauty variations
120x120



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
BLACK BEAUTY	120x280 / 47.24"x110.23"	9	A82GBBKB-BLK.N0X5P
	120x260 / 47.24"x102.36"	6	A62GBBKB-NEO.N0X6P
	120x240 / 47.24 "x94.5"	9	AGB46BBKBNEOZHSC3P
	120x120 / 47.24"x47.24"	9	A22GBBKB-NEO.N0X5P

BRECCIA ADIGE

Porcelain Tiles
Polished / Honed

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 6 mm

120x260 cm

47.24"x102.36"

>|< 9 mm

120x120 cm

47.24"x47.24"



breccia adige grey

breccia adige grey variations
120x280 and 120x260



breccia adige grey variations
120x120



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)
BRECCIA ADIGE GREY	120x280 / 47.24"x110.23"	9	A82GBRAE-GRY.N0X5P	A82GBRAE-GRY.O0X5P
	120x260 / 47.24"x102.36"	6	A62GBRAE-GRY.N0X6P	A62GBRAE-GRY.O0X6P
	120x120 / 47.24"x47.24"	9	A22GBRAD-GRY.N0X5P	-

BAHIA WAVE

Porcelain Tiles
Polished

>|< 6 mm

120x260 cm

47.24"x102.36"

>|< 9 mm

120x240 cm

47.24"x94.48"

>|< 9 mm

120x120 cm

47.24"x47.24"




bahia wave blue

bahia wave blue variations
120x260 and 120x240



bahia wave blue variations
120x120



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
BAHIA WAVE BLUE	120x260 / 47.24"x102.36"	6	A62GBHWE-BLE.N0X6P
	120x240 / 47.24 "x94.5"	9	AGB46BHWEBLEZHSC3P
	120x120 / 47.24"x47.24"	9	A22GBHWE-BLE.N0X5P

BLU DEL BELGIO

Porcelain Tiles
Polished / Honed

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 6 mm

120x260 cm

47.24"x102.36"

>|< 9 mm

120x240 cm

47.24"x94.48"

>|< 9 mm

120x120 cm

47.24"x47.24"

blu del belgio blue

blu del belgio clay

blu del belgio variations
120x280, 120x260 and 120x240

blu del belgio variations
120x120

158

MARBLE

BLU DEL BELGIO OPEN BOOK EFFECTS

open book effect (face A)
blue

open book effect (face B)
blue

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)
BLUE DEL BELGIO BLUE	120x280 / 47.24"x110.23"	9	A82GZBLB-BLE.N0X5P	-
	120x260 / 47.24"x102.36"	6	A62GZBLB-BL0.G0C6P	A62GZBLB-BLE.O0X6P
	120x240 / 47.24 "x94.5"	9	AI46GBLB-BL0.G0C3P	-
	120x120 / 47.24"x47.24"	9	A22GZBLB-BLE.N0X5P	-
BLUE DEL BELGIO CLAY	120x280 / 47.24"x110.23"	9	A82GZBLB-CLA.N0X5P	-
	120x260 / 47.24"x102.36"	6	A62GZBLB-CL0.G0C6P	A62GZBLB-CLA.O0X6P
	120x240 / 47.24 "x94.5"	9	AI46GBLB-CL0.G0C3P	-
	120x120 / 47.24"x47.24"	9	A22GZBLB-CLA.N0X5P	-
NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	
OPEN BOOK EFFECT (FACE A) BLUE	120x240 / 47.24 "x94.5"	9	AI46GBLB-BL1.G0C3P	
OPEN BOOK EFFECT (FACE B) BLUE	120x240 / 47.24 "x94.5"	9	AI46GBLB-BL2.G0C3P	

RAK CERAMICS | MAXIMUS 2023

159

CALACATTA AFRICA

Porcelain Tiles
Polished / Matt / Honed

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 6 mm

120x260 cm

47.24"x102.36"

>|< 9 mm

120x240 cm

47.24"x94.48"

>|< 9 mm

120x120 cm


47.24"x47.24"






calacatta africa white

calacatta africa white variations
120x280, 120x260 and 120x240



calacatta africa white variations
120x120



CALACATTA GOLD

Porcelain Tiles
Polished / Matt / Honed

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 6 mm

120x260 cm

47.24"x102.36"

>|< 9 mm

120x240 cm

47.24"x94.48"

>|< 9 mm

120x120 cm

47.24"x47.24"

>|< 9 mm

90x180 cm *

35.43"x70.86"






calacatta gold white

calacatta gold white variations
120x280, 120x260 and 120x240



calacatta gold white variations
120x120



* sizes obtained by press productions

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (matt)	CODE (honed)
CALACATTA AFRICA WHITE	120x280 / 47.24"x110.23"	9	A82GCCAF-WHE.N0X5P	A82GCCAF-WHE.M0X5R	
	120x260 / 47.24"x102.36"	6	A62GCCAF-WHE.N0X6P	-	A62GCCAF-WHE.O0X6P
	120x240 / 47.24"x94.5"	9	AGB46CCAFWHEZHSC3P	-	-
	120x120 / 47.24"x47.24"	9	A22GCCAF-WHE.N0X5P	A22GCCAF-WHE.M0X5R	-

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (matt)	CODE (honed)
CALACATTA GOLD WHITE	120x280 / 47.24"x110.23"	9	A82GCTAG-WHE.N0X5P	A82GCTAG-WHE.M0X5R	A82GCTAG-WHE.O0X5P
	120x260 / 47.24"x102.36"	6	A62GCTAG-WHE.N0X6P	A62GCTAG-WHE.M0X6R	A62GCTAG-WHE.O0X6P
	120x240 / 47.24"x94.5"	9	AGB46CTAGWHEZHSC3P	A46GCTAG-WHE.M0X5R	-
	120x120 / 47.24"x47.24"	9	A22GCTAG-WHE.N0X5P	A22GCTGD-WHE.M0X5R	-
	90x180 / 35.43"x70.86"	9	AGB93CTAGWHEZHSC3P	-	-

CALACATTA EXTRA

Porcelain Tiles
Polished / Honed

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 6 mm

120x260 cm

47.24"x102.36"

>|< 9 mm


120x240 cm

47.24"x94.48"



calacatta extra white

calacatta extra white variations (continues)
120x280 and 120x260



1 2 3 4 5

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)
CALACATTA EXTRA WHITE	120x280 / 47.24"x110.23"	9	A82GCCTE-WHE.N0X5P	-
	120x260 / 47.24"x102.36"	6	AGB62CCTEWHEZHSC6P	A62GCCTE-WHE.O0X6P
	120x240 / 47.24 "x94.5"	9	AGB46CCTEWHEZHSC3P	A46GCCTE-WHE.O0X5P

CALACATTA VERDE

Porcelain Tiles
Polished

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 6 mm

120x260 cm

47.24"x102.36"



calacatta verde

calacatta verde white variations
120x280 and 120x260



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
CALACATTA VERDE GREEN	120x280 / 47.24"x110.23"	9	A82GCCTV-GRE.N0X5P
	120x260 / 47.24"x102.36"	6	A62GCCTV-GRE.N0X6P

CLASSIC CARRARA GREY

Porcelain Tiles
Polished / Matt

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 6 mm

120x260 cm

47.24"x102.36"

>|< 9 mm

120x240 cm

47.24"x94.48"

>|< 9 mm

80x240 cm

31.49"x94.48"

>|< 9 mm

120x120 cm

47.24"x47.24"

>|< 9 mm

90x180 cm *

35.43"x70.86"






classic carrara grey

classic carrara grey variations
120x280, 120x260, 120x240 and 80x240



classic carrara grey variations
120x120



* sizes obtained by press productions

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (matt)
CLASSIC CARRARA GREY	120x280 / 47.24"x110.23"	9	A82GZCRR-GRY.N0X5P	-
	120x260 / 47.24"x102.36"	6	A62GZCRR-GY0.G0C6P	-
	120x240 / 47.24"x94.5"	9	AI46ZCRR-GY0.G0C3P	-
	80x240 / 31.49"x94.48"	9	AGB87ZCRRGRYZGSC3P	-
	120x120 / 47.24"x47.24"	9	A22GZCRR-GRY.N0X5P	A22GZCRR-GRY.M0X5R
	90x180 / 35.43"x70.86"	9	AGB93ZCRRGRYZGSC3P	-

CLASSIC CARRARA HYPER WHITE

Porcelain Tiles
Polished / Matt

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 9 mm

120x240 cm


47.24"x94.48"

>|< 9 mm

120x120 cm


47.24"x47.24"






classic carrara hyper white

classic carrara hyper white variations
120x280 and 120x240



classic carrara hyper white variations
120x120



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (matt)
CLASSIC CARRARA HYPER WHITE	120x280 / 47.24"x110.23"	9	A82GZCRR-HWH.N0X5P	-
	120x240 / 47.24"x94.5"	9	AGB46ZCRRHWHZGSC3P	-
	120x120 / 47.24"x47.24"	9	A22GZCRR-HWH.N0X5P	A22GZCRR-HWH.M0X5R

CLASSIC NEW MARFIL

Porcelain Tiles
Polished / Honed

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 6 mm

120x260 cm

47.24"x102.36"

>|< 9 mm

120x240 cm

47.24"x94.48"

>|< 9 mm

120x120 cm

47.24"x47.24"




classic new marfil beige

classic new marfil beige variations
120x280, 120x260 and 120x240



classic new marfil beige variations
120x120



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)
CLASSIC NEW MARFIL BEIGE	120x280 / 47.24"x110.23"	9	A82GZNMf-BEE.N0X5P	-
	120x260 / 47.24"x102.36"	6	A62GZNMf-BE0.G0C6P	A62GZNMf-BEE.O0X6P
	120x240 / 47.24"x94.5"	9	AI46ZNMf-BE0.G0C3P	-
	120x120 / 47.24"x47.24"	9	A22GZNMf-BEE.N0X5P	-

DARK INK

Porcelain Tiles
Polished / Honed

SIGNATURE
COLLECTION

>|< 6 mm


120x260 cm

47.24"x102.36"


>|< 9 mm

120x120 cm

47.24"x47.24"



dark ink white



dark ink black

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)
DARK INK WHITE	120x260 / 47.24"x102.36"	6	A62GDKIK-WHE.N0X6P	A62GDKIK-WHE.O0X6P
	120x120 / 47.24"x47.24"	9	A22GDKIK-WHE.N0X5P	A22GDKIK-WHE.O0X5P
DARK INK BLACK	120x260 / 47.24"x102.36"	6	A62GDKIK-BLK.N0X6P	A62GDKIK-BLK.O0X6P
	120x120 / 47.24"x47.24"	9	A22GDKIK-BLK.N0X5P	A22GDKIK-BLK.O0X5P

ELLE MARBLE

Porcelain Tiles
Polished / Matt / Honed

>|< 6 mm

120x260 cm

47.24"x102.36"

>|< 9 mm

120x240 cm

47.24"x94.48"

>|< 9 mm

120x120 cm

47.24"x47.24"



elle marble white

elle marble white variations
120x260 and 120x240



elle marble white variations
120x120



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (natural)	CODE (honed)
ELLE MARBLE WHITE	120x260 / 47.24"x102.36"	6	AGB62ELLMWHEZGSNLP	-	A62GELLM-WHE.O0X6P
	120x240 / 47.24 "x94.5"	9	AGB46ELLMWHEZHSC3P	A46GELLM-WHE.M0X5R	-
	120x120 / 47.24"x47.24"	9	A22GELLM-WHE.N0X5P	A22GELLM-WHE.M0X5R	-

Porcelain Tiles
Polished

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 6 mm

120x260 cm

47.24"x102.36"

>|< 9 mm

120x240 cm

47.24"x94.48"

>|< 9 mm

120x120 cm

47.24"x47.24"

>|< 9 mm


80x160 cm *

31.49"x63"



elle marble black

elle marble black variations
120x280, 120x260 and 120x240



elle marble black variations
120x120



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
ELLE MARBLE BLACK	120x280 / 47.24"x110.23"	9	A82GELLM-BLK.N0X5P
	120x260 / 47.24"x102.36"	6	A62GELLM-BLK.N0X6P
	120x240 / 47.24 "x94.5"	9	AGB46ELLMBLKZHSC3P
	120x120 / 47.24"x47.24"	9	A22GELLM-BLK.N0X5P
	80x160 / 31.49"x63"	9	AGB86ELLMBLKZHSC3P

* sizes obtained by press productions

ELEGANT MARFIL

Porcelain Tiles
Polished

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 9 mm

120x120 cm

47.24"x47.24"



elegant marfil cream

elegant marfil cream variations
120x280



elegant marfil cream variations
120x120



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
ELEGANT MARFIL CREAM	120x280 / 47.24"x110.23"	9	A82GEGMF-CRM.N0X5P
	120x120 / 47.24"x47.24"	9	A22GEGMF-CRM.N0X5P

IRISH XL

Porcelain Tiles
Polished

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 6 mm


120x260 cm

47.24"x102.36"



irish xl green

irish XL green variations
120x280 and 120x260



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
IRISH XL GREEN	120x280 / 47.24"x110.23"	9	A82GIRSX-GRE.N0X5P
	120x260 / 47.24"x102.36"	6	A62GIRSX-GRE.N0X6P

MEDICEA MARBLE

Porcelain Tiles
Polished / Matt / Honed

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 6 mm

120x260 cm

47.24"x102.36"

>|< 9 mm

120x240 cm

47.24"x94.48"

>|< 9 mm

120x120 cm

47.24"x47.24"

>|< 9 mm

90x180 cm *


35.43"x70.86"






medicea marble white

medicea marble white variations
120x280, 120x260 and 120x240



medicea marble white variations
120x120



PANDA MARBLE

Porcelain Tiles
Polished

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 6 mm

120x260 cm

47.24"x102.36"

>|< 9 mm

120x240 cm

47.24"x94.48"

>|< 9 mm

120x120 cm

47.24"x47.24"






panda marble white

panda marble white variations
120x280, 120x260 and 120x240



panda marble white variations
white 120x120



* sizes obtained by press productions

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (matt)	CODE (honed)
MEDICEA MARBLE WHITE	120x280 / 47.24"x110.23"	9	A82GMDMB-WHE.N0X5P	-	-
	120x260 / 47.24"x102.36"	6	AGB62MDMBWHEZHSC6P	-	A62GMDMB-WHE.O0X6P
	120x240 / 47.24"x94.5"	9	AGB46MDMBWHEZHSC3P	-	-
	120x120 / 47.24"x47.24"	9	A22GMDMB-WHE.N0X5P	A22GMDMB-WHE.M0X5R	-
	90x180 / 35.43"x70.86"	9	AGB93MDMBWHEZHSC3P	-	-

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
PANDA MARBLE WHITE	120x280 / 47.24"x110.23"	9	A82GPDMB-WHE.N0X5P
	120x260 / 47.24"x102.36"	6	AGB62PDMBWHEZHSC6P
	120x240 / 47.24"x94.5"	9	AGB46PDMBWHEZHSC3P
	120x120 / 47.24"x47.24"	9	A22GPDMB-WHE.N0X5P

ONYX CANVAS

Porcelain Tiles
Polished

SIGNATURE
COLLECTION

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 6 mm

120x260 cm

47.24"x102.36"



onyx canvas ivory



onyx canvas pink

onyx canvas ivory variations 120x280 and 120x260



onyx canvas pink variations 120x280 and 120x260



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
ONYX CANVAS IVORY	120x280 / 47.24"x110.23"	9	A82GIVOX-IVO.N0X5P
	120x260 / 47.24"x102.36"	6	A62GIVOX-IVO.N0X6P
ONYX CANVAS PINK	120x280 / 47.24"x110.23"	9	A82GPKOX-PIK.N0X5P
	120x260 / 47.24"x102.36"	6	A62GPKOX-PIK.N0X6P

Porcelain Tiles
Polished

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 6 mm


120x260 cm

47.24"x102.36"




onyx canvas green

onyx canvas green variations 120x280 and 120x260



onyx canvas black

onyx canvas black variations 120x280 and 120x260




NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
ONYX CANVAS GREEN	120x280 / 47.24"x110.23"	9	A82GGROX-GRE.N0X5P
	120x260 / 47.24"x102.36"	6	A62GGROX-GRE.N0X6P
ONYX CANVAS BLACK	120x280 / 47.24"x110.23"	9	A82GDKOX-BLK.N0X5P
	120x260 / 47.24"x102.36"	6	A62GDKOX-BLK.N0X6P

PREZIOSI

>|< 6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Polished

SIGNATURE
COLLECTION




preziosi deep blue



preziosi pearl

preziosi variations - deep blue, pearl, rio and plum
120x260



archiproducts
DESIGN AWARDS
WINNER



Porcelain Tiles
Polished

>|< 6 mm
120x260 cm
47.24"x102.36"



preziosi rio



preziosi plum

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
PREZIOSI DEEP BLUE	120x260 / 47.24"x102.36"	6	A62GPRZS-DPB.N0X6P
PREZIOSI PEARL	120x260 / 47.24"x102.36"	6	A62GPRZS-PRL.N0X6P
PREZIOSI RIO	120x260 / 47.24"x102.36"	6	A62GPRZS-RIO.N0X6P
PREZIOSI PLUM	120x260 / 47.24"x102.36"	6	A62GPRZS-PLM.N0X6P

PREZIOSI

 >|< 6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Polished

SIGNATURE
COLLECTION



preziosi ocean




preziosi rock

preziosi variations - ocean and rock
120x260



Porcelain Tiles
Polished

 >|< 6 mm
120x260 cm
47.24"x102.36"



preziosi green

preziosi green variations
120x260



preziosi green variations
120x120



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
PREZIOSI OCEAN	120x260 / 47.24"x102.36"	6	A62GPRZS-OCN.N0X6P
PREZIOSI ROCK	120x260 / 47.24"x102.36"	6	A62GPRZS-RCK.N0X6P
PREZIOSI GREEN	120x260 / 47.24"x102.36"	6	A62GPRZS-GRE.N0X6P

RAIN MARBLE

>|< 6 mm

120x260 cm
47.24"x102.36"

>|< 9 mm

120x240 cm
47.24"x94.48"

Porcelain Tiles
Polished



rain marble white

rain marble white variations
120X260, 120X240 and 80x240



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
RAIN MARBLE WHITE	120x260 / 47.24"x102.36"	6	AGB62RANMWHEZHSC6P
	120x240 / 47.24 "x94.5"	9	AGB46RANMWHEZHSC3P

RAIN MARBLE OPEN BOOK EFFECTS

>|< 6 mm

120x260 cm
47.24"x102.36"


>|< 9 mm

120x240 cm
47.24"x94.48"



rain marble white open book effect (face A)

rain marble white open book effect (face B)



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
RAIN MARBLE WHITE OPEN BOOK EFFECT (FACE A)	120x260 / 47.24"x102.36"	6	AGD62RANMWHEZHA1P
RAIN MARBLE WHITE OPEN BOOK EFFECT (FACE B)	120x260 / 47.24"x102.36"	6	AGD62RANMWHEZHA2P
RAIN MARBLE WHITE OPEN BOOK EFFECT (FACE A)	120x240 / 47.24"x94.48"	9	AGB46RANMWHEZHA1P
RAIN MARBLE WHITE OPEN BOOK EFFECT (FACE B)	120x240 / 47.24"x94.48"	9	AGB46RANMWHEZHA2P

SAWYER

>|< 9 mm
120x280 cm
47.24"x110.23"

Porcelain Tiles
Polished

SIGNATURE
COLLECTION



sawyer green variations (continues)
120x280



1 2 3 4 5 1

sawyer green

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
SAWYER GREEN	120x280 / 47.24"x110.23"	9	A82GSWYR-GRE.N0X5P

SMERALDO

>|< 9 mm
120x280 cm
47.24"x110.23"

>|< 6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Polished



smeraldo green variations
120x280 and 120x260



smeraldo green

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
SMERALDO GREEN	120x280 / 47.24"x110.23"	9	A82GSMLD-GRE.N0X5P
	120x260 / 47.24"x102.36"	6	A62GSMLD-GRE.N0X6P

STATUARIO CONTINUO

Porcelain Tiles
Polished

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 6 mm

120x260 cm

47.24"x102.36"

>|< 9 mm

120x240 cm

47.24"x94.48"



statuario continuo white

statuario continuo white variations (continues)
120x280, 120x260 and 120x240



1 2 3 4 1

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
STATUARIO CONTINUO WHITE	120x280 / 47.24"x110.23"	9	A82GSTCO-WHE.N0X5P
	120x260 / 47.24"x102.36"	6	A62GSTCO-WHE.N0X6P
	120x240 / 47.24"x94.5"	9	AGB46STCOWHEZHSC3P

TAJ MAHAL

Porcelain Tiles
Polished / Honed

>|< 6 mm

120x260 cm

47.24"x102.36"



taj mahal pearl

taj mahal white variations
120X260



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)
TAJ MAHAL PEARL	120x260 / 47.24"x102.36"	6	A62GTHMH-PRL.N0X6P	A62GTHMH-PRL.O0X6P

THASSOS

Porcelain Tiles
Polished

 **>|< 6 mm**
120x260 cm
47.24"x102.36"



thassos

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
THASSOS	120x260 / 47.24"x102.36"	6	A62GTHSS-HWH.N0X6P

URBAN MARBLE

Porcelain Tiles
Polished / Honed

 **>|< 6 mm**
120x260 cm
47.24"x102.36"


 **>|< 9 mm**
120x240 cm
47.24"x94.48"

 **>|< 9 mm**
80x240 cm
31.49"x94.48"



urban marble ornaate

urban marble ornaate variations
120x260, 120x240 and 80x240



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (honed)
URBAN MARBLE ORNATE	120x260 / 47.24"x102.36"	6	A62GURBM-OLE.N0X6P	A62GURBM-OLE.O0X6P
	120x240 / 47.24 "x94.5"	9	AGB46URBMOLEZHSC3P	-
	80x240 / 31.49"x94.48"	9	AGB87URBMOLEZHSC3P	-

VERSILIA MARBLE

Porcelain Tiles
Polished / Matt / Honed

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 6 mm

120x260 cm

47.24"x102.36"

>|< 9 mm

120x240 cm

47.24"x94.48"

>|< 9 mm

120x120 cm

47.24"x47.24"

>|< 9 mm

90x180 cm *

35.43"x70.86"






versilia marble white

versilia marble white variations
120x280, 120x260 and 120x240



versilia marble white variations
120x120



VERDE ALPI

Porcelain Tiles
Polished

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 6 mm

120x260 cm


47.24"x102.36"





verde alpi

verde alpi variations
120x280 and 120x260



* sizes obtained by press productions

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (matt)	CODE (honed)
VERSILIA MARBLE WHITE	120x280 / 47.24"x110.23"	9	A82GV SMB-WHE.N0X5P	-	-
	120x260 / 47.24"x102.36"	6	AGB62V SMBWHEZHSC6P	-	A62GV SMB-WHE.O0X6P
	120x240 / 47.24"x94.5"	9	AGB46V SMBWHEZHSC3P	A46GV SMB-WHE.M0X5R	-
	120x120 / 47.24"x47.24"	9	A22GV SMB-WHE.N0X5P	A22GV SMB-WHE.M0X5R	-
	90x180 / 35.43"x70.86"	9	AGB93V SMBWHEZHSC3P	-	-

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
VERDE ALPI	120x280 / 47.24"x110.23"	9	A82GV RDA-GRE.N0X5P
	120x260 / 47.24"x102.36"	6	A62GV RDA-GRE.N0X6P

120x260 cm
47.24"x102.36"
>|< 6 mm

Porcelain Tiles
Polished

luce onyx white



SIZES (cm / inches)	THICKNESS (mm)	CODE
120x260 / 47.24"x102.36"	6	ATB62LUCEONYZHSC6P

luce onyx harlequin




SIZES (cm / inches)	THICKNESS (mm)	CODE
120x260 / 47.24"x102.36"	6	ATB62LUCEOHNZHSC6P

luce onyx green jade



SIZES (cm / inches)	THICKNESS (mm)	CODE
120x260 / 47.24"x102.36"	6	A62GLUCE-OGJ.N0X6P

luce bahia azul



SIZES (cm / inches)	THICKNESS (mm)	CODE
120x260 / 47.24"x102.36"	6	ATB62LUCEBAZZHSC6P

SIGNATURE
COLLECTION

luce onyx ivory



luce onyx arco red



luce marble white



luce golden marble



SIZES (cm / inches)	THICKNESS (mm)	CODE
120x260 / 47.24"x102.36"	6	ATB62LUCEOIVZHSC6P

SIZES (cm / inches)	THICKNESS (mm)	CODE
120x260 / 47.24"x102.36"	6	ATB62LUCEOARZHSC6P

SIZES (cm / inches)	THICKNESS (mm)	CODE
120x260 / 47.24"x102.36"	6	ATB62LUCEMARZHSC6P

SIZES (cm / inches)	THICKNESS (mm)	CODE
120x260 / 47.24"x102.36"	6	A62GLUCE-GOM.N0X6P



BASIC CONCRETE XL



>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 6 mm

120x260 cm

47.24"x102.36"

Porcelain Tiles
Matt



basic concrete xl dark grey

CONCRETE PROJECT



>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 9 mm

120x120 cm

47.24"x47.24"

>|< 9 mm

90x180 cm *

35.43"x70.86"



concrete project grey

TOKYO CONCRETE

Porcelain Tiles
Matt



tokyo concrete grey

* sizes obtained by press productions

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (matt)
BASIC CONCRETE XL DARK GREY	120x280 / 47.24"x110.23"	9	A82GZBSX-DKG.M0X5R
	120x260 / 47.24"x102.36"	6	AGB62ZBSXDGYZMSC6R
CONCRETE PROJECT GREY	120x280 / 47.24"x110.23"	9	A82GCPJT-GRY.M0X5R
	120x120 / 47.24"x47.24"	9	A22GCPJT-GRY.M0X5R
	90x180 / 35.43"x70.86"	9	A93GCPJT-GRY.M0X5R

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (matt)
TOKYO CONCRETE GREY	120x260 / 47.24"x102.36"	6	AGB62TYOCCRGZMSC6R

REVIVE CONCRETE XL

Porcelain Tiles
Matt



>|< 6 mm

120x260 cm
47.24"x102.36"

>|< 9 mm

120x240 cm
47.24"x94.48"

>|< 9 mm

120x120 cm
47.24"x47.24"



revive concrete xl active white

revive concrete xl concrete grey

revive concrete xl summer sand

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (matt)
REVIVE CONCRETE XL ACTIVE WHITE	120x260 / 47.24"x102.36"	6	A62GREVX-ACW.M0X6R
	120x240 / 47.24 "x94.5"	9	AGB46REVCACWZMLC3R
	120x120 / 47.24"x47.24"	9	A22GREVC-ACW.M0X5R
REVIVE CONCRETE XL CONCRETE GREY	120x260 / 47.24"x102.36"	6	A62GREVX-CRG.M0X6R
	120x240 / 47.24 "x94.5"	9	AGB46REVCCRGZMLC3R
	120x120 / 47.24"x47.24"	9	A22GREVC-CRG.M0X5R
REVIVE CONCRETE XL SUMMER SAND	120x260 / 47.24"x102.36"	6	A62GREVX-SMS.M0X6R
	120x240 / 47.24 "x94.5"	9	AGB46REVCSMSZMLC3R
	120x120 / 47.24"x47.24"	9	A22GREVC-SMS.M0X5R

SURFACE XL

Porcelain Tiles
Matt

>|< 9 mm

120x280 cm
47.24"x110.23"

>|< 6 mm

120x260 cm
47.24"x102.36"

>|< 9 mm

120x240 cm
47.24"x94.48"

>|< 9 mm

120x120 cm
47.24"x47.24"



surface xl off white

surface xl sand

surface xl cool grey

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (matt)
SURFACE XL OFF WHITE	120x280 / 47.24"x110.23"	9	A82GZSFX-OWH.M0X5R
	120x260 / 47.24"x102.36"	6	AGB62ZSFXOWHZMSC6R
	120x240 / 47.24 "x94.5"	9	AI46ZSFX-OWH.M0C3R
	120x120 / 47.24"x47.24"	9	A22GZSFX-OWH.M0X5R
SURFACE XL SAND	120x280 / 47.24"x110.23"	9	A82GZSFX-CGY.M0X5R
	120x260 / 47.24"x102.36"	6	AGB62ZSFXCGYZMSC6R
	120x240 / 47.24 "x94.5"	9	AI46ZSFX-CGY.M0C3R
	120x120 / 47.24"x47.24"	9	A22GZSFX-CGY.M0X5R
SURFACE XL COOL GREY	120x280 / 47.24"x110.23"	9	A82GZSFX-SND.M0X5R
	120x260 / 47.24"x102.36"	6	AGB62ZSFXSANZMSC6R
	120x240 / 47.24 "x94.5"	9	AI46GZSFX-SN0.MC3R
	120x120 / 47.24"x47.24"	9	A22GZSFX-SND.M0X5R

COSMIC METAL

>|< 9 mm

120x280 cm

47.24"x110.23"

>|< 9 mm

120x120 cm

47.24"x47.24"

Porcelain Tiles
Matt



cosmic metal emerald

cosmic metal emerald variations
120x280 cm



cosmic metal emerald variations
120x120 cm



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (matt)
COSMIC METAL EMERALD	120x280 / 47.24"x110.23"	9	A82GCOSM-EMD.M0X5R
	120x120 / 47.24"x47.24"	9	A22GCOSM-EMD.M0X5R

ICON METAL

Porcelain Tiles
Lappato

>|< 6 mm

120x260 cm

47.24"x102.36"

>|< 9 mm

120x240 cm

47.24"x94.48"

>|< 9 mm


120x120 cm

47.24"x47.24"



icon metal light grey

icon metal light grey variations
120x260 and 120x240



icon metal light grey variations
120x120 cm



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (matt)
ICON METAL LIGHT GREY	120x260 / 47.24"x102.36"	6	A62GICMT-LIG.M0X6L
	120x240 / 47.24 "x94.5"	9	AGB46ICMTLIGZMSC3L
	120x120 / 47.24"x47.24"	9	A22GICMT-LIG.M0X5L

METAMORFOSI

>|< 6 mm

120x260 cm

47.24"x102.36"

>|< 9 mm

120x120 cm

47.24"x47.24"

Porcelain Tiles
Matt

SIGNATURE
COLLECTION



metamorfosi dusk



metamorfosi cotton




metamorfosi cord



metamorfosi cloud



metamorfosi fog



metamorfosi midnight



metamorfosi olive



metamorfosi bloom



metamorfosi grape

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (matt)
METAMORFOSI COTTON	120x260 / 47.24"x102.36"	6	A62GMTFS-CTT.MOX6R
METAMORFOSI CORD	120x260 / 47.24"x102.36"	6	A62GMTFS-CRD.MOX6R
METAMORFOSI CLOUD	120x260 / 47.24"x102.36"	6	A62GMTFS-COU.MOX6R
METAMORFOSI FOG	120x260 / 47.24"x102.36"	6	A62GMTFS-FGG.MOX6R
METAMORFOSI DUSK	120x260 / 47.24"x102.36"	6	A62GMTFS-DSK.MOX6R
METAMORFOSI MIDNIGHT	120x260 / 47.24"x102.36"	6	A62GMTFS-MDN.MOX6R
METAMORFOSI OLIVE	120x260 / 47.24"x102.36"	6	A62GMTFS-EMD.MOX6R
METAMORFOSI BLOOM	120x260 / 47.24"x102.36"	6	A62GMTFS-BLM.MOX6R
METAMORFOSI GRAPE	120x260 / 47.24"x102.36"	6	A62GMTFS-GPE.MOX6R
METAMORFOSI COTTON	120x120 / 47.24"x47.24"	9	A22GMTFS-CTT.MOX5R
METAMORFOSI CORD	120x120 / 47.24"x47.24"	9	A22GMTFS-CRD.MOX5R
METAMORFOSI CLOUD	120x120 / 47.24"x47.24"	9	A22GMTFS-COU.MOX5R
METAMORFOSI FOG	120x120 / 47.24"x47.24"	9	A22GMTFS-FGG.MOX5R
METAMORFOSI LEAVES GREEN DECOR	120x260 / 47.24"x102.36"	6	A62GMTLV-GRE.MDX6R
METAMORFOSI TROPICAL GREEN DECOR	120x260 / 47.24"x102.36"	6	A62GMTTC-GRE.MDX6R
METAMORFOSI FLOWERS BLUE DECOR	120x260 / 47.24"x102.36"	6	A62GMTFL-BLE.MDX6R
METAMORFOSI PALMS CORD DECOR	120x260 / 47.24"x102.36"	6	A62GMTPL-CRD.MDX6R
METAMORFOSI JUNGLE GREEN DECOR	120x260 / 47.24"x102.36"	6	A62GMTJU-GRE.MDX6R
METAMORFOSI ROSE PINK DECOR	120x260 / 47.24"x102.36"	6	A62GMTRO-PIK.MDX6R
METAMORFOSI IBISCO BLUE DECOR	120x260 / 47.24"x102.36"	6	A62GMTIB-BLE.MDX6R
METAMORFOSI ARTICHOKE CORD DECOR	120x260 / 47.24"x102.36"	6	A62GMTAT-CRD.MDX6R

METAMORFOSI

>|< 6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Matt

SIGNATURE
COLLECTION



metamorfosi leaves green decor



metamorfosi tropical green decor



metamorfosi ibisco blue decor



metamorfosi palms cord decor



metamorfosi jungle green decor



metamorfosi artichoke cord decor



RESIN

METAMORFOSI

>|< 6 mm
120x260 cm
47.24"x102.36"

Porcelain Tiles
Matt

SIGNATURE
COLLECTION



metamorfosi rose pink decor



metamorfosi flowers blue decor



CEPPO DI GRE’

Porcelain Tiles
Matt

 **>|< 6 mm**
120x260 cm
47.24"x102.36"



ceppo di gre’ light grey



ceppo di gre’ mid grey



ceppo di gre’ nero

ceppo di gre’ light grey variations
120x260 cm



ceppo di gre’ mid grey variations
120x260 cm



ceppo di gre’ nero variations
120x260 cm



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (matt)
CEPPO DI GRE’ LIGHT GREY	120x260 / 47.24"x102.36"	6	A62GCPDG-LIG.M0X6R
CEPPO DI GRE’ MID GREY	120x260 / 47.24"x102.36"	6	A62GCPDG-MGY.M0X6R
CEPPO DI GRE’ NERO	120x260 / 47.24"x102.36"	6	A62GCPDG-NEO.M0X6R

FLAG STONE XL

Porcelain Tiles
Matt

SIGNATURE
COLLECTION

 **>|< 9 mm**
120x280 cm
47.24"x110.23"



flag stone xl clay beige



flag stone xl dark grey

flag stone xl clay beige variations
120x280 cm



flag stone xl dark grey variations
120x280 cm



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (matt)
FLAG STONE XL CLAY BEIGE	120x280 / 47.24"x110.23"	9	A82GFGNE-CYB.M0X5R
FLAG STONE XL DARK GREY	120x280 / 47.24"x110.23"	9	A82GFGNE-DKG.M0X5R

MILANO STONE

Porcelain Tiles
Matt



- >|< 9 mm

120x280 cm
47.24"x110.23"
- >|< 9 mm

90x180 cm *
35.43"x70.86"
- >|< 9 mm

120x120 cm
47.24"x47.24"



milano stone grey



milano stone white




milano stone beige

milano stone variations
120x280 cm



milano stone variations
120x120 cm



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (matt)
MILANO STONE GREY	120x280 / 47.24"x110.23"	9	A82GMLST-GRY.M0X5R
	90x180 / 35.43"x70.86"	9	A93GMLST-GRY.M0X5R
	120x120 / 47.24"x47.24"	9	A22GMLST-GRY.M0X5R
MILANO STONE WHITE	120x280 / 47.24"x110.23"	9	A82GMLST-WHE.M0X5R
	90x180 / 35.43"x70.86"	9	A93GMLST-WHE.M0X5R
	120x120 / 47.24"x47.24"	9	A22GMLST-WHE.M0X5R
MILANO STONE BEIGE	120x280 / 47.24"x110.23"	9	A82GMLST-BEE.M0X5R
	90x180 / 35.43"x70.86"	9	A93GMLST-BEE.M0X5R
	120x120 / 47.24"x47.24"	9	A22GMLST-BEE.M0X5R

* sizes obtained by press productions

NEW TRAVERTINO

Porcelain Tiles
Polished

- >|< 9 mm

120x280 cm
47.24"x110.23"
- >|< 6 mm

120x260 cm
47.24"x102.36"
- >|< 9 mm

120x240 cm
47.24"x94.48"
- >|< 9 mm

80x240 cm
31.49"x94.48"
- >|< 9 mm

120x120 cm
47.24"x47.24"
- >|< 9 mm

90x180 cm *
35.43"x70.86"



new travertino ivory



new travertino grey

new travertino variations
120x280, 120x260 and 120x240



new travertino variations
120x120



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)
NEW TRAVERTINO GREY	120x280 / 47.24"x110.23"	9	A82GZNTV-GRY.N0X5P
	120x260 / 47.24"x102.36"	6	A62GZNTV-GY0.G0C6P
	120x240 / 47.24"x94.5"	9	A146ZNTV-GY0.G0C3P
	120x120 / 47.24"x47.24"	9	A22GZNTV-GRY.N0X5P
	120x280 / 47.24"x110.23"	9	A82GZNTV-IVO.N0X5P
NEW TRAVERTINO IVORY	120x260 / 47.24"x102.36"	6	A62GZNTV-IVO.G0C6P
	120x240 / 47.24"x94.5"	9	A146ZNTV-IVO.G0C3P
	80x240 / 31.49"x94.48"	9	AGB87ZNTVIVOZGSC3P
	90x180 / 35.43"x70.86"	9	AGB93ZNTVIVOZGSC3P
	120x120 / 47.24"x47.24"	9	A22GZNTV-IVO.N0X5P

PECE STONE

Porcelain Tiles
Matt

>|< 9 mm

120x280 cm
47.24"x110.23"

>|< 9 mm

90x180 cm *
35.43"x70.86"

>|< 9 mm

120x120 cm
47.24"x47.24"




pece stone brown

pece stone brown variations
120x280 cm



pece stone brown variations
120x120



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (matt)
PECE STONE BROWN	120x280 / 47.24"x110.23"	9	A82GPCST-BRN.M0X5R
	120x120 / 47.24"x47.24"	9	A22GPCST-BRN.M0XGR
	90x180 / 35.43"x70.86"	9	A93GPCST-BRN.M0X5R

Porcelain Tiles
Matt

>|< 9 mm

120x280 cm
47.24"x110.23"

>|< 9 mm

90x180 cm *
35.43"x70.86"

>|< 9 mm

120x120 cm
47.24"x47.24"



pece stone cream

pece stone cream variations
120x280 cm



pece stone cream variations
120x120



NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (matt)
PECE STONE CREAM	120x280 / 47.24"x110.23"	9	A82GPCST-CRM.M0X5R
	120x120 / 47.24"x47.24"	9	A22GPCST-CRM.M0XGR
	90x180 / 35.43"x70.86"	9	A93GPCST-CRM.M0X5R

* sizes obtained by press productions

MERMAID

>|< 9 mm

120x280 cm

47.24"x110.23"

Porcelain Tiles
Matt

SIGNATURE

COLLECTION



mermaid blue

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (matt)
MERMAID BLUE	120x280 / 47.24"x110.23"	9	A82GMRMD-BLE.M0X5R

NAME	SIZES (cm / inches)	THICKNESS (mm)	CODE (polished)	CODE (matt)
UNI HYPER WHITE	120x260 / 47.24"x102.36"	6	A62GMAXI-HWH.X0C6P	A62GMAXI-HWH.S0X6R
UNI LIGHT GREY	120x260 / 47.24"x102.36"	6	A62GMAXI-LGY.X0C6P	A62GMAXI-LIG.S0X6R
UNI DARK GREY	120x260 / 47.24"x102.36"	6	A62GMAXI-DGY.X0C6P	A62GMAXI-DKG.M0X6R
UNI DARK BLACK	120x260 / 47.24"x102.36"	6	A62GMAXI-DBK.X0C6P	A62GMAXI-DBK.S0X6R
UNI LIGHT BEIGE	120x260 / 47.24"x102.36"	6	A62GMAXI-LBE.X0C6P	A62GMAXI-LBE.S0X6R
UNI BEIGE	120x260 / 47.24"x102.36"	6	A62GMAXI-BE0.X0C6P	A62GMAXI-BEE.S0X6R
UNI MOCCA	120x260 / 47.24"x102.36"	6	A62GMAXI-MOK.X0X6P	A62GMAXI-MOK.S0X6R
UNI IVORY	120x280 / 47.24"x110.23"	9	A82GMAXI-IVO.X0X5P	A82GMAXI-IVO.M0X5R
	120x260 / 47.24"x102.36"	6	A62GMAXI-IVO.X0C6P	A62GMAXI-IVO.S0X6R

* size available only in uni ivory

UNI

Full Body Porcelain Tiles
Polished / Matt

>|< 9 mm

120x280 cm *

47.24"x110.23"

>|< 6 mm

120x260 cm

47.24"x102.36"




uni hyper white



uni light grey




uni dark grey



uni dark black




uni ivory



uni light beige



uni beige



uni mocca



TECHNICAL MANUAL

PRODUCT TYPOLOGY & SIZES

TECHNICAL SPECIFICATIONS


PACKAGING

HANDLING

INSTALLATION (WALL, FLOOR AND FAÇADE)

CLEANING AND MAINTENANCE

Product sizes



PRODUCT TYPOLOGY

BODY TYPE	SIZE (CM)	POLISHED	MATT	HONED	6MM THICK	9MM THICK
Porcelain Tiles	120X260	✓	✓	✓	✓	✗
Porcelain Tiles	120X280	✓	✓	✓	✗	✓
Porcelain Tiles	120X240	✓	✓	✓	✗	✓
Porcelain Tiles	80X240	✓	✓	✓	✗	✓
Porcelain Tiles	120X120	✓	✓	✓	✗	✓
Full Body Porcelain Tiles	120X280	✓	✓	✗	✗	✓
Full Body Porcelain Tiles	120X260	✓	✓	✗	✓	✗

Technical specifications - Porcelain Tiles (Natural, Full Lappato, Honed)

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	RAK CERAMICS SPECIFICATION	
			9 MM THICKNESS (120X240,120x280,80x240, 120x120, 60x120 CM)	6 MM THICKNESS (120x260)
Surface Quality	BS EN ISO 10545-2	A minimum of 95% of the tiles are to be free from visible defects	Minimum of 95% of the tiles are free from visible defects	
Length & Width	BS EN ISO 10545-2	± 1.0mm	± 1.0mm	± 1.0mm
Thickness	BS EN ISO 10545-2	± 0.5mm	± 0.5mm	± 0.5mm
Straightness Of Sides	BS EN ISO 10545-2	± 0.8mm	± 0.8mm	± 0.8mm
Rectangularity	BS EN ISO 10545-2	± 1.5mm	± 1.2mm	± 1.2mm
Surface Flatness: Centre Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.8mm	± 1.8mm
Surface Flatness: Edge Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.5mm	± 1.5mm
Surface Flatness: Warpage	BS EN ISO 10545-2	± 1.8mm	± 1.5mm	± 1.5mm
Water Absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.4%	≤ 0.4%
Breaking Strength*	BS EN ISO 10545-4	≥ 1300 N ≥ 700 N	≥ 1500 N -	- ≥ 700 N
Modulus Of Rupture*	BS EN ISO 10545-4	≥ 35 N/mm²	≥ 35 N/mm²	≥ 35 N/mm²
Resistance To Surface Abrasion	BS EN ISO 10545-7	Report abrasion class	PEI CLASS 2-5	PEI CLASS 2-5
Coefficient Of Linear Thermal Expansion	BS EN ISO 10545-8	Test method available	≤ 7 X 10 ⁻⁶ /°C	≤ 7 X 10 ⁻⁶ /°C
Resistance To Thermal Shock	BS EN ISO 10545-9	Test method available	No visible defect	No visible defect
Crazing Resistance	BS EN ISO 10545-11	Required	No crazing	No crazing
Frost Resistance	BS EN ISO 10545-12	Required	No visible damage	No visible damage
Resistance To Household Chemicals & Swimming Pool Salts	BS EN ISO 10545-13	Minimum B	Class A No visible effect	Class A No visible effect
Resistance To Low Concentrations Acids & Alkalis	BE EN ISO 10545-13	Manufacturer to state classification	Class LA No visible effect	Class LA No visible effect
Resistance To Staining	BS EN ISO 10545-14	Minimum class 3	Min. Class 4 Stains removed	Min. Class 4 Stains removed

Note: This technical specifications are applicable only to tiles in choice "A".

* Test performed using 100X100 cm cut pieces from the slab.
* Thickness is nominal

Superior quality raw materials like kaolin, clay, feldspar, silica, and colouring inks are imported from Europe and other parts of the world to manufacture Maximus Mega Slabs, without compromising on its breaking strength, water absorption, dust, termite and chemical resistance.

Maximus Mega Slabs are exceptionally hard, resist thermal shock better than any material available today, are virtually non-porous and are a green product. Installation is quicker and easier because of the dimensions of the product.

Flooring, wall cladding, kitchen counter tops, vanity tops, steps and risers, and bath surrounds are all possible.

Technical specifications - Full Body Porcelain Tiles (Natural)

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	RAK CERAMICS SPECIFICATION	
			9 MM THICKNESS (120x280)	6 MM THICKNESS (120x260)
Surface Quality	BS EN ISO 10545-2	A minimum of 95% of the tiles are to be free from visible defects	Minimum of 95% of the tiles are free from visible defects	
Length & Width	BS EN ISO 10545-2	± 1.0mm	± 1.0mm	± 1.0mm
Thickness	BS EN ISO 10545-2	± 0.5mm	± 0.5mm	± 0.5mm
Straightness Of Sides	BS EN ISO 10545-2	± 0.8mm	± 0.8mm	± 0.8mm
Rectangularity	BS EN ISO 10545-2	± 1.5mm	± 1.2mm	± 1.2mm
Surface Flatness: Centre Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.8mm	± 1.8mm
Surface Flatness: Edge Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.5mm	± 1.5mm
Surface Flatness: Warpage	BS EN ISO 10545-2	± 1.8mm	± 1.5mm	± 1.5mm
Water Absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.1%	≤ 0.1%
Breaking Strength*	BS EN ISO 10545-4	≥ 1300 N ≥ 700 N	≥ 1500 N -	- ≥ 700 N
Modulus Of Rupture*	BS EN ISO 10545-4	≥ 35 N/mm ²	≥ 35 N/mm ²	≥ 35 N/mm ²
Resistance To Deep Abrasion	BS EN ISO 10545-6	≤ 175 mm ³	≤ 150 mm ³	≤ 150 mm ³
Coefficient Of Linear Thermal Expansion	BS EN ISO 10545-8	Test method available	≤ 7 X 10 ⁻⁶ /°C	≤ 7 X 10 ⁻⁶ /°C
Resistance To Thermal Shock	BS EN ISO 10545-9	Test method available	No visible defect	No visible defect
Frost Resistance	BS EN ISO 10545-12	Required	No visible damage	No visible damage
Resistance To Household Chemicals & Swimming Pool Salts	BS EN ISO 10545-13	Minimum B	Class A No visible effect	Class A No visible effect
Resistance To Low Concentrations Acids & Alkalis	BE EN ISO 10545-13	Manufacturer to state classification	Class LA No visible effect	Class LA No visible effect
Resistance To High Concentrations Acids & Alkalis	BS EN ISO 10545-13	Test method available	Class HA No visible effect	Class HA No visible effect
Resistance To Staining (Natural)	BS EN ISO 10545-14	Test method available	Min. Class 3 Stains removed	Min. Class 3 Stains removed
Resistance To Staining (Polished)	BS EN ISO 10545-14	Test method available	Min. Class 2 Stains removed	Min. Class 2 Stains removed

Note: This technical specifications are applicable only to tiles in choice "A".

* Test performed using 100X100 cm cut pieces from the slab.
* Thickness is nominal

Technical specifications - Full Body Porcelain Tiles (Polished)

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	RAK CERAMICS SPECIFICATION	
			9 MM THICKNESS (120x280)	6 MM THICKNESS (120x260)
Surface Quality	BS EN ISO 10545-2	A minimum of 95% of the tiles are to be free from visible defects	Minimum of 95% of the tiles are free from visible defects	
Length & Width	BS EN ISO 10545-2	± 1.0mm	± 1.0mm	± 1.0mm
Thickness	BS EN ISO 10545-2	± 0.5mm	± 0.5mm	± 0.5mm
Straightness Of Sides	BS EN ISO 10545-2	± 0.8mm	± 0.8mm	± 0.8mm
Rectangularity	BS EN ISO 10545-2	± 1.5mm	± 1.2mm	± 1.2mm
Surface Flatness: Centre Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.8mm	± 1.8mm
Surface Flatness: Edge Curvature	BS EN ISO 10545-2	± 1.8mm	± 1.5mm	± 1.5mm
Surface Flatness: Warpage	BS EN ISO 10545-2	± 1.8mm	± 1.5mm	± 1.5mm
Water Absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.1%	≤ 0.1%
Breaking Strength*	BS EN ISO 10545-4	≥ 1300 N ≥ 700 N	≥ 1500 N -	- ≥ 700 N
Modulus Of Rupture*	BS EN ISO 10545-4	≥ 35 N/mm ²	≥ 35 N/mm ²	≥ 35 N/mm ²
Resistance To Deep Abrasion	BS EN ISO 10545-6	≤ 175 mm ³	≤ 150 mm ³	≤ 150 mm ³
Coefficient Of Linear Thermal Expansion	BS EN ISO 10545-8	Test method available	≤ 7 X 10 ⁻⁶ /°C	≤ 7 X 10 ⁻⁶ /°C
Resistance To Thermal Shock	BS EN ISO 10545-9	Test method available	No visible defect	No visible defect
Frost Resistance	BS EN ISO 10545-12	Required	No visible damage	No visible damage
Resistance To Household Chemicals & Swimming Pool Salts	BS EN ISO 10545-13	Minimum B	Class A No visible effect	Class A No visible effect
Resistance To Low Concentrations Acids & Alkalis	BE EN ISO 10545-13	Manufacturer to state classification	Class LA No visible effect	Class LA No visible effect
Resistance To High Concentrations Acids & Alkalis	BS EN ISO 10545-13	Test method available	Class HA No visible effect	Class HA No visible effect
Resistance To Staining (Natural)	BS EN ISO 10545-14	Test method available	Min. Class 3 Stains removed	Min. Class 3 Stains removed
Resistance To Staining (Polished)	BS EN ISO 10545-14	Test method available	Min. Class 2 Stains removed	Min. Class 2 Stains removed

Note: This technical specifications are applicable only to tiles in choice "A".

* Test performed using 100X100 cm cut pieces from the slab.
* Thickness is nominal

Packaging details

120x280 CM

FINISH	THICKNESS (mm)	TILE SIZE (cm)	TILE AREA (sqm)	KG per pc	PCS per pallet	TILE AREA per pallet (sqm)	WEIGHT per pallet (kg)	PALLET DIMENTIONS (cm)		
								LENGTH	HEIGHT	WIDTH
Polished / Natural / Honed	9	120x280	3.36	68	20	67.2	1435.00	287	37	133

120x260 CM

FINISH	THICKNESS (mm)	TILE SIZE (cm)	TILE AREA (sqm)	KG per pc	PCS per pallet	TILE AREA per pallet (sqm)	WEIGHT per pallet (kg)	PALLET DIMENTIONS (cm)		
								LENGTH	HEIGHT	WIDTH
Polished / Natural / Honed	6	120x260	3.12	44.00	20	62.4	1000.00	267	33.50	133

120x240 CM

FINISH	THICKNESS (mm)	TILE SIZE (cm)	TILE AREA (sqm)	PCS per box	TILE AREA per box (sqm)	WEIGHT per box (kg)	BOX per pallet	TILE AREA per pallet (sqm)	WEIGHT per pallet (kg)	PALLET DIMENTIONS (cm)		
										LENGTH	HEIGHT	WIDTH
Polished / Natural / Honed	9	120x240	2.88	1	2.88	62.00	28	80.64	1826.00	243	53	148

80x240 CM

FINISH	THICKNESS (mm)	TILE SIZE (cm)	TILE AREA (sqm)	PCS per box	TILE AREA per box (sqm)	WEIGHT per box (kg)	BOX per pallet	TILE AREA per pallet (sqm)	WEIGHT per pallet (kg)	PALLET DIMENTIONS (cm)		
										LENGTH	HEIGHT	WIDTH
Polished / Natural / Honed	9	80x240	1.92	2	3.84	82.00	18	69.12	1570.00	243	53	148

90x180 CM

FINISH	THICKNESS (mm)	TILE SIZE (cm)	TILE AREA (sqm)	PCS per box	TILE AREA per box (sqm)	WEIGHT per box (kg)	BOX per pallet	TILE AREA per pallet (sqm)	WEIGHT per pallet (kg)	PALLET DIMENTIONS (cm)		
										LENGTH	HEIGHT	WIDTH
Polished / Natural / Honed	9	90x180	1.62	2	3.24	68.00	24	77.76	1712.00	189	73	111

80x160 CM

FINISH	THICKNESS (mm)	TILE SIZE (cm)	TILE AREA (sqm)	PCS per box	TILE AREA per box (sqm)	WEIGHT per box (kg)	BOX per pallet	TILE AREA per pallet (sqm)	WEIGHT per pallet (kg)	PALLET DIMENTIONS (cm)		
										LENGTH	HEIGHT	WIDTH
Polished / Natural / Honed	9	80x160	1.28	2	2.56	55.00	24	61.44	1400.00	173	73	97
Polished / Natural / Honed	9	80x160	1.28	2	2.56	55.00	18	46.08	1070.00	173	57	97

120x120 CM

FINISH	THICKNESS (mm)	TILE SIZE (cm)	TILE AREA (sqm)	PCS per box	TILE AREA per box (sqm)	WEIGHT per box (kg)	BOX per pallet	TILE AREA per pallet (sqm)	WEIGHT per pallet (kg)	PALLET DIMENTIONS (cm)		
										LENGTH	HEIGHT	WIDTH
Polished / Natural / Honed	9	120x120	1.44	2	2.88	62.00	28	80.64	1766.00	122	76	134
Polished / Natural / Honed	9	120x120	1.44	2	2.88	62.00	20	57.60	1260.00	122	122	58



Note: All tile dimensions mentioned above are rectified. Unrectified size is available in +/-140x308cm on request
All weights and thickness mentioned in the above table are approximate average.

Suggested equipment

HANDLING EQUIPMENT	CUTTING AND DRILLING EQUIPMENT	INSTALLATION AND LEVELLINGEQUIPMENT	CLEANING AND MAINTENANCE
Aluminum Parallel profile with crossbars and Suction Vacuum suction cups with vacuum gauge	Compass device with suction cups for Circular Cuts	Compact Vibrator or Tile Beater	Brooms
Tile Cart Trolley	Free cut guide with complete outfit Max. Cut of length – 156 cm	RLS 3D Clips for tiles	Floats with abrasive pads
Double Suction Cups	Free Cut Extension	Wedges (for Anti- Chipping / Anti-Scratching preventing platforms)	
Modular Work Bench BM180	Cutting off pliers for tile/slabs	Adjustable pliers for wall and floor covering	
Modular Work Bench BM180 BM180 Plus (Perfect Workstation for large format tiles up to 160cm width)	Diamond polishing pad	Low-speed mixer	
	Diamond for edge and side polishing	Rubber Grout floats	
	Diamond Blades for simultaneous cutting and grooving	Slant ridge notched trowel	
		Diamond for edge and side polishing	


Handling Maximus

- Maximus extra-large format slabs arrive in oversized crates, which require specific Handling equipment to prevent from damage occurring during forklift operation, specific fork sizes must be used. For example, to handle a crate of 135cm x 305cm tiles from the side, 112cm/ 44" long forks are recommended.
- To handle the same crate from the narrow end requires forks that are at least 213cm/ 84" long. Lifting multiple crates with longer forks may require forklifts with a greater lift capacity.
- Specialized tools and equipment are currently available for the handling, installation and cutting of large porcelain surfaces. Innovative trowels with unique notch configurations can help increase the consistency of the mortar coverage on the back of the tile.
- To increase rigidity and limit twisting, use a system composed of parallel and transverse guides.
- For a perfect adhesion clean the slab and the suckers with a damp sponge.
- The suckers run along the guides and adhere to the slab. Make sure that a vacuum is created between the device and the surface.
- A single guide device can be used for sizes of maximum length.
- Use four operators at a time to carry out handling operations of large size slabs.
- Lift the slab along the long side and hang it vertically to the handles of the frame.
- For the large size slab a suitably reinforced trolly is recommended. Set the guides to the trolley for carrying the slab.
- Follow the same procedure for handling the 120x240cm and all other sub-sizes, where only two operators are sufficient.



Cut-to-pieces and drilling

- RAK Ceramics recommends the use of special designed devices for handling as well as cutting and laying of big slabs.
- Handle slab with a proper and professional trolley of aluminum parallel profile with crossbars and vacuum suction cups along with a vacuum gauge. Please use double suction cups for slabs above 300cm. This could make sure that appropriate vacuum is created between the device and the slab. Lift the slab and keep it vertically to the trolley frame.
- Keep the slab on a stable, flat and intractable surface. For successful cutting and drilling, RAK Ceramic recommend using a professional modular workbench with aluminum profiles and proper cutting tools for each type of cut.
- Set the cutting unit on the tile so that the references coincide with the marked lines and lock it with the appropriate suckers. Score the slab from one edge to the other, being carefully maintaining the same pressure while moving.
- When the cut has been made, move the slab until the slit line sticks out a 10 to 15 cm from the workbench. Start hew from both sides using appropriate cutting-off pliers and follow the scoring line to complete the hew.
- Smooth rough edges and sides with an appropriate diamond polishing pad.
- To drill internal cutouts from the slab, first you need to draw the guide lines. For circular cuts, use the compass device with suction cups. For rectangular cut, drill first a 5 – 7 mm hole at the corners of the rectangle shape, using a non-percussion drill. For a better drilling always, keep the surface and drill a little bit wet. Then Follow the drilled lines using a diamond-blade angle grinder and then finish off the edges with a diamond-polishing pad. Round holes (4) must be made in wet drilling, using diamond-blades. Start engraving the surface with a 75 degrees point angle, then straighten out the drill avoiding excessive pressure on the slab. Also, in this case finish with a diamond-polishing pad.
- Manual traction devices are available, in order to make a finishing cut at 45° and thus enable special applications of the material.



Installation




Laying "Maximus" slabs requires similar laying conditions to those required for traditional format slabs. Maximus requires the adhesive to be applied both on the setting bed and on the back of the slab.

Maximus Slabs For Flooring Require The Following Conditions:

- A flat surface that is clean and free from dust, scraps and any lumps of cement
- The setting bed must be uniform and have already undergone the dry shrinkage process
- Repair any cracks
- Any uneven parts on the surface must be filled with suitable levelling compounds

Instruments Required

- Cement-based powder adhesive for full spread, class "C2E according to EN12004 and S1 according to EN12002 standards"
- 3x3 mm square toothed trowel and 15 mm round toothed trowel
- Frame with suction cups for handling or double suction cups
- Non-bounce plastic mallet 170x370 mm
- Levelling system: base clip + wedge + pliers



Bonding To The Floor

- Ensure that the surface to be covered is solid, flat and free from dust and oil/grease.
- Use the adhesives described above mixed according to the specifications indicated in the technical data sheet of the chosen adhesive.
- Spread the adhesive onto the surface to be covered with a 15 mm round toothed trowel across an area of 5/10 cm more than the dimensions of the slab.
- With the slab in a vertical position on the handling frame, spread the adhesive onto the back of the slab with a 3x3 mm square toothed trowel.
- Using the frame with suction cups, bring the slab into a horizontal position and lay it.
- To guarantee uniform bonding of the slab, the special 170x370 mm non-bounce plastic mallet must be used, tapping from the middle towards the edges so as to remove any air pockets between the back of the slab, the adhesive and the surface to be tiled using the levelling system.

Bonding To The Wall

- Ensure that the surface to be covered is solid, flat and free from dust.
- Cement-based powder adhesive for full spread, class "C2E according to EN12004 and S1 according to EN12002 standards".
- Spread the adhesive onto the surface to be covered with a 15 mm round toothed trowel across an area of 5/10 cm more than the dimensions of the slab.
- With the slab in a vertical position on the handling frame, spread the adhesive onto the back of the slab with a 3x3 mm square toothed trowel.
- Using the handling frame in a vertical position lay the slab.
- Before releasing the slab from the handling frame, ensure that the adhesive will hold it in place.
- To guarantee complete bonding of the slab and eliminate any air, tap from the middle towards the edges using the non-bounce plastic mallet.
- Before bonding the next slab, fix the hidden mechanical hook to the wall with the relevant nails (length 27 mm) using the gas-powered nailing machine.

Ventilated Façade

Maximus Mega Slab – Ventilated Façade Systems

A ventilated façade is a coating system on the outside of a building which leaves a ventilated chamber between the coating (façade) and the building insulation. Considered as the best solution for maximising insulation whilst reducing unwanted condensation or thermal bridge problems, ventilated façades provide excellent thermal-hygrometric solutions.

- Advantages of Ventilated Façade Systems
- Energy Saving – Excellent thermal insulation, reduction in heat/cool dispersal, and less heat absorption in warm climates.
- Technical and Aesthetic Durability – Significant reduction in deterioration due to pollution, does not absorb dust or dirt, easy to clean and maintain and promotes humidity dispersal.
- Healthier Environment – Increased comfort for users and meets all hygiene, health and environmental protection standards.



RAK CERAMICS | MAXIMUS 2023



TECHNICAL MANUAL

Grout Filling

- Use professional and high quality grouting products.
- While stirring, pour the grout into a clean and rust free container, containing 22/26 percent by weight of clean water.
- Mix the grout with a low-speed mixer to avoid air entrapment, until a smooth paste is obtained.
- Let the mix stand for 2-3 minutes. Stir again briefly before use.
- Use the mixture within 20-25 minutes of its preparation.
- Fill the joints with a special grout float or rubber squeeze without leaving any gaps or steps. Remove any excess grout and leave for 15-30 minutes.
- Clean off the excess mixture with a hard, damp sponge, working in a diagonal direction to the joints.



Cleaning And Maintenance

Maximus products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface. For most cases only a damp cloth is sufficient for cleaning. Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine. For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia
Ink	Oxidant - Solvent	Alcohol
Rust	Acid	Hydrolic acid
Lime	Acid	Descaling products
Cement	Acid	Hydrolic acid
Wine	Alkaline	Ammonia or Bleach
Coffee	Alkaline - Solvent	Ammonia or Bleach
Rubber	Solvent	Alcohol
Plaster	Acid	Hydrolic acid
Candle wax	Solvent	Alcohol
Iodine	Oxidant	Bleach
Blood	Oxidant	Bleach
Ice cream	Alkaline	Detergent
Resins	Solvent	Alcohol
Fruit juices	Oxidant	Bleach

Disclaimer: The aim of this manual is to offer helpful suggestions about handling and maintaining Maximus mega slabs. Due to nature of sintered ceramic material, it is highly advisable to consult an expert for these purposes. RAK Ceramics cannot be held responsible for any damage resulting from using the information and suggestions contained in this technical manual.

NOTES

RAK

CERAMICS

RAK
CERAMICS



RAK CERAMICS
P.O. Box 4714, Ras Al Khaimah,
United Arab Emirates (U.A.E.)
Tel.: +971 7 2467000
Fax: +971 7 2445270
Email : info@rakceramics.com

RAKCERAMICS.COM
