



I N S T A N T
A N E O U S

W A T E R
B O I L E R

I N S T A N T - M A T E



INSTANT-MATE CLASSIC & CLASSY SERIES



MODERN HOT WATER DISPENSER

**A Must For High Quality
Water Preparation**

With the guarantee water output temperature at 92°C+, we ensure water are safe to drink at all time.



Instantaneous Water Boiler - Classic



WM-12



WM-30



WM-35



WM-60 / WM-80



WM-60F / WM-80F




WM-100 / WM-180 / WM-200

	Code	Dimension (mm)	Voltage	Electric (kW)	Water Output (L)
Counter Top	WM-12	212 x 312 x 430	220V/SPN	1	15
	WM-30	300 x 282 x 470	220V/SPN	1.5	22
	WM-35	212 x 366 x 471	220V/SPN	2	29
	WM-60	340 x 350 x 650	220V/SPN	2.85	49
	WM-80	340 x 350 x 650	380V/TPN	6	93
Slim Version	WM-60F	220 x 485 x 650	220V/SPN	2.85	42
	WM-80F	220 x 485 x 650	380V/TPN	6	84
Bulk Volume Version	WM-100	510 x 435 x 930	380V/TPN	9	171
	WM-180	510 x 435 x 930	380V/TPN	15	253
	WM-200	510 x 435 x 930	380V/TPN	18	281

	IN ↓	OUT ↓	Certification
All Models	DN15	DN15	CE SANITATION NSFANSI 4



Instantaneous Water Boiler - Classy



With Ceramic glass panel, it becomes an eye catching piece in show kitchen area.



WM-35-1



WM-60-1 / WM-80-1



WM-60F-1 / WM-80F-1



WM-100-1 / WM-180-1 / WM-200-1

	Code	Dimension (mm)	Voltage	Electric (kW)	Water Output (L)
Counter Top	WM-35-1	220 x 438 x 490	220V/SPN	2	29
	WM-60-1	345 x 355 x 675	220V/SPN	2.85	49
	WM-80-1	345 x 355 x 675	380V/TPN	6	93
Slim Version	WM-60F-1	220 x 480 x 675	220V/SPN	2.85	42
	WM-80F-1	220 x 480 x 675	380V/TPN	6	84
Bulk Volume Version	WM-100-1	510 x 440 x 950	380V/TPN	9	171
	WM-180-1	510 x 440 x 950	380V/TPN	15	253
	WM-200-1	510 x 440 x 950	380V/TPN	18	281

	IN ↓	OUT ↓	Certification
All Models	DN15	DN15	CE SANITATION NSFANSI 4

Tower Tap Dispenser



TOWER TAP DISPENSER

Alternative Options For Matching Cabinet Design

For lounge area, we provide an option of having tower faucet on the counter top with hidden heating system under the counter.



	Code	Tank Dimension (mm)	Voltage	Electric (kW)	Water Output (L)		
					92-97°C	10°C	Ambient
Hot	WM-35UH ¹	320 x 235 x 490	220V/SPN	2	27	-	-
Hot & Cold	WM-35UHC ¹	500 x 535 x 400	220V/SPN	2.2+0.5 = 2.7	29	20	-
Hot & Ambient	WM-35UHW ¹	320 x 345 x 490	220V/SPN	2	27	-	156

¹ Color options for tower faucet: Rose Gold / Black / Chrome finishing.
Optional height extension parts (Ø55 x 107mm H) for tower faucet (Spout height at 160mm H).
Specify when ordering.

	IN ↓	OUT ↓	Certification
All Models	DN15	DN20	