

Commercial Products for Vietnam Market

Prepared by Nam Thuan Phat Engineering JSC

Contents

> System A/C (VRF)

> Air Handing Unit | EHP

> Chillers (Screw & Centrifugal)

VRF System AC

Applications

Shopping Mall & Hotel





Apartment & Villas





Office Complex





Hospital & Airports





VRF System AC


Features



High Efficiency & High Reliability **EVI Scroll Compressor**



G Type Heat Changer



7 Levels Energy Management

Refrigerant Cooling PCB


Klarwind



Multi Protection Functions



Double Back-up Operation



















VRF System AC LineUp

-Max. capacity with combination to 96HP

| HP | 8 | 10 12 | | 14 16 | | 18 | 20 | 22 | | |
|----------|--------|--------------|--------|---------|----------|--|--------|--------|--|--|
| Model | KV-080 | KV-010 | KV-012 | KV-014 | KV-016 | KV-018 | KV-020 | KV-022 | | |
| Photo | | | | ** | | No. 100 Marie 10 | | | | |
| Size(mm) | 1 | L,635X990X79 | 90 | 1,635X1 | ,340X850 | 1,635X1,340X850 | | | | |

| HP | 24 | 26 | 28 | 30 | 32 | | | | | | | |
|----------|-----------------|--------|--------|--------|--------|--|--|--|--|--|--|--|
| Model | KV-080 | KV-010 | KV-012 | KV-014 | KV-016 | | | | | | | |
| Photo | | | | | | | | | | | | |
| Size(mm) | 1,830X1,730X850 | | | | | | | | | | | |

AHU | EHP

Feature


EHP AHU system for large spaces cooling and Heating —Shoppingmall, Theater, Office and Factory



Optimal system based on indoor load


Providing a Comfortable indoor air condition

- -Cooling& Heating
- Ventilation
- -HumidityControl(Humidification and Dehumidification)



AHU KIT EHPAHUKIT






AHU / EHP

ProductLineUp

| Туре | | Air Volume [m3/h] | | | | | | | | | | | | | Power | | |
|------------|-------|-------------------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|---------------------|
| | 2.000 | 3.000 | 4.000 | 5.000 | 6.000 | 7.000 | 8.000 | 9.000 | 10.000 | 12.000 | 15.000 | 20.000 | 25.000 | 30.000 | 35.000 | 40.000 | Supply |
| Horizontal | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| Vertical | | | | | | | | | | | | | | | | | 380~ |
| | | | | | | | | | | | | | | | | | 415V 3Ph 50Hz |
| Suspended | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |



Screw Chiller

Feature

High Efficiency Screw Compressor



Precise EXV



High Efficiency Air Side Heat Exchanger






High Efficiency Flooded Evaporator





Low Noise Operation








Free Cooling Solution





Screw Chiller

ProductLineUp




Installation






Vertical Placement




Centrifugal Chiller

Features

Oil Free High Efficiency



Magnetic Bearing Technology




Aerodynamic Technology




Permanent Magnet Synchronous Motor





Full Falling Film Evaporator



Centrifugal Chiller

ProductLineUp

