

Suma Saturn

Revision: 2024-10-22

Version: 01.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Suma Saturn

1.2 Recommended use and restrictions on use

See product label.

For professional and industrial use only.

1.3 Details of the supplier of the safety data sheet

SOLENIS VIETNAM COMPANY LIMITED

Contact details

Level 4&5, M-Building, Lot C7B-02A, Block A, No.9 Street 8, Zone Saigon South New Urban Area, Tan Phu Ward, District 7, Ho Chi Minh City, VIETNAM

Tel. 0314996293

1.4 Emergency telephone number

In case of medical emergency, please seek professional medical advice.

SECTION 2: Composition/information on ingredients

2.1 Substances / Mixtures

Ingredient(s)	CAS number	EC number	Classification	Weight percent
sodium hypochlorite (active chlorine)	7681-52-9	231-668-3	Skin corrosion, Category 1B (H314) Specific target organ toxicity - Single exposure, Category 3 (H335) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410) Corrosive to metals, Category 1 (H290) Serious eye damage, Category 1 (H318)	3-10
1-Dodecanamine, N,N-dimethyl-, N-oxide	1643-20-5	216-700-6	Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 2 (H411)	1-3

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

SECTION 3: Hazards identification

3.1 Classification of the substance or mixture

Skin corrosion, Category 1B

Acute aquatic toxicity, Category 1

Chronic aquatic toxicity, Category 2

Corrosive to metals, Category 1

Serious eye damage, Category 1

3.2 Label elements



Signal word: Danger.

Hazard statements:

H314 - Causes severe skin burns and eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

H290 - May be corrosive to metals.

Suma Saturn

Precautionary statements:

P260 - Do not breathe vapours.

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

3.3 Other hazards

No other hazards known. Exposure and appropriate engineering controls are specified in subsection 8.2 exposure controls.

SECTION 4: First aid measures**4.1 Description of first aid measures****General Information:**

If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

Inhalation:

Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

No known effects or symptoms in normal use.

Skin contact:

Causes severe burns.

Eye contact:

Causes severe or permanent damage.

Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Dilute with plenty of water. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders). Ensure adequate ventilation.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

Suma Saturn

7.1 Precautions for safe handling**Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment**Eye / face protection:**

Safety glasses or goggles (EN 16321 / EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

Hand protection:

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection:

Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Physical state: Liquid

Colour: Translucent , Medium , Yellow

Odour: Product specific

Odour threshold: Not applicable

pH: > 12 (neat)

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Method / remark

ISO 4316

Not relevant to classification of this product

Flammability (liquid): Not flammable.
Flash point (°C): Not applicable.
Sustained combustion: Not applicable.
 (UN Manual of Tests and Criteria, section 32, L.2)

Evaporation rate: Not determined
Flammability (solid, gas): Not applicable to liquids
Lower and upper explosion limit/flammability limit (%): Not determined
Vapour pressure: Not determined
Relative density: ≈ 1.08 (20 °C)
Relative vapour density: Not determined.
Particle characteristics: No data available.
Solubility in / Miscibility with water: Fully miscible
Partition coefficient: n-octanol/water No information available.

Not relevant to classification of this product

OECD 109 (EU A.3)
 Not relevant to classification of this product
 Not applicable to liquids.

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
Kinematic viscosity: ≈ 160 mPa.s (20 °C)
Explosive properties: Not explosive.
Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined
Corrosion to metals: Corrosive

Weight of evidence

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >5000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium hypochlorite (active chlorine)	LD ₅₀	1100	Rat	OECD 401 (EU B.1)	90
1-Dodecanamine, N,N-dimethyl-, N-oxide	LD ₅₀	1064	Rat	OECD 401 (EU B.1)	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
---------------	----------	-------	---------	--------	----------

Suma Saturn

		(mg/kg)			time (h)
sodium hypochlorite (active chlorine)	LD ₅₀	> 20000	Rabbit	OECD 402 (EU B.3)	
1-Dodecanamine, N,N-dimethyl-, N-oxide		No data available			

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite (active chlorine)	LC ₅₀	> 10.5 (vapour)	Rat	OECD 403 (EU B.2)	1
1-Dodecanamine, N,N-dimethyl-, N-oxide		No data available			

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite (active chlorine)	Corrosive	Rabbit	OECD 404 (EU B.4)	
1-Dodecanamine, N,N-dimethyl-, N-oxide	Irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite (active chlorine)	Severe damage	Rabbit	OECD 405 (EU B.5)	
1-Dodecanamine, N,N-dimethyl-, N-oxide	Severe damage	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite (active chlorine)	Irritating to respiratory tract			
1-Dodecanamine, N,N-dimethyl-, N-oxide	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium hypochlorite (active chlorine)	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
1-Dodecanamine, N,N-dimethyl-, N-oxide	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite (active chlorine)	Not sensitising			
1-Dodecanamine, N,N-dimethyl-, N-oxide	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium hypochlorite (active chlorine)	No evidence for mutagenicity	OECD 471 (EU B.12/13)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
1-Dodecanamine, N,N-dimethyl-, N-oxide	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect
sodium hypochlorite (active chlorine)	No evidence for carcinogenicity, negative test results
1-Dodecanamine, N,N-dimethyl-, N-oxide	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium hypochlorite (active chlorine)	NOAEL	Developmental toxicity Impaired fertility	5 (Cl)	Rat	OECD 414 (EU B.31), oral OECD 415 (EU B.34), oral		No evidence for reproductive toxicity
1-Dodecanamine, N,N-dimethyl-, N-oxide			No data available				

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
---------------	----------	-------	---------	--------	----------	-----------------------------

Suma Saturn

		(mg/kg bw/d)			time (days)	affected
sodium hypochlorite (active chlorine)	NOAEL	50	Rat	OECD 408 (EU B.26)	90	
1-Dodecanamine, N,N-dimethyl-, N-oxide		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hypochlorite (active chlorine)		No data available				
1-Dodecanamine, N,N-dimethyl-, N-oxide		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hypochlorite (active chlorine)		No data available				
1-Dodecanamine, N,N-dimethyl-, N-oxide		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium hypochlorite (active chlorine)			No data available					
1-Dodecanamine, N,N-dimethyl-, N-oxide			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium hypochlorite (active chlorine)	Not applicable
1-Dodecanamine, N,N-dimethyl-, N-oxide	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium hypochlorite (active chlorine)	Not applicable
1-Dodecanamine, N,N-dimethyl-, N-oxide	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite (active chlorine)	LC ₅₀	0.06	<i>Oncorhynchus mykiss</i>	Method not given	96
1-Dodecanamine, N,N-dimethyl-, N-oxide	LC ₅₀	31.8	<i>Brachydanio rerio</i>	OECD 203, semi-static	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite (active chlorine)	EC ₅₀	0.035	<i>Ceriodaphnia dubia</i>	OECD 202 (EU C.2)	48
1-Dodecanamine, N,N-dimethyl-, N-oxide		No data available	<i>Daphnia</i>		

Suma Saturn

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite (active chlorine)	NOEC	0.0021	<i>Not specified</i>	Method not given	168
1-Dodecanamine, N,N-dimethyl-, N-oxide		No data available			

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium hypochlorite (active chlorine)	EC ₅₀	0.026	<i>Crassostrea virginica</i>	Method not given	2
1-Dodecanamine, N,N-dimethyl-, N-oxide		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium hypochlorite (active chlorine)		0.375	<i>Activated sludge</i>	Method not given	
1-Dodecanamine, N,N-dimethyl-, N-oxide		No data available			

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hypochlorite (active chlorine)	NOEC	0.04	<i>Menidia pelinsulae</i>	Method not given	96 hour(s)	
1-Dodecanamine, N,N-dimethyl-, N-oxide		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hypochlorite (active chlorine)	NOEC	0.007	<i>Crassostrea virginica</i>	Method not given	15 day(s)	
1-Dodecanamine, N,N-dimethyl-, N-oxide		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hypochlorite (active chlorine)	115 day(s)	Indirect photo-oxidation		

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium hypochlorite (active chlorine)	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
sodium hypochlorite (active chlorine)		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
sodium hypochlorite (active chlorine)					Not applicable (inorganic substance)
1-Dodecanamine, N,N-dimethyl-, N-oxide		CO ₂ production	95.2% in 28 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
sodium hypochlorite (active chlorine)					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
sodium hypochlorite (active chlorine)					No data available

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium hypochlorite (active chlorine)	-3.42	Method not given	No bioaccumulation expected	
1-Dodecanamine, N,N-dimethyl-, N-oxide	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium hypochlorite (active chlorine)	No data available				
1-Dodecanamine, N,N-dimethyl-, N-oxide	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium hypochlorite (active chlorine)	1.12				High potential for mobility in soil
1-Dodecanamine, N,N-dimethyl-, N-oxide	No data available				

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Suma Saturn

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**Land transport, Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

14.1 UN number: 1719

14.2 UN proper shipping name:

Caustic alkali liquid, n.o.s. (sodium hydroxide , hypochlorite)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III

14.5 Environmental hazards:

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:**IMO/IMDG**

EmS: F-A, S-B

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations**

• Decree 108/2008/NP-CP Circular No.: 04/2012/TT-BCT Regulations on the Classification and Labeling of Chemicals

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS4800113

Version: 01.0

Revision: 2024-10-22

Abbreviations and acronyms:

- DNEL - Derived No Effect Limit
- PNEC - Predicted No Effect Concentration
- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)
- OECD - Organisation for Economic Cooperation and Development
- H290 - May be corrosive to metals.

Suma Saturn

- H302 - Harmful if swallowed.
- H314 - Causes severe skin burns and eye damage.
- H315 - Causes skin irritation.
- H318 - Causes serious eye damage.
- H335 - May cause respiratory irritation.
- H400 - Very toxic to aquatic life.
- H402 - Harmful to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- H411 - Toxic to aquatic life with long lasting effects.

End of Safety Data Sheet